BIOCHEMICAL JOURNAL

BIJOAK

AUTHOR AND
KEYWORD INDEXES
for volumes
409–416 (2008)

The Biochemical Society, London © 2009

My BJ user guide now available!

My BJ.
make it personal...

What is My BJ?...
...your BJ, your way!


My BJ – Make it personal!
You are logged in as
What can I do?
Want to be the first to know about new papers? – set your personal alerts!
(Contains 2 active alerts)
Got that search just right? – don't lose it, save it here!
(Contains 1 saved searches)
Found the paper you've been looking for? – file it now!
(Contains 1 saved items)
What was that paper you found last time, but forgot to save? – view your last 10 papers!
Keep sending papers to the same group of people? – set up a distribution list!
Your profile
Use the My BJ toolbox and get interactive with BJ!
Note: you need to set your web browser to accept cookies to use My BJ

Set up personal email alerts

Save your favourite searches

File your favourite papers

View your last ten papers

Set up a distribution list

Update your profile

Sign up today and create your own personal space!

» **Be our 4000th registrant and win a pocket digital camcorder**
www.biochemj.org/bj/offer

Biochemical Journal

AUTHOR AND KEYWORD INDEXES

for volumes

409–416 (2008)

The Biochemical Society, London © 2009

Available from

Portland Customer Services, P.O. Box 32,
Commerce Way, Colchester CO2 8HP, U.K.
Fax (U.K.) 01206 799331
(from overseas) +44 1206 799331
e-mail sales@portland-services.com

All rights reserved. Apart from any fair dealing for the purposes of research or private study, or criticism or review, as permitted under the Copyright, Designs and Patents Act, 1988, this publication may be reproduced, stored or transmitted, in any forms or by any means, only with the prior permission in writing of the publishers, or in the case of reprographic reproduction in accordance with the terms of licences issued by the Copyright Licensing Agency. Inquiries concerning reproduction outside those terms should be sent to the publishers at the above-mentioned address.

Compiled and composed by Aptara Inc., Delhi

Printed in Great Britain by The Charlesworth Group, Wakefield

Author Index

VOLUMES 409–416 (2008)

Abakumova, I. *See* Ross, M. F.
Abdul-Ghani, M. A. *See* Muller, F. L.
Abel, F. *See* Carén, H.
Abell, K. *See* Godiksen, S.
Åberg, E. *See* Perander, M.
Ackerley, C. *See* Xu, F.
Adachi, T. *See* Kimura, M.
Adachi, Y. *See* Chen, W.
Adams, D. R. *See* Xu, T.-R.
Adams, E. J. *See* Rousseau, K.
Addis, J. B. L. *See* Xu, F.
Affourtit, C. *See* Parker, N.
——; Brand, M. D.
Uncoupling protein-2 contributes significantly to high mitochondrial proton leak in INS-1E insulinoma cells and attenuates glucose-stimulated insulin secretion, 409:199
Agius, L. *See* Arden, C.
Glucokinase and molecular aspects of liver glycogen metabolism, 414:1
Ahmed, Y. *See* Hill, B. G.
Ahmed, Z. *See* Schüller, A. C.
——; Schüller, A. C.; Suhling, K.; Tregidgo, C.; Ladbury, J. E.
Extracellular point mutations in FGFR2 elicit unexpected changes in intracellular signalling, 413:37
Ahn, Y.
——; Hwang, C. Y.; Lee, S.-R.; Kwon, K.-S.; Lee, C.
The tumour suppressor PTEN mediates a negative regulation of the E3 ubiquitin-protein ligase Nedd4, 412:331
Ahn, Y.-H. *See* Choi, K.-C.
Ahuatzi, D. *See* Riera, A.
Ahuja, R.
——; Yammani, R.; Bauer, J. A.; Kalra, S.; Seetharam, S.; Seetharam, B.
Interactions of cubilin with megalin and the product of the amnionless gene (AMN): effect on its stability, 410:301
Akimoto, Y. *See* Kawai, J.
Akpan, N. *See* Ribe, E. M.
Ålander, J. *See* Staab, C. A.
Al-Babili, S. *See* Alder, A.
Al-Hakim, A. K.
——; Zagorska, A.; Chapman, L.; Deak, M.; Peggie, M.; Alessi, D. R.
Control of AMPK-related kinases by USP9X and atypical Lys^{29}/Lys^{33}-linked polyubiquitin chains, 411:249 (*See* Thomson, D. M. for online-only commentary)
Al-Karadaghi, S. *See* Sirijovski, N.
Ala-Kokko, L. *See* Jäälinoja, J.
Alayash, A. I. *See* Manalo, D. J.
Albanesi, J. P. *See* Jung, G.
Albaugh, B. C. *See* Hallows, W. C.
Albert, L. *See* Rumble, J. M.
Albi, E.
——; Lazzarini, R.; Viola Magni, M.
Phosphatidylcholine/sphingomyelin metabolism crosstalk inside the nucleus, 410:381
Alcock, F. H.
——; Grossmann, J. G.; Gentle, I. E.; Likić, V. A.; Lithgow, T.; Tokatlidis, K.
Conserved substrate binding by chaperones in the bacterial periplasm and the mitochondrial intermembrane space, 409:377
Alder, A.
——; Holdermann, I.; Beyer, P.; Al-Babili, S.
Carotenoid oxygenases involved in plant branching catalyse a highly specific conserved apocarotenoid cleavage reaction, 416:289
Alderwick, L. J. *See* Molle, V.
Aldibbiat, A. *See* Arden, C.
Aleksandrov, A. *See* Aleksandrov, L.
Aleksandrov, L.
——; Aleksandrov, A.; Riordan, J. R.
Mg^{2+}-dependent ATP occlusion at the first nucleotide-binding domain (NBD1) of CFTR does not require the second (NBD2), 416:129
Alessi, D. R. *See* Al-Hakim, A. K.; García-Martínez, J. M.; Huang, X.
Alfalah, M. *See* Castelletti, D.
Ali, M. M. U. *See* Millson, S. H.
Allen, P. D. *See* Woo, J. S.
Allen, S. J. *See* O'Hayre, M.
Alonso-Torres, P. *See* Fornés, A.
Alonzi, D. S.
——; Neville, D. C. A.; Lachmann, R. H.; Dwek, R. A.; Butters, T. D.
Glucosylated free oligosaccharides are biomarkers of endoplasmic reticulum α-glucosidase inhibition, 409:571
Alphey, M. S.
——; König, J.; Fairlamb, A. H.
Structural and mechanistic insights into type II trypanosomatid tryparedoxin-dependent peroxidases, 414:375
Alrefai, W. A. *See* Saksena, S.
Altenhöfer, S. *See* Horke, S.
Alvarez, M. N. *See* Piacenza, L.
Amaral, C. *See* Menezes, R. A.
Amessou, M. *See* Spooner, R. A.
Amidon, W. *See* Qian, Y.
Amin, M. A.
——; Matsunaga, S.; Uchiyama, S.; Fukui, K.
Depletion of nucleophosmin leads to distortion of nucleolar and nuclear structures in HeLa cells, 415:345
An, W. *See* Guo, D.
Anagnostou, S. H.
——; Shepherd, P. R.
Glucose induces an autocrine activation of the Wnt/β-catenin pathway in macrophage cell lines, 416:211 (*See* Sethi, J. K. for online-only commentary)
Andersen, L. M.
——; Wind, T.; Hansen, H. D.; Andreasen, P. A.
A cyclic peptidylic inhibitor of murine urokinase-type plasminogen activator: changing species specificity by substitution of a single residue, 412:447
Andersson, I. *See* García-Murria, M.-J.
Andersson, K. K. *See* Hersleth, H.-P.
Andersson, L. C. *See* Kanerva, K.
Andrä, J.
——; Jakovkin, I.; Grötzinger, J.; Hecht, O.; Krasnosdembskaya, A. D.; Goldmann, T.; Gutsmann, T.; Leippe, M.
Structure and mode of action of the antimicrobial peptide arenicin, 410:113
Andrali, S. S.
——; Sampley, M. L.; Vanderford, N. L.; Özcan, S.
Glucose regulation of insulin gene expression in pancreatic β-cells, 415:1
Andreasen, P. A. *See* Andersen, L. M.
Andrews, G. K. *See* Kimura, T.
André, S. *See* Kaltner, H.
Angers, M.
——; Uldry, M.; Kong, D.; Gimble, J. M.; Jetten, A. M.
Mfsd2a encodes a novel major facilitator superfamily domain-containing protein highly induced in brown adipose tissue during fasting and adaptive thermogenesis, 416:347
Anne, C. *See* Bebrone, C.
Antonescu, C. N. *See* Zaid, H.
Aoki, T.
——; Kojima, M.; Tani, K.; Tagaya, M.
Sec22b-dependent assembly of endoplasmic reticulum Q-SNARE proteins, 410:93
Aoyagi, K. *See* Kawai, J.
Appelbe, S. *See* Parenty, G.
Aragón, C. *See* Fornés, A.
Araújo-Bazán, L. *See* Spielvogel, A.
Arden, C.
——; Hampson, L. J.; Huang, G. C.; Shaw, J. A. M.; Aldibbiat, A.; Holliman, G.; Manas, D.; Khan, S.; Lange, A. J.; Agius, L.
A role for PFK-2/FBPase-2, as distinct from fructose 2,6-bisphosphate, in regulation of insulin secretion in pancreatic β-cells, 411:41
Armstrong, K. M.
——; Piepenbrink, K. H.; Baker, B. M.
Conformational changes and flexibility in T-cell receptor recognition of peptide–MHC complexes, 415:183
Armstrong, P. B. *See* Harrington, J. M.
Arnesen, T. *See* Starheim, K. K.
Aro, E.-M. *See* Kangasjärvi, S.
Arous, N. *See* Caci, E.
Arrigoni, R. *See* Palmieri, L.
Arsac, L. M.
——; Beuste, C.; Miraux, S.; Deschodt-Arsac, V.; Thiaudiere, E.; Franconi, J.-M.; Diolez, P. H.
In vivo modular control analysis of energy metabolism in contracting skeletal muscle, 414:391
Arst, Jr, H. N. *See* Spielvogel, A.
Arthur, J. S. C. *See* Mendoza, H.
Asano, T. *See* Takehara, M.
Ascenso, C. *See* Gomes, R. A.
Ashman, L. K. *See* Yamada, M.
Ashworth, A. *See* Towler, M. C.
Assenberg, R.
——; Webb, M.; Connolly, E.; Stott, K.; Watson, M.; Hobbs, J.; Thomas, J. O.
A critical role in structure-specific DNA binding for the acetylatable lysine residues in HMGB1, 411:553
Assoian, R. K. *See* Yang, C.
Atkinson, S. J. *See* Rapti, M.
Attwood, P. V. *See* Jitrapakdee, S.
Auger, K. R. *See* Carson, J. D.
Ávila, M. A. *See* Fernández-Irigoyen, J.
Ávila-Flores, A. *See* Mérida, I.

© 2009 Biochemical Society

Avizienyte, E.
——; Ward, R. A.; Garner, A. P.
Comparison of the EGFR resistance mutation profiles generated by EGFR-targeted tyrosine kinase inhibitors and the impact of drug combinations, 415:197
Azzu, V.
——; Parker, N.; Brand, M. D.
High membrane potential promotes alkenal-induced mitochondrial uncoupling and influences adenine nucleotide translocase conformation, 413:323

Babiychuk, E. B. *See* Monastyrskaya, K.
Bachmann, T. *See* Hu, C.-C. A.
Bacic, A. *See* Brownfield, L.
Backer, J. M. *See* Yip, S.-C.
The regulation and function of Class III PI3Ks: novel roles for Vps34, 410:1
Baek, J. H. *See* Manalo, D. J.
Bagby, S. *See* Upadhyay, A.
Bagossi, P. *See* Kádas, J.
Bailey, M. F. *See* Baldwin, G. S.
Baillie, G. S. *See* Mackenzie, K. F.; Xu, T.-R.
Bain, J. *See* Pagano, M. A.
Baker, B. M. *See* Armstrong, K. M.
Baker, E. *See* Payne, L. S.
Bakker, R. A. *See* van Rijn, R. M.
Balaram, H. *See* Bhat, J. Y.
Baldwin, G. S.
——; Bailey, M. F.; Shehan, B. P.; Sims, I.; Norton, R. S.
Tyrosine modification enhances metal-ion binding, 416:77
Baldwin, S. A. *See* Paproski, R. J.
Ballesta, J. P. G. *See* Martinez-Azorin, F.
Banci, L. *See* Singleton, C.
Bandyopadhyay, S.
——; Sengupta, T. K.; Spicer, E. K.
PMA induces stabilization of oncostatin M mRNA in human lymphoma U937 cells, 410:177
Banerjee, A.
——; Hussainzada, N.; Khandelwal, A.; Swaan, P. W.
Electrostatic and potential cation-π forces may guide the interaction of extracellular loop III with $Na^+$and bile acids for human apical Na^+-dependent bile acid transporter, 410:391
Banerjee, S. *See* Qian, Y.
Banfi, B. *See* Li, Q.
Banki, K. *See* Qian, Y.
Barak, Y. *See* Karpol, A.
Barath, P. *See* Luciakova, K.
Barbar, É. *See* Roostaee, A.
Barbier, O. *See* Kaeding, J.
Barclay, J. W. *See* Graham, M. E.; Palmer, Z. J.
Barcza, M. *See* Qian, Y.
Barettino, D. *See* Nagano, C. S.
Barford, D. *See* Komander, D.
Barker, P. A. *See* Rumble, J. M.
Barlow, P. N. *See* Mullin, N. P.
Barnes, J. C. *See* Dirk, L. M. A.
Baron, R. A.
——; Seabra, M. C.
Rab geranylgeranylation occurs preferentially via the pre-formed REP–RGGT complex and is regulated by geranylgeranyl pyrophosphate, 415:67
Barrow, S. L. *See* Graham, M. E.
Barsky, S. H. *See* Ye, Y.
Bartlett, M. C. *See* Loo, T. W.
Barylko, B. *See* Jung, G.
Barzilay, E. *See* Nahari, T.
Base, W. *See* Ilhan, A.
Batista-Nascimento, L. *See* Menezes, R. A.
Bauer, J. A. *See* Ahuja, R.
Bayer, E. A. *See* Karpol, A.
Bear, C. E. *See* Ramjeesingh, M.
Bearne, S. L. *See* Lunn, F. A.
Beaufort, N.
——; Wojciechowski, P.; Sommerhoff, C. P.; Szmyd, G.; Dubin, G.; Eick, S.; Kellermann, J.; Schmitt, M.; Potempa, J.; Magdolen, V.
The human fibrinolytic system is a target for the staphylococcal metalloprotease aureolysin, 410:157
Bebok, Z. *See* Varga, K.
Bebrone, C.
——; Anne, C.; Kerff, F.; Garau, G.; De Vriendt, K.; Lantin, R.; Devreese, B.; Van Beeumen, J.; Dideberg, O.; Frère. J.-M.; Galleni, M.
Mutational analysis of the zinc-and substrate-binding sites in the CphA metallo-β-lactamase from *Aeromonas hydrophila*, 414:151
Becker, C. *See* Correa, F.
Beckett, W. *See* Jäälinoja, J.
Bekes, M. *See* Drag, M.
Bellomo, E. A. *See* Rutter, G. A.
Bennett, J. P.
——; Bertin, L.; Moulton, B.; Fairlamb, I. J. S.; Brzozowski, A. M.; Walton, N. J.; Grogan, G.
A ternary complex of hydroxycinnamoyl-CoA hydratase–lyase (HCHL) with acetyl-CoA and vanillin gives insights into substrate specificity and mechanism, 414:281
Bento, I. *See* Durão, P.
Bercovich, Z. *See* Snapir, Z.
Bergeron, D. *See* Cojocaru, M.
Berghs, S. C. *See* Khan, N.
Bergès, T. *See* Desfougères, T.
Berkner, H.
——; Schweimer, K.; Matecko, I.; Rösch, P.
Conformation, catalytic site, and enzymatic mechanism of the PR10 allergen-related enzyme norcoclaurine synthase, 413:281
Bertin, L. *See* Bennett, J. P.
Bertinato, J.
——; Swist, E.; Plouffe, L. J.; Brooks, S. P. J.; L'Abbé, M. R.
Ctr2 is partially localized to the plasma membrane and stimulates copper uptake in COS-7 cells, 409:731
Bertrand, M. J. M. *See* Rumble, J. M.
Bertrand-Michel, J. *See* Besteiro, S.
Besin, E. *See* Palmieri, L.
Besra, G. S. *See* Molle, V.
Bessin, Y. *See* Molle, V.
Besteiro, S.
——; Bertrand-Michel, J.; Lebrun, M.; Vial, H.; Dubremetz, J.-F.
Lipidomic analysis of *Toxoplasma gondii* tachyzoites rhoptries: further insights into the role of cholesterol, 415:87
Bethel, C. R. *See* Leonard, D. A.
Beuste, C. *See* Arsac, L. M.
Bevington, A. *See* Gomez, E.
Beyer, P. *See* Alder, A.
Beyermann, M. *See* Diel, S.
Bhari, N. *See* Xu, T.-R.
Bhat, J. Y.
——; Shastri, B. G.; Balaram, H.
Kinetic and biochemical characterization of *Plasmodium falciparum* GMP synthetase, 409:263
Bhatnagar, A. *See* Hill, B. G.
Bhattacharya, A. *See* Muller, F. L.
Bhoo, S. H. *See* Phee, B.-K.
Biagini, G. A. *See* Quashie, N. B.
Biffo, S. *See* Grosso, S.
Bijlmakers, M.-J. *See* Giannini, A. L.
Binns, D. D. *See* Jung, G.
Biswas, A.
——; Wang, B.; Miyagi, M.; Nagaraj, R. H.
Effect of methylglyoxal modification on stress-induced aggregation of client proteins and their chaperoning by human αA-crystallin, 409:771
Blacklock, D. *See* Meikle, P. J.
Blechner, C. *See* Windhorst, S.
Blessington, B. *See* Taylor, M. C.
Bleunven, C.
——; Treves, S.; Jinyu, X.; Leo, E.; Ronjat, M.; de Waard, M.; Kern, G.; Flucher, B. E.; Zorzato, F.
SRP-27 is a novel component of the supramolecular signalling complex involved in skeletal muscle excitation–contraction coupling, 411:343
Blostein, M. D. *See* Ganopolsky, J. G.
Boal, F. *See* Spooner, R. A.
Bodewits, K. *See* Knol, J.
Boetzel, R. *See* Singleton, C.
Boldog, F. *See* Khan, N.
Bolger, G. B. *See* Mackenzie, K. F.
Bolstad, J. *See* Jones, P. P.
Bonello, S. *See* Görlach, A.
Bonnet, N. *See* Touré, F.
Bonomo, R. A. *See* Leonard, D. A.
Boonen, M.
——; Rezende de Castro, R.; Cuvelier, G.; Hamer, I.; Jadot, M.
A dileucine signal situated in the C-terminal tail of the lysosomal membrane protein p40 is responsible for its targeting to lysosomes, 414:431
Booth, D. *See* Palmer, Z. J.
Bornello, S. *See* Görlach, B.
Boross, P. *See* Kádas, J.
Borup, R. *See* Jensen, M.
Borutaite, V.
AMPK, MAPK and Bax in the heart: some questions answered, 412:e15
Boscá, L. *See* Mayoral, R.
BoseDasgupta, S. *See* Roy, A.
——; Das, B. B.; Sengupta, S.; Ganguly, A.; Roy, A.; Tripathi, G.; Majumder, H. K.
Amino acids 39–456 of the large subunit and 210–262 of the small subunit constitute the minimal functionally interacting fragments of the unusual heterodimeric topoisomerase IB of *Leishmania*, 409:481
Boss, W. F. *See* Galvão, R. M.
Bouchaert, E. *See* Kaeding, J.
Bouchard, A. *See* Cojocaru, M.
Boudeau, J. *See* Paytubi, S.
Bourgois, T. M. *See* Vandermarliere, E.
Bouschen, W. *See* Horn, C.
Boutin, J. A. *See* Calamini, B.
Bowers, K. *See* Zhai, C.
Boyen, C. *See* Hervé, C.
Branch, A. M. *See* Yip, S.-C.
Brand, M. D. *See* Affourtit, C.; Azzu, V.; Parker, N.
Brandt, M. *See* Staab, C. A.
Bray, P. G. *See* Quashie, N. B.
Brázda, V. *See* Jagelská, E. B.

© 2009 Biochemical Society

Brearley, C.
Sorting out PtdIns(4,5)P_2 and clathrin-coated vesicles in plants, 415:e1 (online-only commentary on König, S.)
Bremer, E. *See* Horn, C.
Bretag, A. H. *See* Ma, L.
Brindley, A. A. *See* Schubert, H. L.
Brooks, S. P. J. *See* Bertinato, J.
Broomhead, H. *See* Young, M. T.
Broos, J. *See* El Khattabi, M.
Brown, A. J.
Viral hepatitis and fatty liver disease: how an unwelcome guest makes pâté of the host, 416:e15 (online-only commentary on Kim, K.)
Brown, D. R. *See* Davies, P.
Brown, P. M. *See* Payne, L. S.
Browne, S. *See* Smith, L. J.
Brownfield, L.
——; Wilson, S.; Newbigin, E.; Bacic, A.; Read, S.
Molecular control of the glucan synthase-like protein NaGSL1 and callose synthesis during growth of *Nicotiana alata* pollen tubes, 414:43
Bruce, M. C.
——; Kanelis, V.; Fouladkou, F.; Debonneville, A.; Staub, O.; Rotin, D.
Regulation of Nedd4-2 self-ubiquitination and stability by a PY motif located within its HECT-domain, 415:155
Brzozowski, A. M. *See* Bennett, J. P.
Buehler, P. W. *See* Manalo, D. J.
Buettger, C. *See* Zelent, B.
Bugaj-Gaweda, B. *See* Mackenzie, K. F.
Bugge, T. H. *See* Godiksen, S.
Bui, T. *See* Farnaud, S.
Bujdoso, R. *See* Fitzmaurice, T. J.
Bulleid, N. J. *See* Tavender, T. J.
Bundgaard, J. R. *See* Rehfeld, J. F.
Burgoyne, R. D. *See* Graham, M. E.; Palmer, Z. J.; Venn, N.
Burke, D. F. *See* Fitzmaurice, T. J.
Burke, P. A. *See* Wang, Z.
Burness, K. *See* Mendoza, H.
Burt, A. D. *See* Wallace, K.
Bush, A. I. *See* Cater, M. A.
Busse, B. *See* Wegener, D.
Butt, J. N. *See* Gates, A. J.
Butt, O. *See* Manalo, D. J.
Butters, T. D. *See* Alonzi, D. S.
Böhmig, G. A. *See* Ilhan, A.
Bélanger, A. *See* Kaeding, J.
Bélanger, J. *See* Kaeding, J.

Cabezas, A. *See* Canales, J.
Caci, E.
——; Caputo, A.; Hinzpeter, A.; Arous, N.; Fanen, P.; Sonawane, N.; Verkman, A. S.; Ravazzolo, R.; Zegarra-Moran, O.; Galietta, L. J. V.
Evidence for direct CFTR inhibition by $CFTR_{inh}$-172 based on Arg^{347} mutagenesis, 413:135
Cai, S. *See* Jones, P. P.
Cai, Y. *See* Dirk, L. M. A.
Calamini, B.
——; Santarsiero, B. D.; Boutin, J. A.; Mesecar, A. D.
Kinetic, thermodynamic and X-ray structural insights into the interaction of melatonin and analogues with quinone reductase 2, 413:81
Calmettes, G. *See* Korzeniewski, B.
Calvete, J. J. *See* Nagano, C. S.
Cameron, A. J. *See* Durgan, J.
Cameron, J. M. *See* Xu, F.
Cameselle, J. C. *See* Canales, J.
Camilloni, G. *See* Di Felice, F.
Cammack, R. *See* Farnaud, S.
Campagna, S. *See* Molle, V.
Campbell, D. G. *See* Chen, S.; Mendoza, H.
Campbell, R. L. *See* Garnham, C. P.
Campbell, R. N.
——; Leverentz, M. K.; Ryan, L. A.; Reece, R. J.
Metabolic control of transcription: paradigms and lessons from *Saccharomyces cerevisiae*, 414:177
Canales, J.
——; Fernández, A.; Ribeiro, J. M.; Cabezas, A.; Rodrigues, J. R.; Cameselle, J. C.; Costas, M. J.
Mn^{2+}-dependent ADP-ribose/CDP-alcohol pyrophosphatase: a novel metallophosphoesterase family preferentially expressed in rodent immune cells, 413:103
Cance, W. G. *See* Golubovskaya, V. M.
Canonne-Hergaux, F. *See* Delaby, C.
Cao, L. *See* Young, M. T.
Cao, Y. *See* Zhang, Y.
Caputo, A. *See* Caci, E.
Carey, N. *See* Khan, N.
Carlson, B. A. *See* Sengupta, A.
Carmichael, J. *See* Imarisio, S.
Caron, P. *See* Kaeding, J.
Carrick, E. *See* Ordureau, A.
Carson, J. D.
——; Van Aller, G.; Lehr, R.; Sinnamon, R. H.; Kirkpatrick, R. B.; Auger, K. R.; Dhanak, D.; Copeland, R. A.; Gontarek, R. R.; Tummino, P. J.; Luo, L.
Effects of oncogenic p110α subunit mutations on the lipid kinase activity of phosphoinositide 3-kinase, 409:519
Carén, H.
——; Abel, F.; Kogner, P.; Martinsson, T.
High incidence of DNA mutations and gene amplifications of the *ALK* gene in advanced sporadic neuroblastoma tumours, 416:153
Casado, M. *See* Mayoral, R.
Casella, I. *See* Molinari, P.
Cass, C. E. *See* Paproski, R. J.
Castelletti, D.
——; Alfalah, M.; Heine, M.; Hein, Z.; Schmitte, R.; Fracasso, G.; Colombatti, M.; Naim, H. Y.
Different glycoforms of prostate-specific membrane antigen are intracellularly transported through their association with distinct detergent-resistant membranes, 409:149
Castello, P. R. *See* Levi, V.
Castillon, G. A. *See* Watanabe, R.
Cater, M. A.
——; McInnes, K. T.; Li, Q.-X.; Volitakis, I.; La Fontaine, S.; Mercer, J. F. B.; Bush, A. I.
Intracellular copper deficiency increases amyloid-β secretion by diverse mechanisms, 412:141
Cavada, B. S. *See* Nagano, C. S.
Cazet, A. *See* Groux-Degroote, S.
Chakraborti, P. K. *See* Thakur, M.
Chambers, I. *See* Mullin, N. P.
Chamieh, H.
——; Guetta, D.; Franzetti, B.
The two PAN ATPases from *Halobacterium* display N-terminal heterogeneity and form labile complexes with the 20S proteasome, 411:387
Chanard, J. *See* Touré, F.
Chang, E. *See* Senthilkumar, S.
Chang, E.-C. *See* Huang, K.-F.
Chang, F.-Y. *See* Tung, J.-Y.
Chang, G.-G. *See* Kuo, C.-C.
Chang, M. D.-T. *See* Tung, J.-Y.
Chang, Z. *See* Jiao, W.; Wu, Y. E.
Chapman, L. *See* Al-Hakim, A. K.
Charbonneau, S. *See* Ganopolsky, J. G.
Chawla, A. *See* Zhou, Q. L.
Chazot, P. L. *See* van Rijn, R. M.
Chen, C.-W. *See* Imarisio, S.
Chen, H. *See* Takeuchi, J.
Chen, J. *See* Zou, T.
——; Deng, F.; Li, J.; Wang, Q. J.
Selective binding of phorbol esters and diacylglycerol by individual C1 domains of the PKD family, 411:333
Chen, J. D. *See* Li, C.-W.
Chen, L. *See* Varga, K.
Chen, S. R. W. *See* Jones, P. P.; Kong, H.
Chen, S.
——; Murphy, J.; Toth, R.; Campbell, D. G.; Morrice, N. A.; Mackintosh, C.
Complementary regulation of TBC1D1 and AS160 by growth factors, insulin and AMPK activators, 409:449
Chen, W.
——; Shang, W. H.; Adachi, Y.; Hirose, K.; Ferrari, D. M.; Kamata, T.
A possible biochemical link between NADPH oxidase (Nox) 1 redox-signalling and ERp72, 416:55
Chen, X. *See* Liu, X.
Chen, Y. *See* Luo, X.; Pawar, P. S.
Chen, Z. *See* Durão, P.
Cheng, H. *See* Zeng, Y.
Cheng, Q. *See* Tan, F.-C.
Cheong, J. *See* Kim, K.
Chesney, J. *See* Liu, Y.
Cheung, Y.-F. *See* Mackenzie, K. F.
Chiani, F. *See* Di Felice, F.
Chi-Ham, C. L. *See* McAndrew, R. S.
Cho, M.-H. *See* Phee, B.-K.
Choi, H.-S. *See* Lee, Y.-S.; Xie, Y.-B.
Choi, K.-C.
——; Oh, S.-Y.; Kang, H.-B.; Lee, Y.-H.; Haam, S.; Kim, H.-I.; Kim, K.; Ahn, Y.-H.; Kim, K.-S.; Yoon, H.-G.
The functional relationship between co-repressor N-CoR and SMRT in mediating transcriptional repression by thyroid hormone receptor α, 411:19
Choi, Y. *See* Villani, M.
Chong, J. P. J. *See* Majerník, A. I.
Chong, S. *See* Lavender, V.
Chou, H.-T. *See* Harrington, J. M.
Chou, T.-B. *See* Zabolotskaya, M. V.
Chou, T.-L. *See* Huang, K.-F.
Chou, W.-I. *See* Tung, J.-Y.
Chou, W.-Y. *See* Kuo, C.-C.
Chouinard, S. *See* Kaeding, J.
Christensen, B.
——; Petersen, T. E.; Sørensen, E. S.
Post-translational modification and proteolytic processing of urinary osteopontin, 411:53
Christou, C. M.
——; Pearce, A. C.; Watson, A. A.; Mistry, A. R.; Pollitt, A. Y.; Fenton-May, A. E.; Johnson, L. A.; Jackson, D. G.; Watson, S. P.; O'Callaghan, C. A.
Renal cells activate the platelet receptor CLEC-2 through podoplanin, 411:133
Chrzanowska-Lightowlers, Z. M. A. *See* Lightowlers, R. N.

© 2009 Biochemical Society

Churchill, G. C. *See* Vasudevan, S. R.
Cigorraga, S. B. *See* Towler, M. C.
Ciofi-Baffoni, S. *See* Singleton, C.
Ciufo, L. F. *See* Graham, M. E.
Claessens, F. *See* Moehren, U.
Claperon, C.
——; Rozenfeld, R.; Iturrioz, X.; Inguimbert, N.; Okada, M.; Roques, B.; Maigret, B.; Llorens-Cortes, C.
Asp^{218} participates with Asp^{213} to bind a Ca^{2+} atom into the S1 subsite of aminopeptidase A: a key element for substrate specificity, 416:37
Clarke, A. R. *See* Cronier, S.
Clarke, D. M. *See* Loo, T. W.
Clarkson, G. J. *See* Spooner, R. A.
Clegg, P. *See* Rousseau, K.
Cleghon, V. *See* Day, J. P.
Cleland, W. W. *See* Jitrapakdee, S.
Clem, B. *See* Liu, Y.
Clemente, D. *See* Correa, F.
Coelho, A. V. *See* Gomes, R. A.
Coffino, P. *See* Takeuchi, J.
Cohen, G. *See* Ilhan, A.
Cohen, P. *See* Mendoza, H.; Ordureau, A.; Windheim, M.
Cojocaru, M.
——; Jeronimo, C.; Forget, D.; Bouchard, A.; Bergeron, D.; Côte, P.; Poirier, G. G.; Greenblatt, J.; Coulombe, B.
Genomic location of the human RNA polymerase II general machinery: evidence for a role of TFIIF and Rpb7 at both early and late stages of transcription, 409:139
Colby, D. *See* Mullin, N. P.
Colcombet, J.
——; Hirt, H.
Arabidopsis MAPKs: a complex signalling network involved in multiple biological processes, 413:217
Collawn, J. F. *See* Varga, K.
Collinge, J. *See* Cronier, S.
Collins, L. S. *See* Khan, N.
Colombatti, M. *See* Castelletti, D.
Condeelis, J. *See* Yip, S.-C.
Connolly, E. *See* Assenberg, R.
Cook, W. J. *See* Pawar, P. S.
Cooke, F. T. *See* Zhai, C.
Cooper, G. J. S. *See* Payne, L. S.
Cooper, H. M.
——; Spelbrink, J. N.
The human SIRT3 protein deacetylase is exclusively mitochondrial, 411:279 (*See* Hallows, W. C. for online-only commentary)
Cooper, T. G. *See* Renko, K.
Copeland, R. A. *See* Carson, J. D.
Cordat, E. *See* Kittanakom, S.
Cordeiro, C. *See* Gomes, R. A.
Cordeiro-Da-Silva, A. *See* Tavares, J.
Corrales, F. J. *See* Fernández-Irigoyen, J.
Correa, F.
——; Docagne, F.; Clemente, D.; Mestre, L.; Becker, C.; Guaza, C.
Anandamide inhibits IL-12p40 production by acting on the promoter repressor element GA-12: possible involvement of the COX-2 metabolite prostamide E_2, 409:761
Corvera, J. *See* Zhou, X.
Costa, G. *See* Gomes, R. A.
Costa, T. *See* Molinari, P.
Costas, M. J. *See* Canales, J.
Coulombe, B. *See* Cojocaru, M.
Courtin, C. M. *See* Vandermarliere, E.
Cozza, G. *See* Pagano, M. A.
Cozzone, A. J. *See* Molle, V.
Cranmer, S. L. *See* Frazzetto, M.
Crawshaw, S. G. *See* Ismail, N.
Critchley, D. R. *See* Sun, N.
Cronier, S.
——; Gros, N.; Tattum, M. H.; Jackson, G. S.; Clarke, A. R.; Collinge, J.; Wadsworth, J. D. F.
Detection and characterization of proteinase K-sensitive disease-related prion protein with thermolysin, 416:297
Cross, B. C. S. *See* Ismail, N.
Crouch, E. C. *See* Tecle, T.
Crow, A. *See* Lewin, A.
Csomos, R. A. *See* Rumble, J. M.
Cubelos, B. *See* Fernández-Sánchez, E.
Cuttle, M. *See* Smithers, N. P.
Cuvelier, G. *See* Boonen, M.
Czech, M. P. *See* Zhou, Q. L.
Côte, P. *See* Cojocaru, M.

D'Agnillo, F. *See* Manalo, D. J.
Damaraju, V. *See* Paproski, R. J.
Damsma, G. E. *See* Heuts, D. P. H. M.
Daneva, T. *See* Ilhan, A.
Darley-Usmar, V. M. *See* Hill, B. G.; Oh, J. Y.
Das, B. B. *See* BoseDasgupta, S.; Roy, A.
Davies, J. E. *See* Imarisio, S.
Davies, M. J. *See* Hawkins, C. L.; Lloyd, M. M.; Lund, M. N.
Davies, M. N. *See* Tsatsos, N. G.
Davies, P.
——; Brown, D. R.
The chemistry of copper binding to PrP: is there sufficient evidence to elucidate a role for copper in protein function?, 410:237
Davies, P. L. *See* Garnham, C. P.
Davies, S.-A. *See* Day, J. P.
Davis, K. E.
——; Scherer, P. E.
Adiponectin: no longer the lone soul in the fight against insulin resistance?, 416:e7 (online-only commentary on Wong, G. W.)
Davis, R. J. *See* Mendoza, H.
Day, J. P.
——; Cleghon, V.; Houslay, M. D.; Davies, S.-A.
Regulation of a *Drosophila melanogaster* cGMP-specific phosphodiesterase by prenylation and interaction with a prenyl-binding protein, 414:363
Dayal, D.
——; Martin, S. M.; Limoli, C. L.; Spitz, D. R.
Hydrogen peroxide mediates the radiation-induced mutator phenotype in mammalian cells, 413:185
Deak, M. *See* Al-Hakim, A. K.
Dean, D. C. *See* Liu, Y.
Dean, R. T. *See* Dunlop, R. A.
Debonneville, A. *See* Bruce, M. C.
DeFea, K. A.
β-Arrestin multimers: does a crowd help or hinder function, 413:e1 (online-only commentary on Xu, T.-R.)
De Filippis, V. *See* Valle, G.
de Franco, P.-O. *See* Hervé, C.
de Jonge, H. *See* Malmberg, E. K.
de Koning, H. P. *See* Quashie, N. B.
Delaby, C.
——; Pilard, N.; Puy, H.; Canonne-Hergaux, F.
Sequential regulation of ferroportin expression after erythrophagocytosis in murine macrophages: early mRNA induction by haem, followed by iron-dependent protein expression, 411:123
Delannoy, P. *See* Groux-Degroote, S.
Delavaine, L. *See* Ekerot, M.
Delcour, J. A. *See* Vandermarliere, E.
Dellas, C. *See* Kamikubo, Y.
Delpire, E.
——; Gagnon, K. B. E.
SPAK and OSR1: STE20 kinases involved in the regulation of ion homoeostasis and volume control in mammalian cells, 409:321
Del Poeta, M. *See* Villani, M.
Demaurex, N. *See* Jones, P. P.
De Meyts, P. *See* Jensen, M.
Denayer, S. *See* Moehren, U.
Deng, C. *See* Mackenzie, K. F.
Deng, F. *See* Chen, J.
Deng, R. *See* Liu, F.-J.
Dentino, A. R. *See* Raj, P. A.
Denu, J. M. *See* Hallows, W. C.
Derrick, J. P. *See* Levy, C.
Deschodt-Arsac, V. *See* Arsac, L. M.; Korzeniewski, B.
Desfougères, T.
——; Ferreira, T.; Bergès, T.; Régnacq, M.
SFH2 regulates fatty acid synthase activity in the yeast *Saccharomyces cerevisiae* and is critical to prevent saturated fatty acid accumulation in response to haem and oleic acid depletion, 409:299
Deubzer, H. E. *See* Wegener, D.
Devanur, L. D.
——; Evans, R. W.; Evans, P. J.; Hider, R. C.
Chelator-facilitated removal of iron from transferrin: relevance to combined chelation therapy, 409:439
Devaux, F. *See* Menezes, R. A.
Devenish, S. R. A. *See* Kefala, G.
De Vivo, M. *See* Mackenzie, K. F.
Devreese, B. *See* Bebrone, C.
De Vriendt, K. *See* Bebrone, C.
de Waard, M. *See* Bleunven, C.
Dey, A. *See* Rehfeld, J. F.
Dey, S. *See* Roy, A.
Dhanak, D. *See* Carson, J. D.
Dickinson, R. J. *See* Ekerot, M.
Dideberg, O. *See* Bebrone, C.
Diebold, B. A. *See* Nisimoto, Y.
Diel, S.
——; Beyermann, M.; Lloréns, J. M. N.; Wittig, B.; Kleuss, C.
Two interaction sites on mammalian adenylyl cyclase type I and II: modulation by calmodulin and $G_{\beta\gamma}$, 411:449
Díez-Guerra, F. J. *See* Fernández-Sánchez, E.
Di Felice, F.
——; Chiani, F.; Camilloni, G.
Nucleosomes represent a physical barrier for cleavage activity of DNA topoisomerase I *in vivo*, 409:651
Dijkhuizen, L. *See* Kelly, R. M.; Knol, J.
Dijkstra, B. W. *See* Kelly, R. M.
Di Maira, G. *See* Pagano, M. A.
Dimopoulos, N. *See* Hajduch, E.
Dinarina, A.
——; Ruiz, E. J.; O'Loghlen, A.; Mouron, S.; Perez, L.; Nebreda, A. R.
Negative regulation of cell-cycle progression by RINGO/Speedy E, 410:535
Ding, H. *See* Lu, J.; Pawar, P. S.
Ding, J. *See* Ma, J.
Ding, Y.-q. *See* Zhang, Y.
Dings, R. P. M.
——; Haseman, J. R.; Mayo, K. H.
Probing structure–activity relationships in bactericidal peptide βpep-25, 414:143
Dinh, G. K. *See* Li, C.-W.

© 2009 Biochemical Society

Diolez, P. H. *See* Arsac, L. M.
Diolez, P. *See* Korzeniewski, B.
Dirk, L. M. A.
——; Schmidt, J. J.; Cai, Y.; Barnes, J. C.; Hanger, K. M.; Nayak, N. R.; Williams, M. A.; Grossman, R. B.; Houtz, R. L.; Rodgers, D. W.
Insights into the substrate specificity of plant peptide deformylase, an essential enzyme with potential for the development of novel biotechnology applications in agriculture, 413:417
Dobson, R. C. J. *See* Kefala, G.
Docagne, F. *See* Correa, F.
Doerig, C. *See* Quashie, N. B.
Doherty, G. J. *See* Lundmark, R.
Donaldson, J. G.
——; Arfs, and membrane lipids: sensing, generating and responding to membrane curvature, 414:e1 (online-only commentary on Lundmark, R.)
Dong, L. *See* Zhang, H.
Dong, L.-y. *See* Guo, D.
Dorin-Semblat, D. *See* Quashie, N. B.
Dou, S.-X. *See* Ren, H.
Draeger, A. *See* Monastyrskaya, K.
Drag, M.
——; Mikolajczyk, J.; Bekes, M.; Reyes-Turcu, F. E.; Ellman, J. A.; Wilkinson, K. D.; Salvesen, G. S.
Positional-scanning fluorigenic substrate libraries reveal unexpected specificity determinants of DUBs (deubiquitinating enzymes), 415:367
——; Mikolajczyk, J.; Krishnakumar, I. M.; Huang, Z.; Salvesen, G. S.
Activity profiling of human deSUMOylating enzymes (SENPs) with synthetic substrates suggests an unexpected specificity of two newly characterized members of the family, 409:461
Drake, A. *See* Farnaud, S.
Drees, B. E. *See* Yip, S.-C.
Drenckhahn, D. *See* Menzel, N.
Drewianka, S. *See* Zimmermann, B.
Dreyer, B. *See* Perander, M.
Dráber, P. *See* Macurek, L.
Dráberová, E. *See* Macurek, L.
Dráberová, L. *See* Macurek, L.
D'Santos, C. S. *See* Winge, I.
Duan, J. *See* Han, Q.
Dubin, G. *See* Beaufort, N.
Dubremetz, J.-F. *See* Besteiro, S.
Duchaud, E. *See* Lameignere, E.
Duckett, C. S. *See* Rumble, J. M.
Dudeja, P. K. *See* Saksena, S.
Dudenhausen, E. E. *See* Thiaville, M. M.
Duff, H. J. *See* Kong, H.
Dugail, I. *See* Hajduch, E.
Dukes, J. D.
——; Richardson, J. D.; Simmons, R.; Whitley, P.
A dominant-negative ESCRT-III protein perturbs cytokinesis and trafficking to lysosomes, 411:233
Dumler, I. *See* Tkachuk, N.
Duncan, R. R. *See* Palmer, Z. J.
Dunford, A. J. *See* Neeli, R.
Dunlop, R. A.
——; Dean, R. T.; Rodgers, K. J.
The impact of specific oxidized amino acids on protein turnover in J774 cells, 410:131
Dunn, S.
——; Vohra, R. S.; Murphy, J. E.; Homer-Vanniasinkam, S.; Walker, J. H.; Ponnambalam, S.
The lectin-like oxidized low-density lipoprotein receptor: a pro-inflammatory factor in vascular disease, 409:349
Duplock, S. *See* Meikle, P. J.
Durgan, J.
——; Cameron, A. J.; Saurin, A. T.; Hanrahan, S.; Totty, N.; Messing, R. O.; Parker, P. J.
The identification and characterization of novel PKCε phosphorylation sites provide evidence for functional cross-talk within the PKC superfamily, 411:319 (*See* Larsson, C. for online-only commentary)
Duronio, V.
The life of a cell: apoptosis regulation by the PI3K/PKB pathway, 415:333
Durão, P.
——; Chen, Z.; Silva, C. S.; Soares, C. M.; Pereira, M. M.; Todorovic, S.; Hildebrandt, P.; Bento, I.; Lindley, P. F.; Martins, L. O.
Proximal mutations at the type 1 copper site of CotA laccase: spectroscopic, redox, kinetic and structural characterization of I494A and L386A mutants, 412:339
Dwek, R. A. *See* Alonzi, D. S.
Dy, M. *See* van Rijn, R. M.
Dynowski, M.
——; Schaaf, G.; Loque, D.; Moran, O.; Ludewig, U.
Plant plasma membrane water channels conduct the signalling molecule H_2O_2, 414:53

Ebran, N. *See* Molle, V.
Eckardt, K.-U. *See* Weidemann, A.
Ecke, D.
——; Hanck, T.; Tulapurkar, M. E.; Schäfer, R.; Kassack, M.; Stricker, R.; Reiser, G.
Hetero-oligomerization of the $P2Y_{11}$ receptor with the $P2Y_1$ receptor controls the internalization and ligand selectivity of the $P2Y_{11}$ receptor, 409:107
Eddy, R. J. *See* Yip, S.-C.
Edinger, A. L. *See* Fruman, D. A.
Egorova, N. S. *See* Vassilevski, A. A.
Eick, S. *See* Beaufort, N.
Einsle, O. *See* Kern, M.
Ekerot, M.
——; Stavridis, M. P.; Delavaine, L.; Mitchell, M. P.; Staples, C.; Owens, D. M.; Keenan, I. D.; Dickinson, R. J.; Storey, K. G.; Keyse, S. M.
Negative-feedback regulation of FGF signalling by DUSP6/MKP-3 is driven by ERK1/2 and mediated by Ets factor binding to a conserved site within the *DUSP6/MKP-3* gene promoter, 412:287
El Andaloussi, S. *See* Guterstam, P.
Elce, J. S. *See* Larsen, A. K.
Eleutherio, E. C. A. *See* Menezes, R. A.
Eley, H. L. *See* Russell, S. T.
El-Kafafi, E.-S.
——; Karamoko, M.; Pignot-Paintrand, I.; Grunwald, D.; Mandaron, P.; Lerbs-Mache, S.; Falconet, D.
Developmentally regulated association of plastid division protein FtsZ1 with thylakoid membranes in *Arabidopsis thaliana*, 409:87
El Khattabi, M.
——; van Roosmalen, M. L.; Jager, D.; Metselaar, H.; Permentier, H.; Leenhouts, K.; Broos, J.
Lactococcus lactis as expression host for the biosynthetic incorporation of tryptophan analogues into recombinant proteins, 409:193
Elling, C. *See* Windhorst, S.
Elliott, D. A. *See* Kim, W. S.
Elliott, M. *See* Pagano, M. A.
Ellman, J. A. *See* Drag, M.
El-Naggar, S. *See* Liu, Y.
El-Omar, E. M. *See* Hold, G. L.
Emamzadeh, R. *See* Tafreshi, N. K.
Engelborghs, Y. *See* Tudor, C.
Engelhardt, J. F. *See* Li, Q.
Enríquez, J. A. *See* Garrido, N.
Erne, P. *See* Joshi, M. B.
Ertbjerg, P. *See* Larsen, A. K.
Escriche, B. *See* Ibiza-Palacios, M. S.
Espeso, E. A. *See* Spielvogel, A.
Esposti, M. D. *See* Matarrese, P.
Evans, G. L. *See* Kefala, G.
Evans, P.
——; Slingsby, C.; Wallace, B. A.
Association of partially folded lens βB2-crystallins with the α-crystallin molecular chaperone, 409:691
Evans, P. J. *See* Devanur, L. D.
Evans, R. W. *See* Devanur, L. D.; Farnaud, S.

Færgeman, N. J. *See* Hansen, J. S.
Fairlamb, A. H. *See* Alphey, M. S.
Fairlamb, I. J. S. *See* Bennett, J. P.
Falconet, D. *See* El-Kafafi, E.-S.
Fanen, P. *See* Caci, E.
Farnaud, S.
——; Rapisarda, C.; Bui, T.; Drake, A.; Cammack, R.; Evans, R. W.
Identification of an iron–hepcidin complex, 413:553
Faro, M. *See* Garrido, N.
Fedders, H.
——; Michalek, M.; Grötzinger, J.; Leippe, M.
An exceptional salt-tolerant antimicrobial peptide derived from a novel gene family of haemocytes of the marine invertebrate *Ciona intestinalis*, 416:65
Fell, D. *See* Sweetlove, L. J.
Feltrer, R. *See* García-Estrada, C.
Feng, G.-S. *See* Luo, X.
Feng, L. *See* Luo, X.
Fenton-May, A. E. *See* Christou, C. M.
Feofanov, A. V. *See* Vassilevski, A. A.
Fernie, A. R. *See* Sweetlove, L. J.
Fernández, A. *See* Canales, J.
Fernández-Irigoyen, J.
——; Santamaría, M.; Sánchez-Quiles, V.; Latasa, M. U.; Santamaría, E.; Muñoz, J.; Sánchez Del Pino, M. M.; Valero, M. L.; Prieto, J.; Ávila, M. A.; Corrales, F. J.
Redox regulation of methylthioadenosine phosphorylase in liver cells: molecular mechanism and functional implications, 411:457
Fernández-Sánchez, E.
——; Díez-Guerra, F. J.; Cubelos, B.; Giménez, C.; Zafra, F.
Mechanisms of endoplasmic-reticulum export of glycine transporter-1 (GLYT1), 409:669
Fernández-Silva, P. *See* Garrido, N.
Ferrari, D. M. *See* Chen, W.
Ferrari, M. L. *See* Quintero, C. A.
Ferreira, A. E. N. *See* Gomes, R. A.
Ferreira, R. B. *See* Menezes, R. A.
Ferreira, T. *See* Desfougères, T.
Ferro, E.
——; Magrini, D.; Guazzi, P.; Fischer, T. H.; Pistolesi, S.; Pogni, R.; White II, G. C.; Trabalzini, L.

© 2009 Biochemical Society

G-protein binding features and regulation of the RalGDS family member, RGL2, 415:145
Ferré, J. *See* Ibiza-Palacios, M. S.
Feussner, I. *See* Lang, I.
Field, T. *See* Upadhyay, A.
Filmus, J. *See* Traister, A.
Finch, R. *See* Golubovskaya, V. M.
Findon, H. *See* Spielvogel, A.
Finel, M. *See* Pätsi, J.
Finn, P. W. *See* Khan, N.
Fischer, D. *See* Leidner, J.
Fischer, T. H. *See* Ferro, E.
Fitzmaurice, T. J.
——; Burke, D. F.; Hopkins, L.; Yang, S.; Yu, S.; Sy, M.-S.; Thackray, A. M.; Bujdoso, R.
The stability and aggregation of ovine prion protein associated with classical and atypical scrapie correlates with the ease of unwinding of helix-2, 409:367
Fitzpatrick, B. *See* Rousseau, K.
Fleming, S. *See* Huang, X.
Flipphi, M. *See* Robellet, X.
Flores, J. M. *See* Mayoral, R.
Flucher, B. E. *See* Bleunven, C.
Fogarty, S. *See* Towler, M. C.
Fojta, M. *See* Jagelská, E. B.
Fomenko, D. E. *See* Sengupta, A.
Fonseca, B. D.
——; Lee, V. H.-Y.; Proud, C. G.
The binding of PRAS40 to 14-3-3 proteins is not required for activation of mTORC1 signalling by phorbol esters/ERK, 411:141
Font-Nieves, M. *See* Petegnief, V.
Forget, D. *See* Cojocaru, M.
Fornés, A.
——; Núñez, E.; Alonso-Torres, P.; Aragón, C.; López-Corcuera, B.
Trafficking properties and activity regulation of the neuronal glycine transporter GLYT2 by protein kinase C, 412:495
Förstermann, U. *See* Horke, S.
Fouladkou, F. *See* Bruce, M. C.
Fraaije, M. W. *See* Heuts, D. P. H. M.
Fracasso, G. *See* Castelletti, D.
Frade, R. *See* Jean, D.
Franconi, J.-M. *See* Arsac, L. M.; Korzeniewski, B.
Franke, C. *See* Schmidt, U.
Frankel, P. *See* Pellet-Many, C.
Franklin-Tong, V. E.
——; Gourlay, C. W.
A role for actin in regulating apoptosis/programmed cell death: evidence spanning yeast, plants and animals, 413:389
Franzetti, B. *See* Chamieh, H.
Franzmann, M. *See* Knudsen, S. K.
Frazzetto, M.
——; Suphioglu, C.; Zhu, J.; Schmidt-Kittler, O.; Jennings, I. G.; Cranmer, S. L.; Jackson, S. P.; Kinzler, K. W.; Vogelstein, B.; Thompson, P. E.
Dissecting isoform selectivity of PI3K inhibitors: the role of non-conserved residues in the catalytic pocket, 414:383
Freitag, S. *See* Löfke, C.
Frère, J.-M. *See* Bebrone, C.
Fried, H. M. *See* Maity, T. S.
Friis-Hansen, L. *See* Rehfeld, J. F.
Froehlich, J. E. *See* McAndrew, R. S.
Fruman, D. A.
——; Edinger, A. L.
Cancer therapy: staying current with AMPK (online-only commentary on Huang, X.), 412:e3
Fujisawa, D.
——; Yamazaki, Y.; Lomonte, B.; Morita, T.
Catalytically inactive phospholipase A_2 homologue binds to vascular endothelial growth factor receptor-2 via a C-terminal loop region, 411:515
Fujita, S. *See* Ito, T.
Fukuda, K. *See* Kimura, M.
Fukuda, M. *See* Sano, H.
Fukui, K. *See* Amin, M. A.
Fukushima, Y. *See* Ushimaru, M.
Fuller, M. *See* Meikle, P. J.
Funakoshi, Y. *See* Ishizuka, A.
Fung, M. C. *See* Tang, H. L.
Furuichi, Y. *See* Izumikawa, K.
Futami, K. *See* Izumikawa, K.
Fütterer, K. *See* Molle, V.

Gabius, H.-J. *See* Kaltner, H.
Gaestel, M. *See* Mendoza, H.
Gagnon, K. B. E. *See* Delpire, E.
Galardo, M. N. *See* Towler, M. C.
Galietta, L. J. V. *See* Caci, E.
Galione, A. *See* Vasudevan, S. R.
Galla, D. *See* Valle, G.
Gallant, C. *See* Gangopadhyay, S. S.
Galleni, M. *See* Bebrone, C.
Galvão, R. M.
——; Kota, U.; Soderblom, E. J.; Goshe, M. B.; Boss, W. F.
Characterization of a new family of protein kinases from *Arabidopsis* containing phosphoinositide 3/4-kinase and ubiquitin-like domains, 409:117
Galyov, E. E. *See* Upadhyay, A.
Gambardella, L. *See* Matarrese, P.
Ganapathy, V. *See* Gnana-Prakasam, J. P.; Karunakaran, S.
Gangopadhyay, J. P.
——; Ikemoto, N.
Interaction of the Lys^{3614}–Asn^{3643} calmodulin-binding domain with the Cys^{4114}-Asn^{4142} region of the type 1 ryanodine receptor is involved in the mechanism of Ca^{2+}/agonist-induced channel activation, 411:415
Gangopadhyay, S. S.
——; Gallant, C.; Sundberg, E. J.; Lane, W. S.; Morgan, K. G.
Regulation of Ca^{2+}/calmodulin kinase II by a small C-terminal domain phosphatase, 412:507
Ganguly, A. *See* BoseDasgupta, S.; Roy, A.
Ganopolsky, J. G.
——; Charbonneau, S.; Peng, H. T.; Shek, P. N.; Blostein, M. D.
Characterization of an ideal amphipathic peptide as a procoagulant agent, 412:545
Gantz, D. *See* Tecle, T.
Gao, J.-X. *See* Ye, Y.
Gao, S. *See* Qi, W.
Gao, Y. *See* Giannini, A. L.
Garau, G. *See* Bebrone, C.
García-Cánovas, F. *See* Muñoz-Muñoz, J. L.
García-Estrada, C.
——; Ullán, R. V.; Velasco-Conde, T.; Godio, R. P.; Teijeira, F.; Vaca, I.; Feltrer, R.; Kosalková, K.; Mauriz, E.; Martín, J. F.
Post-translational enzyme modification by the phosphopantetheinyl transferase is required for lysine and penicillin biosynthesis but not for roquefortine or fatty acid formation in *Penicillium chrysogenum*, 415:317
Garcia-Gimeno, M. A. *See* Riera, A.
García-Martínez, J. M.
——; Alessi, D. R.
mTOR complex 2 (mTORC2) controls hydrophobic motif phosphorylation and activation of serum- and glucocorticoid-induced protein kinase 1 (SGK1), 416:375 (*See* Yan, L. for online-only commentary)
García-Molina, F. *See* Muñoz-Muñoz, J. L.
García-Murria, M.-J.
——; Karkehabadi, S.; Marín Navarro, J. M.; Satagopan, S.; Andersson, I.; Spreitzer, R. J.; Moreno, J.
Structural and functional consequences of the replacement of proximal residues Cys^{172} and Cys^{192} in the large subunit of ribulose-1,5-bisphosphate carboxylase/oxygenase from *Chlamydomonas reinhardtii*, 411:241
García-Ruiz, P. A. *See* Muñoz-Muñoz, J. L.
Gardiner, M.
——; Toth, R.; Vandermoere, F.; Morrice, N. A.; Rouse, J.
Identification and characterization of FUS/TLS as a new target of ATM, 415:297
Garg, R.
——; Riento, K.; Keep, N.; Morris, J. D. H.; Ridley, A. J.
N-terminus-mediated dimerization of ROCK-I is required for RhoE binding and actin reorganization, 411:407
Garner, A. P. *See* Avizienyte, E.
Garner, B. *See* Kim, W. S.
Garnham, C. P.
——; Gilbert, J. A.; Hartman, C. P.; Campbell, R. L.; Laybourn-Parry, J.; Davies, P. L.
A Ca^{2+}-dependent bacterial antifreeze protein domain has a novel β-helical ice-binding fold, 411:171
Garnotel, R. *See* Touré, F.
Garofalo, T. *See* Matarrese, P.
Garrido, N.
——; Pérez-Martos, A.; Faro, M.; Lou-Bonafonte, J. M.; Fernández-Silva, P.; López-Pérez, M. J.; Montoya, J.; Enríquez, J. A.
Cisplatin-mediated impairment of mitochondrial DNA metabolism inversely correlates with glutathione levels, 414:93
Gartner, W. *See* Ilhan, A.
Gates, A. J.
——; Richardson, D. J.; Butt, J. N.
Voltammetric characterization of the aerobic energy-dissipating nitrate reductase of *Paracoccus pantotrophus*: exploring the activity of a redox-balancing enzyme as a function of electrochemical potential, 409:159
Gelhaus, C. *See* Harrington, J. M.
Gentle, I. E. *See* Alcock, F. H.
Gerrard, J. A. *See* Kefala, G.
Gery, S. *See* Gueller, S.
Ghiso, J. *See* Hu, C.-C. A.
Ghosh, S. *See* Mendoza, H.
Giannini, A. L.
——; Gao, Y.; Bijlmakers, M.-J.
T-cell regulator RNF125/TRAC-1 belongs to a novel family of ubiquitin ligases with zinc fingers and a ubiquitin-binding domain, 410:101
Gibbs, P. E. M. *See* Tudor, C.

© 2009 Biochemical Society

Gibellini, F.
——; Hunter, W. N.; Smith, T. K.
Biochemical characterization of the initial steps of the Kennedy pathway in *Trypanosoma brucei*: the ethanolamine and choline kinases, 415:135
Gilbert, J. A. *See* Garnham, C. P.
Giles, N. *See* Oh, J. Y.
Gill, R. K. *See* Saksena, S.
Gillery, P. *See* Touré, F.
Gilmore, A. P. *See* Valentijn, A. J.
Gimble, J. M. *See* Angers, M.
Gimeno, R. *See* Wong, G. W.
Gimona, M.
An alternatively spliced exon links intermediate filaments to adhesions, 409:e1 (online-only commentary on Sun, N.)
Giménez, C. *See* Fernández-Sánchez, E.
Giri, V. S. *See* Roy, A.
Giulivi, C.
——; Ross-Inta, C.; Horton, A. A.; Luckhart, S.
Metabolic pathways in *Anopheles stephensi* mitochondria, 415:309
Gladyshev, V. N. *See* Sengupta, A.
Gleadle, J. M. *See* Pollard, P. J.
Gloor, S. M. *See* Stallmach, R.
Gnana-Prakasam, J. P.
——; Martin, P. M.; Mysona, B. A.; Roon, P.; Smith, S. B.; Ganapathy, V.
Hepcidin expression in mouse retina and its regulation via lipopolysaccharide/Toll-like receptor-4 pathway independent of Hfe, 411:79
Göbel, C. *See* Lang, I.
Godiksen, S.
——; Selzer-Plon, J.; Pedersen, E. D. K.; Abell, K.; Rasmussen, H. B.; Szabo, R.; Bugge, T. H.; Vogel, L. K.
Hepatocyte growth factor activator inhibitor-1 has a complex subcellular itinerary, 413:251
Godio, R. P. *See* García-Estrada, C.
Goldmann, T. *See* Andrä, J.
Goldstein, R. F. *See* Varga, K.
Golubovic, A. *See* Kadurin, I.
Golubovskaya, V. M.
——; Finch, R.; Zheng, M.; Kurenova, E. V.; Cance, W. G.
The 7-amino-acid site in the proline-rich region of the N-terminal domain of p53 is involved in the interaction with FAK and is critical for p53 functioning, 411:151
Gomes, R. A.
——; Oliveira, L. M. A.; Silva, M.; Ascenso, C.; Quintas, A.; Costa, G.; Coelho, A. V.; Sousa Silva, M.; Ferreira, A. E. N.; Ponces Freire, A.; Cordeiro, C.
Protein glycation *in vivo*: functional and structural effects on yeast enolase, 416:317
Gomez, E.
——; Powell, M. L.; Bevington, A.; Herbert, T. P.
A decrease in cellular energy status stimulates PERK-dependent eIF2α phosphorylation and regulates protein synthesis in pancreatic β-cells, 410:485
Gontarek, R. R. *See* Carson, J. D.
González Flecha, F. L. *See* Levi, V.
Görbitz, C. H. *See* Hersleth, H.-P.
Görlach, A.
——; Bonello, S.
The cross-talk between NF-κB and HIF-1: further evidence for a significant liaison, 412:e17 (online-only commentary on van Uden, P.); 413:571 (Correction)
Gorospe, M. *See* Lecona, E.; Zou, T.
Gorshkova, I. A. *See* He, D.
Goshe, M. B. *See* Galvão, R. M.
Goto, Y. *See* Hasegawa, K.
——; Tanji, H.; Hattori, A.; Tsujimoto, M.
Glutamine-181 is crucial in the enzymatic activity and substrate specificity of human endoplasmic-reticulum aminopeptidase-1, 416:109
Gourlay, C. W. *See* Franklin-Tong, V. E.
Grafström, R. C. *See* Staab, C. A.
Graham, M. E. *See* Palmer, Z. J.
——; Handley, M. T. W.; Barclay, J. W.; Ciufo, L. F.; Barrow, S. L.; Morgan, A.; Burgoyne, R. D.
A gain-of-function mutant of Munc18-1 stimulates secretory granule recruitment and exocytosis and reveals a direct interaction of Munc18-1 with Rab3, 409:407
Grant, C. M. *See* Trotter, E. W.
Graves, P. R. *See* Zeng, Y.
Greenblatt, J. *See* Cojocaru, M.
Greer, P. A. *See* Larsen, A. K.
Grempler, R. *See* Zibrova, D.
Griffin, M. D. W. *See* Kefala, G.
Grima, D. P. *See* Zabolotskaya, M. V.
Grimsby, J. *See* Zelent, B.
Grishin, E. V. *See* Vassilevski, A. A.
Grizzle, W. E. *See* Mackenzie, K. F.
Grogan, G. *See* Bennett, J. P.
Groisillier, A. *See* Hervé, C.
Gromyko, D. *See* Starheim, K. K.
Grondin, A. *See* Verdoucq, L.
Gros, N. *See* Cronier, S.
Grosse, F. *See* Schmidt, U.
Grossman, C. E. *See* Qian, Y.
Grossman, R. B. *See* Dirk, L. M. A.
Grossmann, J. G. *See* Alcock, F. H.
Grosso, S.
——; Volta, V.; Sala, L. A.; Vietri, M.; Marchisio, P. C.; Ron, D.; Biffo, S.
PKCβII modulates translation independently from mTOR and through RACK1, 415:77
Groux-Degroote, S.
——; Krzewinski-Recchi, M.-A.; Cazet, A.; Vincent, A.; Lehoux, S.; Lafitte, J.-J.; Van Seuningen, I.; Delannoy, P.
IL-6 and IL-8 increase the expression of glycosyltransferases and sulfotransferases involved in the biosynthesis of sialylated and/or sulfated Lewis^x epitopes in the human bronchial mucosa, 410:213
Grunwald, D. *See* El-Kafafi, E.-S.
Grötzinger, J. *See* Andrä, J.; Fedders, H.
Gründer, S. *See* Kadurin, I.
Gu, D. *See* Liu, X.
Guaza, C. *See* Correa, F.
Guazzi, P. *See* Ferro, E.
Guda, C. *See* Meller, N.
Gueller, S.
——; Gery, S.; Nowak, V.; Liu, L.; Serve, H.; Koeffler, H. P.
Adaptor protein Lnk associates with Tyr^{568} in c-Kit, 415:241
Guetta, D. *See* Chamieh, H.
Guldvik, I. J. *See* Perander, M.
Guo, D.
——; Dong, L.-y.; Wu, Y.; Yang, L.; An, W.
Down-regulation of hepatic nuclear factor 4α on expression of human hepatic stimulator substance via its action on the proximal promoter in HepG2 cells, 415:111
Guse, A. H. *See* Windhorst, S.
Gustafsson, M. *See* Nerelius, C.
Guterstam, P.
——; Lindgren, M.; Johansson, H.; Tedebark, U.; Wengel, J.; El Andaloussi, S.; Langel, Ü.
Splice-switching efficiency and specificity for oligonucleotides with locked nucleic acid monomers, 412:307
Gutsmann, T. *See* Andrä, J.; Harrington, J. M.
Gyorke, S. *See* Valle, G.

Ha, H. *See* Xie, Y.-B.
Ha, H. J. *See* Lee, Y.-S.
Haagsma, A. C. *See* Ismail, N.
Haam, S. *See* Choi, K.-C.
Haavik, J. *See* Winge, I.
Haberzettl, P. *See* Hill, B. G.
Hackett, C. *See* Khan, N.
Haedo, S. D. *See* Quintero, C. A.
Hagan, G. N. *See* Zhou, Q. L.
Hagan, R. M.
——; Worner-Gibbs, J.; Wilton, D. C.
The interaction of liver fatty-acid-binding protein (FABP) with anionic phospholipid vesicles: is there extended phospholipid anchorage under these conditions?, 410:123
Hahn, T.-R. *See* Phee, B.-K.
Hajduch, E.
——; Turban, S.; Le Liepvre, X.; Le Lay, S.; Lipina, C.; Dimopoulos, N.; Dugail, I.; Hundal, H. S.
Targeting of PKCζ and PKB to caveolin-enriched microdomains represents a crucial step underpinning the disruption in PKB-directed signalling by ceramide, 410:369
Haller, H. *See* Tkachuk, N.
Hallows, W. C.
——; Albaugh, B. C.; Denu, J. M.
Where in the cell is SIRT3? – functional localization of an NAD$^+$-dependent protein deacetylase, 411:e11 (online-only commentary on Cooper, H. M.)
Hamer, I. *See* Boonen, M.
Hampson, L. J. *See* Arden, C.
Han, M. *See* Zheng, B.
Han, Q.
——; Lu, J.; Duan, J.; Su, D.; Hou, X.; Li, F.; Wang, X.; Huang, B.
Gcn5- and Elp3-induced histone H3 acetylation regulates *hsp70* gene transcription in yeast, 409:779
Han, X. *See* Zeng, Y.
Han, Y.-J. *See* Phee, B.-K.
Hanck, T. *See* Ecke, D.
Handel, T. M. *See* O'Hayre, M.
Handley, M. T. W. *See* Graham, M. E.
Hänel, F. *See* Schmidt, U.
Hanger, K. M. *See* Dirk, L. M. A.
Hännikäinen, K. *See* Kangasjärvi, S.
Hanrahan, S. *See* Durgan, J.
Hansen, H. D. *See* Andersen, L. M.
Hansen, J. S.
——; Færgeman, N. J.; Kragelund, B. B.; Knudsen, J.
Acyl-CoA-binding protein (ACBP) localizes to the endoplasmic reticulum and Golgi in a ligand-dependent manner in mammalian cells, 410:463
Hansen, M. D. H. *See* Thomson, D. M.
Hansmannel, F.
——; Mordier, S.; Iynedjian, P.
Insulin induction of glucokinase and fatty acid synthase in hepatocytes: analysis of the roles of sterol-regulatory-element-binding protein-1c and liver X receptor, 399:275; 411:697 (Correction)

© 2009 Biochemical Society

Hansson Edalat, M. *See* Raffalli-Mathieu, F.
Hansson, G. C. *See* Malmberg, E. K.
Hansson, M. *See* Sirijovski, N.
Haraguchi, T. *See* Ito, T.
Hardie, D. G. *See* Towler, M. C.
Hardingham, T. E. *See* Tew, S. R.
Harrington, J. M.
——; Chou, H.-T.; Gutsmann, T.; Gelhaus, C.; Stahlberg, H.; Leippe, M.; Armstrong, P. B.
Membrane pore formation by pentraxin proteins from *Limulus*, the American horseshoe crab, 413:305
Hartman, C. P. *See* Garnham, C. P.
Hartshorn, K. L. *See* Tecle, T.
Hasegawa, H. *See* Yamada, M.
Hasegawa, K.
——; Tsutsumi-Yasuhara, S.; Ookoshi, T.; Ohhashi, Y.; Kimura, H.; Takahashi, N.; Yoshida, H.; Miyazaki, R.; Goto, Y.; Naiki, H.
Growth of β_2-microglobulin-related amyloid fibrils by non-esterified fatty acids at a neutral pH, 416:307
Haseman, J. R. *See* Dings, R. P. M.
Hashimto, Y. *See* Ishizuka, A.
Hassinen, I. E. *See* Pätsi, J.
Hastie, J. *See* Mendoza, H.
Hatanaka, T. *See* Karunakaran, S.
Hatano, N. *See* Song, T.
Hatfield, D. L. *See* Sengupta, A.
Hattori, A. *See* Goto, Y.
Häussinger, D. *See* Reinehr, R.
Hawkins, C. L. *See* Lloyd, M. M.
——; Pattison, D. I.; Stanley, N. R.; Davies, M. J.
Tryptophan residues are targets in hypothiocyanous acid-mediated protein oxidation, 416:441
Hawley, S. A. *See* Towler, M. C.
Hayano, T. *See* Izumikawa, K.
Hayashi, A. *See* Kato, A.
Haynes, L. P. *See* Venn, N.
He, D.
——; Natarajan, V.; Stern, R.; Gorshkova, I. A.; Solway, J.; Spannhake, E. W.; Zhao, Y.
Lysophosphatidic acid-induced transactivation of epidermal growth factor receptor regulates cyclo-oxygenase-2 expression and prostaglandin E_2 release via C/EBPβ in human bronchial epithelial cells, 412:153
He, Y.
——; Ramsay, A. J.; Hunt, M. L.; Whitbread, A. K.; Myers, S. A.; Hooper, J. D.
N-glycosylation analysis of the human Tweety family of putative chloride ion channels supports a penta-spanning membrane arrangement: impact of N-glycosylation on cellular processing of Tweety homologue 2 (TTYH2), 412:45
Hébert, T. E.
Opioid and chemokine receptor heterodimers: arranged marriages or dangerous liaisons? (online-only commentary on Parenty, G.), 412:e7
Hecht, O. *See* Andrä, J.
Hederstedt, L. *See* Lewin, A.
Heilmann, I. *See* König, S.; Lang, I.; Löfke, C.
Hein, Z. *See* Castelletti, D.
Heine, M. *See* Castelletti, D.
Heinemann, I. U. *See* Tan, F.-C.
Heinrich, P. C. *See* Sobota, R. M.
Heiskala, M. *See* Kanerva, K.
Hemmi, H. *See* Ito, T.
Herberg, F. W. *See* Zimmermann, B.
Herbert, T. P. *See* Gomez, E.
Hermsdorf, T. *See* Thor, D.
Hernández-Ortíz, P. *See* Spielvogel, A.
Herrero, P. *See* Riera, A.
Herschhorn, A.
——; Oz-Gleenberg, I.; Hizi, A.
Quantitative analysis of the interactions between HIV-1 integrase and retroviral reverse transcriptases, 412:163
Hersleth, H.-P.
——; Hsiao, Y.-W.; Ryde, U.; Görbitz, C. H.; Andersson, K. K.
The crystal structure of peroxymyoglobin generated through cryoradiolytic reduction of myoglobin compound III during data collection, 412:257
Hervé, C.
——; de Franco, P.-O.; Groisillier, A.; Tonon, T.; Boyen, C.
New members of the glutathione transferase family discovered in red and brown algae, 412:535
Hessels, G. I. *See* Knol, J.
Heuts, D. P. H. M.
——; Winter, R. T.; Damsma, G. E.; Janssen, D. B.; Fraaije, M. W.
The role of double covalent flavin binding in chito-oligosaccharide oxidase from *Fusarium graminearum*, 413:175
Hider, R. C. *See* Devanur, L. D.
High Mitchell, L. *See* Mackenzie, K. F.
High, S. *See* Ismail, N.
Higurashi, S. *See* Ibiza-Palacios, M. S.
Hildebrandt, P. *See* Durão, P.
Hildmann, C. *See* Wegener, D.
Hill, B. G.
——; Darley-Usmar, V. M.
S-Nitrosation and thiol switching in the mitochondrion: a new paradigm for cardioprotection in ischaemic preconditioning, 412:e11
——; Haberzettl, P.; Ahmed, Y.; Srivastava, S.; Bhatnagar, A.
Unsaturated lipid peroxidation-derived aldehydes activate autophagy in vascular smooth-muscle cells, 410:525
Hill, C. P. *See* Schubert, H. L.
Hinzpeter, A. *See* Caci, E.
Hirabayashi, T. *See* Masuda, S.
Hirose, K. *See* Chen, W.
Hirota, K. *See* Kimura, M.
Hirschberg, K. *See* Nahari, T.
Hirt, H. *See* Colcombet, J.
Hizi, A. *See* Herschhorn, A.
Hobbs, J. *See* Assenberg, R.
Hodges, M. *See* Palmieri, L.
Hodgkinson, C. P. *See* Smithers, N. P.
Hodson, C. T. C. *See* Lewin, A.
Hofinger, A. *See* Pföstl, A.
Hold, G. L.
——; El-Omar, E. M.
Genetic aspects of inflammation and cancer, 410:225
Holdermann, I. *See* Alder, A.
Holik, J. *See* Zhou, Q. L.
Hollenbach, B. *See* Renko, K.
Holliman, G. *See* Arden, C.
Holmskov, U. *See* Tecle, T.
Homer-Vanniasinkam, S. *See* Dunn, S.
Hong, J. S.
——; Kim, S.-W.; Koo, J. S.
Sp1 up-regulates cAMP-response-element-binding protein expression during retinoic acid-induced mucous differentiation of normal human bronchial epithelial cells, 410:49
Hong, W. *See* Jiao, W.; Wu, Y. E.
Hooper, J. D. *See* He, Y.
Hopkins, L. *See* Fitzmaurice, T. J.
Hopwood, J. J. *See* Meikle, P. J.
Horke, S.
——; Witte, I.; Wilgenbus, P.; Altenhöfer, S.; Krüger, M.; Li, H.; Förstermann, U.
Protective effect of paraoxonase-2 against endoplasmic reticulum stress-induced apoptosis is lost upon disturbance of calcium homoeostasis, 41[illegible]:395
Hörl, W. H. *See* Ilhan, A.
Horn, C.
——; Jenewein, S.; Tschapek, B.; Bouschen, W.; Metzger, S.; Bremer, E.; Schmitt, L.
Monitoring conformational changes during the catalytic cycle of OpuAA, the ATPase subunit of the ABC transporter OpuA from *Bacillus subtilis*, 412:233
Horton, A. A. *See* Giulivi, C.
Hoshijima, K. *See* Nakagawa, H.
Hosseinkhani, S. *See* Tafreshi, N. K.
Höög, J.-O. *See* Staab, C. A.
Hou, X. *See* Han, Q.
Houk, A. *See* Torbett, N. E.
Houslay, M. D. *See* Day, J. P.; Mackenzie, K. F.; Xu, T.-R.
Houslay, T. M. *See* Xu, T.-R.
Houtz, R. L. *See* Dirk, L. M. A.
Howard, M. *See* Rousseau, K.
Hoyt, M. A. *See* Takeuchi, J.
Hsiao, Y.-W. *See* Hersleth, H.-P.
Hsu, Y.-J. *See* Kuo, C.-C.
Hu, C.-C. A.
——; Bachmann, T.; Zhou, G.; Liang, F.-X.; Ghiso, J.; Kreibich, G.; Sun, T.-T.
Assembly of a membrane receptor complex: roles of the uroplakin II prosequence in regulating uroplakin bacterial receptor oligomerization, 414:195
Hu, J.-S. *See* Ren, H.
Hu, M. *See* Jiao, W.
Hu, P. *See* Wang, L.
Hu, W.
——; Li, F.; Mahavadi, S.; Murthy, K. S.
Interleukin-1β up-regulates RGS4 through the canonical IKK2/IκBα/NF-κB pathway in rabbit colonic smooth muscle, 412:35
Huan, L.-J. *See* Ramjeesingh, M.
Huang, B. *See* Han, Q.
Huang, G. *See* Wang, X.
Huang, G. C. *See* Arden, C.
Huang, J.
——; Manning, B. D.
The TSC1–TSC2 complex: a molecular switchboard controlling cell growth, 412:179
Huang, K.-F.
——; Wang, Y.-R.; Chang, E.-C.; Chou, T.-L.; Wang, A. H.-J.
A conserved hydrogen-bond network in the catalytic centre of animal glutaminyl cyclases is critical for catalysis, 411:181
Huang, X.
——; Wullschleger, S.; Shpiro, N.; McGuire, V. A.; Sakamoto, K.; Woods, Y. L.; McBurnie, W.; Fleming, S.; Alessi, D. R.
Important role of the LKB1–AMPK pathway in suppressing tumorigenesis in PTEN-deficient mice, 412:211 (*See* Fruman, D. A. for online-only commentary)
Huang, Y. *See* Zhang, Y.
Huang, Z. *See* Drag, M.
Hughes, B. P. *See* Ma, L.
Hujer, A. M. *See* Leonard, D. A.

© 2009 Biochemical Society

Hujer, K. M. *See* Leonard, D. A.
Hulmes, D. J. S. *See* Jäälinoja, J.
Hundal, H. S. *See* Hajduch, E.
Hunt, D. J. *See* Jones, P. P.
Hunt, M. L. *See* He, Y.
Hunter, W. N. *See* Gibellini, F.
Hurtado-Guerrero, R.
——; Raimi, O. G.; Min, J.; Zeng, H.; Vallius, L.; Shepherd, S.; Ibrahim, A. F. M.; Wu, H.; Plotnikov, A. N.; van Aalten, D. M. F.
Structural and kinetic differences between human and *Aspergillus fumigatus* D-glucosamine-6-phosphate *N*-acetyltransferase, 415:217
Hussainzada, N. *See* Banerjee, A.
Hwang, C. Y. *See* Ahn, Y.

Iba, H. *See* Ito, T.
Ibiza-Palacios, M. S.
——; Ferré, J.; Higurashi, S.; Miyamoto, K.; Sato, R.; Escriche, B.
Selective inhibition of binding of *Bacillus thuringiensis* Cry1Ab toxin to cadherin-like and aminopeptidase proteins in brush-border membranes and dissociated epithelial cells from *Bombyx mori*, 409:215
Ibrahim, A. F. M. *See* Hurtado-Guerrero, R.
Ihara, H. *See* Song, T.
Iida, M.
——; Matsuda, M.; Komatani, H.
Plk3 phosphorylates topoisomerase IIα at Thr^{1342}, a site that is not recognized by Plk1, 411:27
Ikeda, K. *See* Izawa, S.
Ikemoto, N. *See* Gangopadhyay, J. P.
Ilhan, A.
——; Gartner, W.; Nabokikh, A.; Daneva, T.; Majdic, O.; Cohen, G.; Böhmig, G. A.; Base, W.; Hörl, W. H.; Wagner, L.
Localization and characterization of the novel protein encoded by C20orf3, 414:485
Ilina, Y.
——; Sloma, E.; Maciaszczyk-Dziubinska, E.; Novotny, M.; Thorsen, M.; Wysocki, R.; Tamás, M. J.
Characterization of the DNA-binding motif of the arsenic-responsive transcription factor Yap8p, 415:467
Im, Y.-B. *See* Villani, M.
Imai, S.-i. *See* Yasuda, S.
Imarisio, S.
——; Carmichael, J.; Korolchuk, V.; Chen, C.-W.; Saiki, S.; Rose, C.; Krishna, G.; Davies, J. E.; Ttofi, E.; Underwood, B. R.; Rubinsztein, D. C.
Huntington's disease: from pathology and genetics to potential therapies, 412:191
Imberty, A. *See* Lameignere, E.
Inaba, T.
——; Schnell, D. J.
Protein trafficking to plastids: one theme, many variations, 413:15
Inguimbert, N. *See* Claperon, C.
Inoue, Y. *See* Izawa, S.
Irvine, R. F. *See* Letcher, A. J.
Ischebeck, T. *See* König, S.; Löfke, C.
Ishigatsubo, Y. *See* Suzuki, T.
Ishii, T. *See* Masuda, S.
Ishikawa, T. *See* Nakagawa, H.
Ishikawa, Y. *See* Masuda, S.
Ishizuka, A.
——; Hashimto, Y.; Naka, R.; Kinoshita, M.; Kakehi, K.; Seino, J.; Funakoshi, Y.; Suzuki, T.; Kameyama, A.; Narimatsu, H.
Accumulation of free complex-type N-glycans in MKN7 and MKN45 stomach cancer cells, 413:227
Ismail, N.
——; Crawshaw, S. G.; Cross, B. C. S.; Haagsma, A. C.; High, S.
Specific transmembrane segments are selectively delayed at the ER translocon during opsin biogenesis, 411:495
Isobe, M. *See* Kimura, T.
Isobe, T. *See* Ito, T.; Izumikawa, K.
Itagaki, S. *See* Karunakaran, S.
Itaya, M. *See* Ohtani, N.
Ito, H. *See* Tsuboi, N.
Ito, T.
——; Hemmi, H.; Kataoka, K.; Mukai, Y.; Yoshimura, T.
A novel zinc-dependent D-serine dehydratase from *Saccharomyces cerevisiae*, 409:399
——; Watanabe, H.; Yamamichi, N.; Kondo, S.; Tando, T.; Haraguchi, T.; Mizutani, T.; Sakurai, K.; Fujita, S.; Izumi, T.; Isobe, T.; Iba, H.
Brm transactivates the telomerase reverse transcriptase (*TERT*) gene and modulates the splicing patterns of its transcripts in concert with $p54^{nrb}$, 411:201
Itoh, N. *See* Kimura, T.
Iturriaga, G.
The LEA proteins and trehalose loving couple: a step forward in anhydrobiotic engineering, 410:e1
Iturrioz, X. *See* Claperon, C.
Ivanov, D. *See* Joshi, M. B.
Ivanova, M. V. *See* Jelokhani-Niaraki, M.
Iynedjian, P. *See* Hansmannel, F.
Izawa, S.
——; Kita, T.; Ikeda, K.; Inoue, Y.
Heat shock and ethanol stress provoke distinctly different responses in 3′-processing and nuclear export of *HSP* mRNA in *Saccharomyces cerevisiae*, 414:111
Izumi, T. *See* Ito, T.
Izumikawa, K.
——; Yanagida, M.; Hayano, T.; Tachikawa, H.; Komatsu, W.; Shimamoto, A.; Futami, K.; Furuichi, Y.; Shinkawa, T.; Yamauchi, Y.; Isobe, T.; Takahashi, N.
Association of human DNA helicase RecQ5β with RNA polymerase II and its possible role in transcription, 413:505

Jäälinoja, J.
——; Ylöstalo, J.; Beckett, W.; Hulmes, D. J. S.; Ala-Kokko, L.
Trimerization of collagen IX α-chains does not require the presence of the COL1 and NC1 domains, 409:545
Jacinto, E.
——; Lorberg, A.
TOR regulation of AGC kinases in yeast and mammals, 410:19
Jackson, D. G. *See* Christou, C. M.
Jackson, G. S. *See* Cronier, S.
Jackson, S. P. *See* Frazzetto, M.
Jadot, M. *See* Boonen, M.
Jaensch, M. *See* Wegener, D.
Jagelská, E. B.
——; Brázda, V.; Pečinka, P.; Paleček, E.; Fojta, M.
DNA topology influences p53 sequence-specific DNA binding through structural transitions within the target sites, 412:57
Jager, D. *See* El Khattabi, M.
Jahn, D. *See* Tan, F.-C.
Jahn, M. *See* Tan, F.-C.
Jaisankar, P. *See* Roy, A.
Jakovkin, I. *See* Andrä, J.
James, A. M. *See* Ross, M. F.
Jang, Y. C. *See* Muller, F. L.
Jans, D. A. *See* Kim, W. S.
Janscak, P. *See* Ren, H.
Janssen, D. B. *See* Heuts, D. P. H. M.
Jarmuszkiewicz, W. *See* Swida, A.
Jayakumar, R. *See* Senthilkumar, S.
Jayaraman, P.-S. *See* Soufi, A.
Jean, D.
——; Rousselet, N.; Frade, R.
Cathepsin L expression is up-regulated by hypoxia in human melanoma cells: role of its 5′-untranslated region, 413:125
Jeffers, M. *See* Khan, N.
Jelokhani-Niaraki, M.
——; Ivanova, M. V.; McIntyre, B. L.; Newman, C. L.; McSorley, F. R.; Young, E. K.; Smith, M. D.
A CD study of uncoupling protein-1 and its transmembrane and matrix-loop domains, 411:593
Jenewein, S. *See* Horn, C.
Jennings, I. G. *See* Frazzetto, M.
Jensen, M.
——; Palsgaard, J.; Borup, R.; De Meyts, P.; Schäffer, L.
Activation of the insulin receptor (IR) by insulin and a synthetic peptide has different effects on gene expression in IR-transfected L6 myoblasts, 412:435
Jensen, P. B. *See* Khan, N.
Jeon, J.-S. *See* Phee, B.-K.
Jeronimo, C. *See* Cojocaru, M.
Jetten, A. M. *See* Angers, M.
Jia, H. *See* Pellet-Many, C.
Jiang, D. *See* Jones, P. P.
Jiang, L.-H. *See* Young, M. T.
Jiang, X. *See* Luo, X.; Wang, X.; Zeng, Y.
Jiang, Z. Y. *See* Zhou, Q. L.
Jiao, W.
——; Hong, W.; Li, P.; Sun, S.; Ma, J.; Qian, M.; Hu, M.; Chang, Z.
The dramatically increased chaperone activity of small heat-shock protein IbpB is retained for an extended period of time after the stress condition is removed, 410:63
Jinyu, X. *See* Bleunven, C.
Jitrapakdee, S.
——; St Maurice, M.; Rayment, I.; Cleland, W. W.; Wallace, J. C.; Attwood, P. V.
Structure, mechanism and regulation of pyruvate carboxylase, 413:369
Joe, E.-h. *See* Kim, K. S.
Johannes, L. *See* Spooner, R. A.
Johansen, B. *See* Perander, M.
Johansson, H. *See* Guterstam, P.
Johansson, J. *See* Nerelius, C.
Johnsen, A. H. *See* Rehfeld, J. F.
Johnson, G.
——; Swart, C.; Moore, S. W.
Interaction of acetylcholinesterase with the G4 domain of the laminin α1-chain, 411:507
Johnson, G. L. *See* Mendoza, H.
Johnson, J. R. *See* Palmer, Z. J.
Johnson, L. *See* Rousseau, K.
Johnson, L. A. *See* Christou, C. M.
Johnson, T. E. *See* Kahn, N. W.

© 2009 Biochemical Society

Jois, P. S.
——; Madhu, N.; Rao, D. N.
Role of histidine residues in EcoP15I DNA methyltransferase activity as probed by chemical modification and site-directed mutagenesis, 410:543, 416:475 (Correction)
Jones, D. D.
——; Perham, R. N.
The role of loop and β-turn residues as structural and functional determinants for the lipoyl domain from the *Escherichia coli* 2-oxoglutarate dehydrogenase complex, 409:357; 410:631 (Correction)
Jones, P. P. *See* Kong, H.
——; Jiang, D.; Bolstad, J.; Hunt, D. J.; Zhang, L.; Demaurex, N.; Chen, S. R. W.
Endoplasmic reticulum Ca^{2+} measurements reveal that the cardiac ryanodine receptor mutations linked to cardiac arrhythmia and sudden death alter the threshold for store-overload-induced Ca^{2+} release, 412:171
——; Meng, X.; Xiao, B.; Cai, S.; Bolstad, J.; Wagenknecht, T.; Liu, Z.; Chen, S. R. W.
Localization of PKA phosphorylation site, Ser^{2030}, in the three-dimensional structure of cardiac ryanodine receptor, 410:261
Joshi, M. B.
——; Ivanov, D.; Philippova, M.; Kyriakakis, E.; Erne, P.; Resink, T. J.
A requirement for thioredoxin in redox-sensitive modulation of T-cadherin expression in endothelial cells, 416:271
Jou, I. *See* Kim, K. S.
Jung, G. *See* Kang, H.
——; Wang, J.; Wlodarski, P.; Barylko, B.; Binns, D. D.; Shu, H.; Yin, H. L.; Albanesi, J. P.
Molecular determinants of activation and membrane targeting of phosphoinositol 4-kinase IIβ, 409:501
Jurkuvenaite, A. *See* Varga, K.

Kacak, N. *See* Tecle, T.
Kádas, J.
——; Boross, P.; Weber, I. T.; Bagossi, P.; Matúz, K.; Tözsér, J.
C-terminal residues of mature human T-lymphotropic virus type 1 protease are critical for dimerization and catalytic activity, 416:357
Kadirjan-Kalbach, D. K. *See* McAndrew, R. S.
Kadurin, I.
——; Golubovic, A.; Leisle, L.; Schindelin, H.; Gründer, S.
Differential effects of N-glycans on surface expression suggest structural differences between the acid-sensing ion channel (ASIC) 1a and ASIC1b, 412:469
Kaeding, J.
——; Bouchaert, E.; Bélanger, J.; Caron, P.; Chouinard, S.; Verreault, M.; Larouche, O.; Pelletier, G.; Staels, B.; Bélanger, A.; Barbier, O.
Activators of the farnesoid X receptor negatively regulate androgen glucuronidation in human prostate cancer LNCAP cells, 410:245
Kahana, C. *See* Snapir, Z.
Kahn, N. W.
——; Rea, S. L.; Moyle, S.; Kell, A.; Johnson, T. E.
Proteasomal dysfunction activates the transcription factor SKN-1 and produces a selective oxidative-stress response in *Caenorhabditis elegans*, 409:205
Kai, M. *See* Yasuda, S.
Kaji, N. *See* Kato, A.
Kakehi, K. *See* Ishizuka, A.
Kalra, S. *See* Ahuja, R.
Kaltner, H.
——; Solís, D.; Kopitz, J.; Lensch, M.; Lohr, M.; Manning, J. C.; Mürnseer, M.; Schnölzer, M.; André, S.; Sáiz, J. L.; Gabius, H.-J.
Prototype chicken galectins revisited: characterization of a third protein with distinctive hydrodynamic behaviour and expression pattern in organs of adult animals, 409:591
Kamata, T. *See* Chen, W.
Kambe, T. *See* Song, T.
Kameyama, A. *See* Ishizuka, A.
Kamikubo, Y.
——; Dellas, C.; Loskutoff, D. J.; Quigley, J. P.; Ruggeri, Z. M.
Contribution of leptin receptor N-linked glycans to leptin binding, 410:595
Kanagaraj, R. *See* Ren, H.
Kanai, M. *See* Kimura, M.
Kanelis, V. *See* Bruce, M. C.
Kanerva, K.
——; Mäkitie, L. T.; Pelander, A.; Heiskala, M.; Andersson, L. C.
Human ornithine decarboxylase paralogue (ODCp) is an antizyme inhibitor but not an arginine decarboxylase, 409:187
Kang, H.
——; Yu, J.; Jung, G.
Phosphorylation of hepatitis B virus core C-terminally truncated protein (Cp149) by PKC increases capsid assembly and stability, 416:47
Kang, H.-B. *See* Choi, K.-C.
Kangasjärvi, S.
——; Lepistö, A.; Hännikäinen, K.; Piippo, M.; Luomala, E.-M.; Aro, E.-M.; Rintamäki, E.
Diverse roles for chloroplast stromal and thylakoid-bound ascorbate peroxidases in plant stress responses, 412:275
Kanoh, H. *See* Yasuda, S.
Kappes, J. C. *See* Pawar, P. S.
Kaproth-Joslin, K. A.
——; Li, X.; Reks, S. E.; Kelley, G. G.
Phospholipase Cδ1 regulates cell proliferation and cell-cycle progression from G_1- to S-phase by control of cyclin E–CDK2 activity, 415:439
Karamoko, M. *See* El-Kafafi, E.-S.
Karkehabadi, S. *See* García-Murria, M.-J.
Karp, D. R. *See* Qian, Y.
Karpol, A.
——; Barak, Y.; Lamed, R.; Shoham, Y.; Bayer, E. A.
Functional asymmetry in cohesin binding belies inherent symmetry of the dockerin module: insight into cellulosome assembly revealed by systematic mutagenesis, 410:331
Karpunin, D. V. *See* Vassilevski, A. A.
Karst, F. *See* Rahier, A.
Karunakaran, S.
——; Umapathy, N. S.; Thangaraju, M.; Hatanaka, T.; Itagaki, S.; Munn, D. H.; Prasad, P. D.; Ganapathy, V.
Interaction of tryptophan derivatives with SLC6A14 ($ATB^{0,+}$) reveals the potential of the transporter as a drug target for cancer chemotherapy, 414:343
Kassack, M. *See* Ecke, D.
Kataoka, K. *See* Ito, T.
Kato, A.
——; Kurita, S.; Hayashi, A.; Kaji, N.; Ohashi, K.; Mizuno, K.
Critical roles of actin-interacting protein 1 in cytokinesis and chemotactic migration of mammalian cells, 414:261
Katopodi, T. *See* Tew, S. R.
Kaur, H. *See* Taylor, M. C.
Kauschke, S. G. *See* Zibrova, D.
Kawai, J.
——; Ohara-Imaizumi, M.; Nakamichi, Y.; Okamura, T.; Akimoto, Y.; Matsushima, S.; Aoyagi, K.; Kawakami, H.; Watanabe, T.; Watada, H.; Kawamori, R.; Nagamatsu, S.
Insulin exocytosis in Goto-Kakizaki rat β-cells subjected to long-term glinide or sulfonylurea treatment, 412:93
Kawakami, H. *See* Kawai, J.
Kawamori, R. *See* Kawai, J.
Kawasaki, F. *See* Zou, B.
Kawasaki, T.
——; Kobayashi, T.; Ueyama, T.; Shirai, Y.; Saito, N.
Regulation of clathrin-dependent endocytosis by diacylglycerol kinase δ: importance of kinase activity and binding to AP2α, 409:471
Kazanietz, M. G. *See* Yang, C.
Kazimierczuk, Z. *See* Pagano, M. A.
Keenan, I. D. *See* Ekerot, M.
Keep, N. *See* Garg, R.
Kefala, G.
——; Evans, G. L.; Griffin, M. D. W.; Devenish, S. R. A.; Pearce, F. G.; Perugini, M. A.; Gerrard, J. A.; Weiss, M. S.; Dobson, R. C. J.
Crystal structure and kinetic study of dihydrodipicolinate synthase from *Mycobacterium tuberculosis*, 411:351
Kell, A. *See* Kahn, N. W.
Kelleher, S. L. *See* Lopez, V.
Kellermann, J. *See* Beaufort, N.
Kelley, G. G. *See* Kaproth-Joslin, K. A.
Kelly, J. M. *See* Piacenza, L.; Taylor, M. C.
Kelly, R. M.
——; Leemhuis, H.; Rozeboom, H. J.; van Oosterwijk, N.; Dijkstra, B. W.; Dijkhuizen, L.
Elimination of competing hydrolysis and coupling side reactions of a cyclodextrin glucanotransferase by directed evolution, 413:517
Kenneth, N. S. *See* van Uden, P.
——; Rocha, S.
Regulation of gene expression by hypoxia, 414:19
Keren-Paz, A. *See* Snapir, Z.
Kerff, F. *See* Bebrone, C.
Kern, G. *See* Bleunven, C.
Kern, M.
——; Einsle, O.; Simon, J.
Variants of the tetrahaem cytochrome *c* quinol dehydrogenase NrfH characterize the menaquinol-binding site, the haem *c*-binding motifs and the transmembrane segment, 414:73
Kern, P. A. *See* Unal, R.
Kervinen, M. *See* Pätsi, J.
Keyse, S. M. *See* Ekerot, M.; Perander, M.
Khalkho, N. V. M. *See* Roy, A.
Khan, N.
——; Jeffers, M.; Kumar, S.; Hackett, C.; Boldog, F.; Khramtsov, N.; Qian, X.; Mills, E.; Berghs, S. C.; Carey, N.; Finn, P. W.;

© 2009 Biochemical Society

Collins, L. S.; Tumber, A.; Ritchie, J. W.; Jensen, P. B.; Lichenstein, H. S.; Sehested, M.
Determination of the class and isoform selectivity of small-molecule histone deacetylase inhibitors, 409:581
Khan, S. *See* Arden, C.
Khandelia, P. *See* Sapra, A. K.
Khandelwal, A. *See* Banerjee, A.
Khosravi-Far, R. *See* Matarrese, P.
Khramtsov, N. *See* Khan, N.
Khromov, A. S. *See* Momotani, K.
Kihlken, M. A. *See* Singleton, C.
Kilberg, M. S. *See* Thiaville, M. M.
Kim, D.-E. *See* Yeom, S.-J.
Kim, D. H. *See* Woo, J. S.
Kim, D.-K. *See* Lee, Y.-S.
Kim, G. S. *See* Son, Y. L.
Kim, H. H. *See* Kim, K.
Kim, H.-I. *See* Choi, K.-C.
Kim, H.-J. *See* Yeom, S.-J.
Kim, H. Y. *See* Kim, K. S.
Kim, J.-I. *See* Phee, B.-K.
Kim, K. *See* Choi, K.-C.
——; Kim, K. H.; Kim, H. H.; Cheong, J.
Hepatitis B virus X protein induces lipogenic transcription factor SREBP1 and fatty acid synthase through the activation of nuclear receptor LXRα, 416:219 (*See* Brown, A. J. for online-only commentary)
Kim, K. H. *See* Kim, K.
Kim, K.-H.
——; Pham, C. T.; Sleat, D. E.; Lobel, P.
Dipeptidyl-peptidase I does not functionally compensate for the loss of tripeptidyl-peptidase I in the neurodegenerative disease late-infantile neuronal ceroid lipofuscinosis, 415:225
Kim, K. S.
——; Kim, H. Y.; Joe, E.-h.; Jou, I.
Matrix metalloproteinase-3 induction in rat brain astrocytes: focus on the role of two AP-1 elements, 410:605
Kim, K.-S. *See* Choi, K.-C.
Kim, S.-W. *See* Hong, J. S.
Kim, W. S.
——; Elliott, D. A.; Kockx, M.; Kritharides, L.; Rye, K.-A.; Jans, D. A.; Garner, B.
Analysis of apolipoprotein E nuclear localization using green fluorescent protein and biotinylation approaches, 409:701
Kim, Y. D. *See* Lee, Y.-S.
Kimball, S. R. *See* Yerlikaya, A.
Kimura, H. *See* Hasegawa, K.
Kimura, M.
——; Takabuchi, S.; Tanaka, T.; Murata, M.; Nishi, K.; Oda, S.; Oda, T.; Kanai, M.; Fukuda, K.; Kizaka-Kondoh, S.; Adachi, T.; Takabayashi, A.; Semenza, G. L.; Hirota, K.
n-Propyl gallate activates hypoxia-inducible factor 1 by modulating intracellular oxygen-sensing systems, 411:97
Kimura, T.
——; Li, Y.; Okumura, F.; Itoh, N.; Nakanishi, T.; Sone, T.; Isobe, M.; Andrews, G. K.
Chromium(VI) inhibits mouse metallothionein-I gene transcription by preventing the zinc-dependent formation of an MTF-1–p300 complex, 415:477
Kinoshita, M. *See* Ishizuka, A.
Kinoshita, T. *See* Takida, S.
Kinzler, K. W. *See* Frazzetto, M.
Kirchberger, T. *See* Windhorst, S.
Kirkham, S. *See* Rousseau, K.
Kirkpatrick, R. B. *See* Carson, J. D.
Kiselyov, K. *See* Vergarajauregui, S.
Kita, T. *See* Izawa, S.
Kitidis-Mitrokostas, C. *See* Wong, G. W.
Kittanakom, S.
——; Cordat, E.; Reithmeier, R. A. F.
Dominant-negative effect of Southeast Asian ovalocytosis anion exchanger 1 in compound heterozygous distal renal tubular acidosis, 410:271
Kiyan, J. *See* Tkachuk, N.
Kiyan, R. *See* Tkachuk, N.
Kizaka-Kondoh, S. *See* Kimura, M.
Klanke, B. *See* Weidemann, A.
Klein, E. A. *See* Yang, C.
Kleppe, R. *See* Winge, I.
Kleuss, C. *See* Diel, S.
Klip, A. *See* Zaid, H.
Knappskog, P. M. *See* Winge, I.
Knight, D. *See* Rousseau, K.
Knight, Z. A. *See* Torbett, N. E.
Knol, J.
——; Bodewits, K.; Hessels, G. I.; Dijkhuizen, L.; van der Geize, R.
3-Keto-5α-steroid Δ^1-dehydrogenase from *Rhodococcus erythropolis* SQ1 and its orthologue in *Mycobacterium tuberculosis* H37Rv are highly specific enzymes that function in cholesterol catabolism, 410:339
Knudsen, J. *See* Hansen, J. S.
Knudsen, S. K.
——; Stensballe, A.; Franzmann, M.; Westergaard, U. B.; Otzen, D. E.
Effect of glycosylation on the extracellular domain of the Ag43 bacterial autotransporter: enhanced stability and reduced cellular aggregation, 412:563
Ko, K. W. S. *See* Zhang, H.
Kobayashi, N. *See* Suzuki, T.
Kobayashi, T. *See* Kawasaki, T.
Kockx, M. *See* Kim, W. S.
Koeffler, H. P. *See* Gueller, S.
Kogner, P. *See* Carén, H.
Kohno, T.
——; Matsuda, E.; Sasaki, H.; Sasaki, T.
Protein-tyrosine kinase CAKβ/PYK2 is activated by binding Ca^{2+}/calmodulin to FERM F2 α2 helix and thus forming its dimer, 410:513
Köhrle, J. *See* Renko, K.
Kojima, M. *See* Aoki, T.
Kolch, W. *See* Xu, T.-R.
Kollarovic, G. *See* Luciakova, K.
Komada, M. *See* Nakagawa, H.
Komander, D.
——; Barford, D.
Structure of the A20 OTU domain and mechanistic insights into deubiquitination, 409:77
Komatani, H. *See* Iida, M.
Komatsu, W. *See* Izumikawa, K.
Kometani, S. *See* Nakagawa, H.
Kondo, S. *See* Ito, T.
Kong, D. *See* Angers, M.
Kong, H.
——; Jones, P. P.; Koop, A.; Zhang, L.; Duff, H. J.; Chen, S. R. W.
Caffeine induces Ca^{2+} release by reducing the threshold for luminal Ca^{2+} activation of the ryanodine receptor, 414:441
König, J. *See* Alphey, M. S.
König, S. *See* Löfke, C.
——; Ischebeck, T.; Lerche, J.; Stenzel, I.; Heilmann, I.
Salt-stress-induced association of phosphatidylinositol 4,5-bisphosphate with clathrin-coated vesicles in plants, 415:387 (*See* Brealey, C. for online-only commentary)
Koo, J. S. *See* Hong, J. S.
Koop, A. *See* Kong, H.
Kopitz, J. *See* Kaltner, H.
Korolchuk, V. *See* Imarisio, S.
Korzeniewski, B.
——; Deschodt-Arsac, V.; Calmettes, G.; Franconi, J.-M.; Diolez, P.
Physiological heart activation by adrenaline involves parallel activation of ATP usage and supply, 413:343
Kosalková, K. *See* García-Estrada, C.
Kosma, P. *See* Pföstl, A.
Kota, U. *See* Galvão, R. M.
Kovacs, E.
——; Liliom, K.
Sphingosylphosphorylcholine as a novel calmodulin inhibitor, 410:427
Kozlov, S. A. *See* Vassilevski, A. A.
Kragelund, B. B. *See* Hansen, J. S.
Krasnosdembskaya, A. D. *See* Andrä, J.
Krawczyk, S. A. *See* Wong, G. W.
Kreibich, G. *See* Hu, C.-C. A.
Kremer, L. *See* Molle, V.
Krishna, G. *See* Imarisio, S.
Krishnakumar, I. M. *See* Drag, M.
Kritharides, L. *See* Kim, W. S.
Krzewinski-Recchi, M.-A. *See* Groux-Degroote, S.
Krüger, M. *See* Horke, S.
Kuang, J. *See* Zhou, X.
Kudo, I. *See* Masuda, S.
Kumar, S. *See* Khan, N.
——; Ravi, V. K.; Swaminathan, R.
How do surfactants and DTT affect the size, dynamics, activity and growth of soluble lysozyme aggregates?, 415:275
Kume, K. *See* Song, T.
Kuo, C.-C.
——; Lin, K.-Y.; Hsu, Y.-J.; Lin, S.-Y.; Lin, Y.-T.; Chang, G.-G.; Chou, W.-Y.
The roles of Tyr^{91} and Lys^{162} in general acid–base catalysis in the pigeon $NADP^+$-dependent malic enzyme, 411:467
Kurenova, E. V. *See* Golubovskaya, V. M.
Kurita, S. *See* Kato, A.
Kwon, K.-S. *See* Ahn, Y.
Kwon, Y.-K. *See* Phee, B.-K.
Kyriakakis, E. *See* Joshi, M. B.

L'Abbé, M. R. *See* Bertinato, J.
Lachmann, R. H. *See* Alonzi, D. S.
Laco, G. S.
——; Pommier, Y.
Role of a tryptophan anchor in human topoisomerase I structure, function and inhibition, 411:523
Ladbury, J. E. *See* Ahmed, Z.; Schüller, A. C.
Lafitte, J.-J. *See* Groux-Degroote, S.
La Fontaine, S. *See* Cater, M. A.
Lajoie, G. *See* Zhang, Y.
Lam, K. S. L. *See* Wang, Y.
Lamb, R. F. *See* Yan, L.
Lambert, E. *See* Touré, F.
Lamed, R. *See* Karpol, A.

© 2009 Biochemical Society

Lameignere, E.
——; Malinovská, L.; Sláviková, M.; Duchaud, E.; Mitchell, E. P.; Varrot, A.; Šedo, O.; Imberty, A.; Wimmerová, M.
Structural basis for mannose recognition by a lectin from opportunistic bacteria *Burkholderia cenocepacia*, 411:307
Lametsch, R. *See* Larsen, A. K.
Landar, A. *See* Oh, J. Y.
Lane, W. S. *See* Gangopadhyay, S. S.
Lang, C. *See* Windheim, M.
Lang, I.
——; Göbel, C.; Porzel, A.; Heilmann, I.; Feussner, I.
A lipoxygenase with linoleate diol synthase activity from *Nostoc* sp. PCC 7120, 410:347
Lang, S. *See* Wegener, D.
Lange, A. J. *See* Arden, C.
Lange, C. *See* Wegener, D.
Langel, Ü. *See* Guterstam, P.
Langemeijer, E. *See* van Rijn, R. M.
Lantin, R. *See* Bebrone, C.
Larouche, O. *See* Kaeding, J.
Larsen, A. K.
——; Lametsch, R.; Elce, J. S.; Larsen, J. K.; Thomsen, B.; Larsen, M. R.; Lawson, M. A.; Greer, P. A.; Ertbjerg, P.
Genetic disruption of calpain correlates with loss of membrane blebbing and differential expression of RhoGDI-1, cofilin and tropomyosin, 411:657
Larsen, J. K. *See* Larsen, A. K.
Larsen, M. R. *See* Larsen, A. K.
Larsson, C.
New insights into PKC family affairs: three novel phosphorylation sites in PKCε and at least one is regulated by PKCα, 411:e15 (online-only commentary on Durgan, J.)
Latasa, M. U. *See* Fernández-Irigoyen, J.
Lavender, V.
——; Chong, S.; Ralphs, K.; Wolstenholme, A. J.; Reaves, B. J.
Increasing the expression of calcium-permeable TRPC3 and TRPC7 channels enhances constitutive secretion, 413:437
Lavigne, P. *See* Roostaee, A.
Law, S. K. A. *See* Vararattanavech, A.
Lawson, M. A. *See* Larsen, A. K.
Laybourn-Parry, J. *See* Garnham, C. P.
Lazzarini, R. *See* Albi, E.
Le, A.-H. P. *See* Tang, H. L.
Lebrun, M. *See* Besteiro, S.
Le Brun, N. E. *See* Lewin, A.; Singleton, C.; Zhou, L.
Lecanidou, R. *See* Papantonis, A.
Lecona, E.
——; Olmo, N.; Turnay, J.; Santiago-Gómez, A.; López De Silanes, I.; Gorospe, M.; Lizarbe, M. A.
Kinetic analysis of butyrate transport in human colon adenocarcinoma cells reveals two different carrier-mediated mechanisms, 409:311
Lee, C. *See* Ahn, Y.
Lee, E. H. *See* Woo, J. S.
Lee, I.-K. *See* Xie, Y.-B.
Lee, J. *See* Xu, F.
Lee, J.-K. *See* Yeom, S.-J.
Lee, J. M. *See* Zhang, H.
Lee, J. W. *See* Son, Y. L.
Lee, K.-M. *See* Xie, Y.-B.
Lee, M.-H. *See* Rapti, M.
Lee, O.-H. *See* Xie, Y.-B.
Lee, S.-R. *See* Ahn, Y.
Lee, V. H.-Y. *See* Fonseca, B. D.
Lee, W. M. *See* Sze, K.-L.
Lee, Y. C. *See* Son, Y. L.
Lee, Y.-H. *See* Choi, K.-C.
Lee, Y.-S.
——; Kim, D.-K.; Kim, Y. D.; Park, K. C.; Shong, M.; Seong, H.-A.; Ha, H. J.; Choi, H.-S.
Orphan nuclear receptor SHP interacts with and represses hepatocyte nuclear factor-6 (HNF-6) transactivation, 413:559
Leech, H. K. *See* Schubert, H. L.
Leemhuis, H. *See* Kelly, R. M.
Leenhouts, K. *See* El Khattabi, M.
LeHoux, J.-G. *See* Roostaee, A.
Lehoux, S. *See* Groux-Degroote, S.
Lehr, R. *See* Carson, J. D.
Leidner, J.
——; Palkowitsch, L.; Marienfeld, U.; Fischer, D.; Marienfeld, R.
Identification of lysine residues critical for the transcriptional activity and polyubiquitination of the NF-κB family member RelB, 416:117
Leippe, M. *See* Andrä, J.; Fedders, H.; Harrington, J. M.
Leisle, L. *See* Kadurin, I.
Le Lay, S. *See* Hajduch, E.
Le Liepvre, X. *See* Hajduch, E.
Lengqvist, J. *See* Staab, C. A.
Lensch, M. *See* Kaltner, H.
Lenz, C. *See* Menzel, N.
Leo, E. *See* Bleunven, C.
Leonard, D. A.
——; Hujer, A. M.; Smith, B. A.; Schneider, K. D.; Bethel, C. R.; Hujer, K. M.; Bonomo, R. A.
The role of OXA-1 β-lactamase Asp^{66} in the stabilization of the active-site carbamate group and in substrate turnover, 410:455
Lepistö, A. *See* Kangasjärvi, S.
Lerbs-Mache, S. *See* El-Kafafi, E.-S.
Lerche, J. *See* König, S.
Lerner-Marmarosh, N. *See* Tudor, C.
Leszyk, J. *See* Zhou, Q. L.
Letcher, A. J.
——; Schell, M. J.; Irvine, R. F.
Do mammals make all their own inositol hexakisphosphate?, 416:263
Leurs, R. *See* van Rijn, R. M.
Levandovskiy, V. *See* Xu, F.
Leverentz, M. K. *See* Campbell, R. N.
Levi, V.
——; Villamil Giraldo, A. M.; Castello, P. R.; Rossi, J. P. F. C.; González Flecha, F. L.
Effects of phosphatidylethanolamine glycation on lipid–protein interactions and membrane protein thermal stability, 416:145
Levitt, J. A. *See* Schüller, A. C.
Levy, C.
——; Minnis, D.; Derrick, J. P.
Dihydropteroate synthase from *Streptococcus pneumoniae*: structure, ligand recognition and mechanism of sulfonamide resistance, 412:379
Lewin, A.
——; Crow, A.; Hodson, C. T. C.; Hederstedt, L.; Le Brun, N. E.
Effects of substitutions in the CXXC active-site motif of the extracytoplasmic thioredoxin ResA, 414:81
Leys, D. *See* Neeli, R.
Li, C. *See* Ramjeesingh, M.; Rui, C.
Li, C.-W.
——; Dinh, G. K.; Zhang, A.; Chen, J. D.
Ankyrin repeats-containing cofactors interact with ADA3 and modulate its co-activator function, 413:349
Li, F. *See* Han, Q.; Hu, W.
Li, H. *See* Horke, S.; Zhang, Y.
——; Schopfer, L. M.; Masson, P.; Lockridge, O.
Lamellipodin proline rich peptides associated with native plasma butyrylcholinesterase tetramers, 411:425
Li, H.-Y. *See* Vararattanavech, A.
Li, J. *See* Chen, J.
Li, K. *See* Zhai, C.
Li, P. *See* Jiao, W.; Liu, X.
Li, Q.
——; Zhang, Y.; Marden, J. J.; Banfi, B.; Engelhardt, J. F.
Endosomal NADPH oxidase regulates c-Src activation following hypoxia/reoxygenation injury, 411:531
Li, Q.-X. *See* Cater, M. A.
Li, X. *See* Kaproth-Joslin, K. A.
Li, Y. *See* Kimura, T.; Rui, C.; Wang, L.
Li, Z. *See* Sun, N.
Lian, L.-Y. *See* Palmer, Z. J.
Liang, F.-X. *See* Hu, C.-C. A.
Lichenstein, H. S. *See* Khan, N.
Lienhard, G. E. *See* Sano, H.
Lightowlers, R. N.
——; Chrzanowska-Lightowlers, Z. M. A.
PPR (pentatricopeptide repeat) proteins in mammals: important aids to mitochondrial gene expression, 416:e5 (online-only commentary on Xu, F.)
Likić, V. A. *See* Alcock, F. H.
Liliom, K. *See* Kovacs, E.
Lill, N. L. *See* Stern, K. A.
Lillehaug, J. R. *See* Starheim, K. K.
Lillo, C.
Signalling cascades integrating light-enhanced nitrate metabolism, 415:11
Lim, H. D. *See* van Rijn, R. M.
Limoli, C. L. *See* Dayal, D.
Lin, H.-Y. *See* Windhorst, S.
Lin, K.-Y. *See* Kuo, C.-C.
Lin, M.-D. *See* Zabolotskaya, M. V.
Lin, S.-C. *See* Tung, J.-Y.
Lin, S.-H. *See* Zhou, X.
Lin, S.-Y. *See* Kuo, C.-C.
Lin, Y.-T. *See* Kuo, C.-C.
Linder, J. U.
Structure–function relationships in *Escherichia coli* adenylate cyclase, 415:449
Lindgren, M. *See* Guterstam, P.
Lindley, P. F. *See* Durão, P.
Lipina, C. *See* Hajduch, E.
Lithgow, T. *See* Alcock, F. H.
Liu, C. *See* Wu, Y. E.
Liu, F.-J.
——; Song, X.; Yang, D.; Deng, R.; Yan, B.
The far and distal enhancers in the *CYP3A4* gene co-ordinate the proximal promoter in responding similarly to the pregnane X receptor but differentially to hepatocyte nuclear factor-4α, 409:243
Liu, J.-l. *See* Ren, H.
Liu, L. *See* Gueller, S.; Zou, T.
Liu, P. *See* Liu, X.
Liu, S. *See* Zhang, Y.
Liu, X. *See* Zhang, Y.
——; Li, P.; Liu, P.; Xiong, R.; Zhang, E.; Chen, X.; Gu, D.; Zhao, Y.; Wang, Z.; Zhou, Y.

© 2009 Biochemical Society

The essential role for c-Ski in mediating TGF-β1-induced bi-directional effects on skin fibroblast proliferation through a feedback loop, 409:289
Liu, Y. *See* Muller, F. L.
——; El-Naggar, S.; Clem, B.; Chesney, J.; Dean, D. C.
The Rb/E2F pathway and Ras activation regulate RecQ helicase gene expression, 412:299
Liu, Y.-Y. *See* Tung, J.-Y.
Liu, Z. *See* Jones, P. P.
Lizarbe, M. A. *See* Lecona, E.
Llorens-Cortes, C. *See* Claperon, C.
Lloréns, J. M. N. *See* Diel, S.
Lloyd, M. M.
——; van Reyk, D. M.; Davies, M. J.; Hawkins, C. L.
Hypothiocyanous acid is a more potent inducer of apoptosis and protein thiol depletion in murine macrophage cells than hypochlorous acid or hypobromous acid, 414:271
Lobel, P. *See* Kim, K.-H.
Lochnit, G. *See* Menzel, N.
Lockridge, O. *See* Li, H.
Lodish, H. F. *See* Wong, G. W.
Loenarz, C. *See* Pollard, P. J.
Löfke, C.
——; Ischebeck, T.; König, S.; Freitag, S.; Heilmann, I.
Alternative metabolic fates of phosphatidylinositol produced by phosphatidylinositol synthase isoforms in *Arabidopsis thaliana*, 413:115
Lohr, M. *See* Kaltner, H.
Lomonte, B. *See* Fujisawa, D.
Long, J. S.
——; Pyne, N. J.; Pyne, S.
Lipid phosphate phosphatases form homo- and hetero-oligomers: catalytic competency, subcellular distribution and function, 411:371
Lönnerdal, B. *See* Lopez, V.
Loo, T. W.
——; Bartlett, M. C.; Clarke, D. M.
Correctors promote folding of the CFTR in the endoplasmic reticulum, 413:29
Loomes, K. M. *See* Payne, L. S.
Lopez, V.
——; Kelleher, S. L.; Lönnerdal, B.
Lactoferrin receptor mediates apo- but not holo-lactoferrin internalization via clathrin-mediated endocytosis in trophoblasts, 411:271
López-Corcuera, B. *See* Fornés, A.
López De Silanes, I. *See* Lecona, E.
López-Pérez, M. J. *See* Garrido, N.
Loque, D. *See* Dynowski, M.
Lorberg, A. *See* Jacinto, E.
Lord, J. M. *See* Spooner, R. A.
Loskutoff, D. J. *See* Kamikubo, Y.
Lou-Bonafonte, J. M. *See* Garrido, N.
Lu, H. *See* Morgan, B.
Lu, J. *See* Han, Q.
——; Yang, J.; Tan, G.; Ding, H.
Complementary roles of SufA and IscA in the biogenesis of iron–sulfur clusters in *Escherichia coli*, 409:535
Luberto, C. *See* Villani, M.
Luciakova, K.
——; Kollarovic, G.; Barath, P.; Nelson, B. D.
Growth-dependent repression of human adenine nucleotide translocator-2 (ANT2) transcription: evidence for the participation of Smad and Sp family proteins in the NF1-dependent repressor complex, 412:123
Luckhart, S. *See* Giulivi, C.
Ludewig, U. *See* Dynowski, M.
Lui, W.-Y. *See* Sze, K.-L.
Luna-Moran, A. *See* Torbett, N. E.
Lund, M. N.
——; Luxford, C.; Skibsted, L. H.; Davies, M. J.
Oxidation of myosin by haem proteins generates myosin radicals and protein cross-links, 410:565
Lundmark, R.
——; Doherty, G. J.; Vallis, Y.; Peter, B. J.; McMahon, H. T.
Arf family GTP loading is activated by, and generates, positive membrane curvature, 414:189 (*See* Donaldson, J. G. for online-only commentary)
Lundqvist, J. *See* Sirijovski, N.
Lung, H. L. *See* Tang, H. L.
Lunn, F. A.
——; MacLeod, T. J.; Bearne, S. L.
Mutational analysis of conserved glycine residues 142, 143 and 146 reveals Gly^{142} is critical for tetramerization of CTP synthase from *Escherichia coli*, 412:113
Luo, L. *See* Carson, J. D.
Luo, X.
——; Feng, L.; Jiang, X.; Xiao, F.; Wang, Z.; Feng, G.-S.; Chen, Y.
Characterization of the topology and functional domains of RKTG, 414:399
Luomala, E.-M. *See* Kangasjärvi, S.
Lustgarten, M. S. *See* Muller, F. L.
Luxford, C. *See* Lund, M. N.

Ma, J. *See* Jiao, W.
——; Zhang, P.; Zhang, Z.; Zha, M.; Xu, H.; Zhao, G.; Ding, J.
Molecular basis of the substrate specificity and the catalytic mechanism of citramalate synthase from *Leptospira interrogans*, 415:45
Ma, L.
——; Rychkov, G. Y.; Hughes, B. P.; Bretag, A. H.
Analysis of carboxyl tail function in the skeletal muscle Cl^- channel, hClC-1, 413:61
MacCabe, A. P. *See* Robellet, X.
Maccioni, H. J. F. *See* Quintero, C. A.
Maciaszczyk-Dziubinska, E. *See* Ilina, Y.
MacIntosh, G. *See* Meikle, P. J.
MacKay, N. *See* Xu, F.
MacKenzie, E. L.
——; Tsuji, Y.
Elevated intracellular calcium increases ferritin H expression through an NFAT-independent post-transcriptional mechanism involving mRNA stabilization, 411:107
Mackenzie, K. F.
——; Topping, E. C.; Bugaj-Gaweda, B.; Deng, C.; Cheung, Y.-F.; Olsen, A. E.; Stockard, C. R.; High Mitchell, L.; Baillie, G. S.; Grizzle, W. E.; De Vivo, M.; Houslay, M. D.; Wang, D.; Bolger, G. B.
Human PDE4A8, a novel brain-expressed PDE4 cAMP-specific phosphodiesterase that has undergone rapid evolutionary change, 411:361
Mackintosh, C. *See* Chen, S.
MacLeod, T. J. *See* Lunn, F. A.
MacRae, T. H. *See* Qiu, Z.
Macurek, L.
——; Dráberová, E.; Richterová, V.; Sulimenko, V.; Sulimenko, T.; Dráberová, L.; Marková, V.; Dráber, P.
Regulation of microtubule nucleation from membranes by complexes of membrane-bound γ-tubulin with Fyn kinase and phosphoinositide 3-kinase, 416:421
Madhu, N. *See* Jois, P. S.
Maeda, Y. *See* Takida, S.
Magdolen, V. *See* Beaufort, N.
Magnuson, M. A. *See* Zelent, B.
Magrini, D. *See* Ferro, E.
Mahavadi, S. *See* Hu, W.
Maigret, B. *See* Claperon, C.
Maines, M. D. *See* Tudor, C.
Maity, T. S.
——; Fried, H. M.; Weeks, K. M.
Anti-cooperative assembly of the SRP19 and SRP68/72 components of the signal recognition particle, 415:429
Maj, M. C. *See* Xu, F.
Majdic, O. *See* Ilhan, A.
Majerník, A. I.
——; Chong, J. P. J.
A conserved mechanism for replication origin recognition and binding in archaea, 409:511
Majumder, H. K. *See* BoseDasgupta, S.; Roy, A.
Mak, T. W. *See* Rumble, J. M.
Makarov, V. *See* Wegener, D.
Makise, M. *See* Takehara, M.
Mäkitie, L. T. *See* Kanerva, K.
Malinovská, L. *See* Lameignere, E.
Malmberg, E. K.
——; Pelaseyed, T.; Petersson, Å. C.; Seidler, U. E.; de Jonge, H.; Riordan, J. R.; Hansson, G. C.
The C-terminus of the transmembrane mucin MUC17 binds to the scaffold protein PDZK1 that stably localizes it to the enterocyte apical membrane in the small intestine, 410:283
Malorni, W. *See* Matarrese, P.
Manalo, D. J.
——; Buehler, P. W.; Baek, J. H.; Butt, O.; D'Agnillo, F.; Alayash, A. I.
Acellular haemoglobin attenuates hypoxia-inducible factor-1α (HIF-1α) and its target genes in haemodiluted rats, 414:461
Manas, D. *See* Arden, C.
Mandaron, P. *See* El-Kafafi, E.-S.
Manganelli, V. *See* Matarrese, P.
Mannervik, B. *See* Raffalli-Mathieu, F.
Manning, B. D. *See* Huang, J.
Manning, J. C. *See* Kaltner, H.
Mantle, T. J. *See* Smith, L. J.
Marasa, B. S. *See* Zou, T.
Marchisio, P. C. *See* Grosso, S.
Marden, J. J. *See* Li, Q.
Marienfeld, R. *See* Leidner, J.
Marienfeld, U. *See* Leidner, J.
Marín Navarro, J. M. *See* García-Murria, M.-J.
Markaki, V. *See* Zhai, C.
Marková, V. *See* Macurek, L.
Martin, D. M. A. *See* Towler, M. C.
Martin, E. *See* Nerelius, C.
Martín, J. F. *See* García-Estrada, C.
Martín, M. E. *See* Petegnief, V.
Martin, P. M. *See* Gnana-Prakasam, J. P.
Martin, S. M. *See* Dayal, D.
Martínez-Azorín, F.
——; Remacha, M.; Ballesta, J. P. G.
Functional characterization of ribosomal P1/P2 proteins in human cells, 413:527

© 2009 Biochemical Society

Martins, L. O. *See* Durão, P.
Martín-Sanz, P. *See* Mayoral, R.
Martinsson, T. *See* Carén, H.
Masson, P. *See* Li, H.
Master, E. R.
——; Zheng, Y.; Storms, R.; Tsang, A.; Powlowski, J.
A xyloglucan-specific family 12 glycosyl hydrolase from *Aspergillus niger*: recombinant expression, purification and characterization, 411:161
Masuda, S.
——; Yamamoto, K.; Hirabayashi, T.; Ishikawa, Y.; Ishii, T.; Kudo, I.; Murakami, M.
Human group III secreted phospholipase A_2 promotes neuronal outgrowth and survival, 409:429
Matalon, S. *See* Varga, K.
Matarrese, P.
——; Manganelli, V.; Garofalo, T.; Tinari, A.; Gambardella, L.; Ndebele, K.; Khosravi-Far, R.; Sorice, M.; Esposti, M. D.; Malorni, W.
Endosomal compartment contributes to the propagation of CD95/Fas-mediated signals in type II cells, 413:467 (*See* Reinehr, R. for online-only commentary)
Matecko, I. *See* Berkner, H.
Matschinsky, F. M. *See* Zelent, B.
Matskevich, A. A.
——; Moelling, K.
Stimuli-dependent cleavage of Dicer during apoptosis, 412:527
Matsubara, T. *See* Nakagawa, H.
Matsuda, E. *See* Kohno, T.
Matsuda, M. *See* Iida, M.
Matsunaga, S. *See* Amin, M. A.
Matsushima, S. *See* Kawai, J.
Matúz, K. *See* Kádas, J.
Maurel, C. *See* Verdoucq, L.
Mauriz, E. *See* García-Estrada, C.
Mayo, K. H. *See* Dings, R. P. M.
Mayoral, R.
——; Mollá, B.; Flores, J. M.; Boscá, L.; Casado, M.; Martín-Sanz, P.
Constitutive expression of cyclo-oxygenase 2 transgene in hepatocytes protects against liver injury, 416:337
Mayr, G. W. *See* Windhorst, S.
McAndrew, R. S.
——; Olson, B. J. S. C.; Kadirjan-Kalbach, D. K.; Chi-Ham, C. L.; Vitha, S.; Froehlich, J. E.; Osteryoung, K. W.
In vivo quantitative relationship between plastid division proteins FtsZ1 and FtsZ2 and identification of ARC6 and ARC3 in a native FtsZ complex, 412:367
McBurnie, W. *See* Huang, X.
McCarthy, A. *See* Towler, M. C.
McDonald, J. M. *See* Pawar, P. S.
McDonough, M. A. *See* Pollard, P. J.
McGuire, V. A. *See* Huang, X.
McInnes, K. T. *See* Cater, M. A.
McIntyre, B. L. *See* Jelokhani-Niaraki, M.
McKinney, J. A. *See* Winge, I.
McLean, K. J. *See* Neeli, R.
McMahon, H. T. *See* Lundmark, R.
McSorley, F. R. *See* Jelokhani-Niaraki, M.
Meggio, F. *See* Pagano, M. A.
Meikle, P. J.
——; Duplock, S.; Blacklock, D.; Whitfield, P. D.; MacIntosh, G.; Hopwood, J. J.; Fuller, M.
Effect of lysosomal storage on bis(monoacylglycero)phosphate, 411:71
Meister, G. *See* Rüdel, S.
Meller, N.
——; Westbrook, M. J.; Shannon, J. D.; Guda, C.; Schwartz, M. A.
Function of the N-terminus of zizimin1: autoinhibition and membrane targeting, 409:525
Mello, L. V. *See* Palmer, Z. J.
Melzer, J. *See* Menzel, N.
Mendoza, H.
——; Campbell, D. G.; Burness, K.; Hastie, J.; Ronkina, N.; Shim, J.-H.; Arthur, J. S. C.; Davis, R. J.; Gaestel, M.; Johnson, G. L.; Ghosh, S.; Cohen, P.
Roles for TAB1 in regulating the IL-1-dependent phosphorylation of the TAB3 regulatory subunit and activity of the TAK1 complex, 409:711
Mendoza, J. D. *See* Rajagopal, R.
Menezes, R. A.
——; Amaral, C.; Batista-Nascimento, L.; Santos, C.; Ferreira, R. B.; Devaux, F.; Eleutherio, E. C. A.; Rodrigues-Pousada, C.
Contribution of Yap1 towards *Saccharomyces cerevisiae* adaptation to arsenic-mediated oxidative stress, 414:301
Meng, W.
——; Nicholson, A. W.
Heterodimer-based analysis of subunit and domain contributions to double-stranded RNA processing by *Escherichia coli* RNase III *in vitro*, 410:39
Meng, X. *See* Jones, P. P.
Menzel, N.
——; Melzer, J.; Waschke, J.; Lenz, C.; Wecklein, H.; Lochnit, G.; Drenckhahn, D.; Raabe, T.
The *Drosophila* p21-activated kinase Mbt modulates DE-cadherin-mediated cell adhesion by phosphorylation of Armadillo, 416:231
Mercer, J. F. B. *See* Cater, M. A.
Mérida, I.
——; Ávila-Flores, A.; Merino, E.
Diacylglycerol kinases: at the hub of cell signalling, 409:1; 410:631 (Correction)
Merino, E. *See* Mérida, I.
Meroni, S. B. *See* Towler, M. C.
Merrill, A. R. *See* Zhang, Y.
Mesecar, A. D. *See* Calamini, B.
Messing, R. O. *See* Durgan, J.
Messner, P. *See* Pföstl, A.
Mestre, L. *See* Correa, F.
Metselaar, H. *See* El Khattabi, M.
Metzger, S. *See* Horn, C.
Meury, A. *See* Watanabe, R.
Meyer, V. *See* Spielvogel, A.
Meyer-Almes, F.-J. *See* Wegener, D.
Michalek, M. *See* Fedders, H.
Micoli, K. J. *See* Pawar, P. S.
Middleditch, M. *See* Payne, L. S.
Middleton, F. A. *See* Qian, Y.
Mieulet, V. *See* Yan, L.
Mikolajczyk, J. *See* Drag, M.
Mikuriya, K. *See* Nakagawa, H.
Milligan, G. *See* Parenty, G.; Xu, T.-R.
Mills, E. *See* Khan, N.
Millson, S. H.
——; Vaughan, C. K.; Zhai, C.; Ali, M. M. U.; Panaretou, B.; Piper, P. W.; Pearl, L. H.; Prodromou, C.
Chaperone ligand-discrimination by the TPR-domain protein Tah1, 413:261
Min, J. *See* Hurtado-Guerrero, R.
Minnis, D. *See* Levy, C.
Miraux, S. *See* Arsac, L. M.
Mistry, A. R. *See* Christou, C. M.
Mitchell, E. P. *See* Lameignere, E.
Mitchell, M. P. *See* Ekerot, M.
Miyagi, M. *See* Biswas, A.
Miyake, T. *See* Momotani, K.
Miyamoto, K. *See* Ibiza-Palacios, M. S.
Miyamoto, Y. *See* Song, T.
Miyazaki, R. *See* Hasegawa, K.
Mizuno, K. *See* Kato, A.
Mizushima, T. *See* Takehara, M.
Mizutani, T. *See* Ito, T.
Moasser, M. *See* Torbett, N. E.
Moehren, U.
——; Denayer, S.; Podvinec, M.; Verrijdt, G.; Claessens, F.
Identification of androgen-selective androgen-response elements in the human aquaporin-5 and Rad9 genes, 411:679
Moelling, K. *See* Matskevich, A. A.
Mole, D. R. *See* Pollard, P. J.
Molina-Alarcón, M. *See* Muñoz-Muñoz, J. L.
Molinari, P.
——; Casella, I.; Costa, T.
Functional complementation of high-efficiency resonance energy transfer: a new tool for the study of protein binding interactions in living cells, 409:251
Molle, G. *See* Molle, V.
Molle, V.
——; Campagna, S.; Bessin, Y.; Ebran, N.; Saint, N.; Molle, G.
First evidence of the pore-forming properties of a keratin from skin mucus of rainbow trout (*Oncorhynchus mykiss*, formerly *Salmo gairdneri*), 411:33
——; Reynolds, R. C.; Alderwick, L. J.; Besra, G. S.; Cozzone, A. J.; Fütterer, K.; Kremer, L.
EmbR2, a structural homologue of EmbR, inhibits the *Mycobacterium tuberculosis* kinase/substrate pair PknH/EmbR, 410:309
Mollá, B. *See* Mayoral, R.
Momotani, K.
——; Khromov, A. S.; Miyake, T.; Stukenberg, P. T.; Somlyo, A. V.
Cep57, a multidomain protein with unique microtubule and centrosomal localization domains, 412:265
Monastyrskaya, K.
——; Tschumi, F.; Babiychuk, E. B.; Stroka, D.; Draeger, A.
Annexins sense changes in intracellular pH during hypoxia, 409:65
Monia, B. P. *See* Unal, R.
Montoya, J. *See* Garrido, N.
Moore, S. W. *See* Johnson, G.
Moran, O. *See* Dynowski, M.
Mordier, S. *See* Hansmannel, F.
Moreno, F. *See* Riera, A.
Moreno, J. *See* García-Murria, M.-J.
Morgan, A. *See* Graham, M. E.
Morgan, A. *See* Palmer, Z. J.
Morgan, B.
——; Lu, H.
Oxidative folding competes with mitochondrial import of the small Tim proteins, 411:115
Morgan, K. G. *See* Gangopadhyay, S. S.
Morgenstern, R. *See* Staab, C. A.
Morita, T. *See* Fujisawa, D.
Morrice, N. A. *See* Chen, S.; Gardiner, M.; Ordureau, A.; Paytubi, S.; Towler, M. C.
Morris, J. D. H. *See* Garg, R.

© 2009 Biochemical Society

Moss, M. *See* Rapti, M.
Moulton, B. *See* Bennett, J. P.
Mouron, S. *See* Dinarina, A.
Moyle, S. *See* Kahn, N. W.
Mueller-Cajar, O.
——; Whitney, S. M.
Evolving improved *Synechococcus* Rubisco functional expression in *Escherichia coli*, 414:205
Mukai, Y. *See* Ito, T.
Mulholland, A. J. *See* Smith, L. J.
Muller, F. L.
——; Liu, Y.; Abdul-Ghani, M. A.; Lustgarten, M. S.; Bhattacharya, A.; Jang, Y. C.; Van Remmen, H.
High rates of superoxide production in skeletal-muscle mitochondria respiring on both complex I- and complex II-linked substrates, 409:491
Müller, P. J. *See* Sobota, R. M.
Mullin, N. P.
——; Yates, A.; Rowe, A. J.; Nijmeijer, B.; Colby, D.; Barlow, P. N.; Walkinshaw, M. D.; Chambers, I.
The pluripotency rheostat Nanog functions as a dimer, 411:227 (*See* Rizzino, A. for online-only commentary)
Munn, D. H. *See* Karunakaran, S.
Muñoz, J. *See* Fernández-Irigoyen, J.
Muñoz-Muñoz, J. L.
——; García-Molina, F.; García-Ruiz, P. A.; Molina-Alarcón, M.; Tudela, J.; García-Cánovas, F.; Rodríguez-López, J. N.
Phenolic substrates and suicide inactivation of tyrosinase: kinetics and mechanism, 416:431
Munro, A. W. *See* Neeli, R.
Murakami, M. *See* Masuda, S.
Murata, M. *See* Kimura, M.
Mürnseer, M. *See* Kaltner, H.
Murphy, G. *See* Rapti, M.
Murphy, J. *See* Chen, S.
Murphy, J. E. *See* Dunn, S.
Murphy, M. P. *See* Ross, M. F.
Murthy, K. S. *See* Hu, W.; Sriwai, W.
Myers, S. A. *See* He, Y.
Mysona, B. A. *See* Gnana-Prakasam, J. P.

Nabokikh, A. *See* Ilhan, A.
Naderi-Manesh, H. *See* Tafreshi, N. K.
Nagamatsu, S. *See* Kawai, J.
Nagano, C. S.
——; Calvete, J. J.; Barettino, D.; Pérez, A.; Cavada, B. S.; Sanz, L.
Insights into the structural basis of the pH-dependent dimer–tetramer equilibrium through crystallographic analysis of recombinant *Diocleinae* lectins, 409:417
Nagaraj, R. H. *See* Biswas, A.
Nagy, G. *See* Qian, Y.
Nahari, T.
——; Barzilay, E.; Hirschberg, K.; Neumann, D.
A transplanted NPVY sequence in the cytosolic domain of the erythropoietin receptor enhances maturation, 410:409
Naiki, H. *See* Hasegawa, K.
Naim, H. Y. *See* Castelletti, D.
Naka, R. *See* Ishizuka, A.
Nakagawa, H.
——; Tamura, A.; Wakabayashi, K.; Hoshijima, K.; Komada, M.; Yoshida, T.; Kometani, S.; Matsubara, T.; Mikuriya, K.; Ishikawa, T.
Ubiquitin-mediated proteasomal degradation of non-synonymous SNP variants of human ABC transporter ABCG2, 411:623
Nakamichi, Y. *See* Kawai, J.
Nakanishi, T. *See* Kimura, T.
Nalaskowski, M. *See* Windhorst, S.
Narimatsu, H. *See* Ishizuka, A.
Natarajan, V. *See* He, D.
Nayak, N. R. *See* Dirk, L. M. A.
Ndebele, K. *See* Matarrese, P.
Nebreda, A. R. *See* Dinarina, A.
Nedumaran, B. *See* Xie, Y.-B.
Neeli, R.
——; Sabri, M.; McLean, K. J.; Dunford, A. J.; Scrutton, N. S.; Leys, D.; Munro, A. W.
Trp^{359} regulates flavin thermodynamics and coenzyme selectivity in *Mycobacterium tuberculosis* FprA, 411:563
Neilsen, P. O. *See* Yip, S.-C.
Nelson, B. D. *See* Luciakova, K.
Nerelius, C.
——; Martin, E.; Peng, S.; Gustafsson, M.; Nordling, K.; Weaver, T.; Johansson, J.
Mutations linked to interstitial lung disease can abrogate anti-amyloid function of prosurfactant protein C, 416:201
Neumann, D. *See* Nahari, T.
Neville, D. C. A. *See* Alonzi, D. S.
Newbigin, E. *See* Brownfield, L.
Newbury, S. F. *See* Zabolotskaya, M. V.
Newman, C. L. *See* Jelokhani-Niaraki, M.
Nicholson, A. W. *See* Meng, W.
Nielsen, E.
Investigating lipid signalling: it's all about finding the right PI, 413:e5 (online-only commentary on Löfke, C.)
Nielsen, J. E. *See* Rehfeld, J. F.
Nijmeijer, B. *See* Mullin, N. P.
Niland, B. *See* Qian, Y.
Nishi, K. *See* Kimura, M.
Nisimoto, Y.
——; Tsubouchi, R.; Diebold, B. A.; Qiao, S.; Ogawa, H.; Ohara, T.; Tamura, M.
Activation of NADPH oxidase 1 in tumour colon epithelial cells, 415:57
Noda, M. *See* Tsuboi, N.
Nordling, K. *See* Nerelius, C.
Nori, A. *See* Valle, G.
Norrbom, C. *See* Rehfeld, J. F.
Norton, R. S. *See* Baldwin, G. S.
Novoselov, S. V. *See* Sengupta, A.
Novotny, M. *See* Ilina, Y.
Nowak, V. *See* Gueller, S.
Núñez, E. *See* Fornés, A.

Oberdick, R. *See* Vergarajauregui, S.
O'Callaghan, B. L. *See* Tsatsos, N. G.
O'Callaghan, C. A. *See* Christou, C. M.
Oda, S. *See* Kimura, M.
Oda, T. *See* Kimura, M.
Odili, S. *See* Zelent, B.
Oehme, I. *See* Wegener, D.
Ogawa, H. *See* Nisimoto, Y.
Oh, D.-K. *See* Yeom, S.-J.
Oh, J. Y.
——; Giles, N.; Landar, A.; Darley-Usmar, V.
Accumulation of 15-deoxy-$\Delta^{12,14}$-prostaglandin J_2adduct formation with Keap1 over time: effects on potency for intracellular antioxidant defence induction, 411:297
Oh, S.-Y. *See* Choi, K.-C.
Ohara, T. *See* Nisimoto, Y.
Ohara-Imaizumi, M. *See* Kawai, J.
Ohashi, K. *See* Kato, A.
O'Hayre, M.
——; Salanga, C. L.; Handel, T. M.; Allen, S. J.
Chemokines and cancer: migration, intracellular signalling and intercellular communication in the microenvironment, 409:635
O'Loghlen, A. *See* Dinarina, A.
O'Shea, C. *See* Wiborg, J.
Ohhashi, Y. *See* Hasegawa, K.
Ohtani, N.
——; Tomita, M.; Itaya, M.
Junction ribonuclease: a ribonuclease HII orthologue from *Thermus thermophilus* HB8 prefers the RNA–DNA junction to the RNA/DNA heteroduplex, 412:517
Okada, M. *See* Claperon, C.
Okamura, T. *See* Kawai, J.
Okumura, F. *See* Kimura, T.
Oliveira, L. M. A. *See* Gomes, R. A.
Olmo, N. *See* Lecona, E.
Olsen, A. E. *See* Mackenzie, K. F.
Olson, B. J. S. C. *See* McAndrew, R. S.
Olsson, U. *See* Sirijovski, N.
Ooi, L.
——; Wood, I. C.
Regulation of gene expression in the nervous system, 414:327
Ookoshi, T. *See* Hasegawa, K.
Ordureau, A.
——; Smith, H.; Windheim, M.; Peggie, M.; Carrick, E.; Morrice, N.; Cohen, P.
The IRAK-catalysed activation of the E3 ligase function of Pellino isoforms induces the Lys^{63}-linked polyubiquitination of IRAK1, 409:43
Ordway, R. W. *See* Zou, B.
Orre, C. *See* Raffalli-Mathieu, F.
Orzeszko, A. *See* Pagano, M. A.
Osteryoung, K. W. *See* McAndrew, R. S.
Otzen, D. E. *See* Knudsen, S. K.
Ouaissi, A. *See* Tavares, J.
Outzen, H. *See* Perander, M.
Owens, D. M. *See* Ekerot, M.
Özcan, S. *See* Andrali, S. S.
Oz-Gleenberg, I. *See* Herschhorn, A.

Paakkunainen, M. *See* Vanhatupa, S.
Pagano, M. A.
——; Bain, J.; Kazimierczuk, Z.; Sarno, S.; Ruzzene, M.; Di Maira, G.; Elliott, M.; Orzeszko, A.; Cozza, G.; Meggio, F.; Pinna, L. A.
The selectivity of inhibitors of protein kinase CK2: an update, 415:353
Pal, C. *See* Roy, A.
Paleček, E. *See* Jagelská, E. B.
Palkowitsch, L. *See* Leidner, J.
Palmer, Z. J.
——; Duncan, R. R.; Johnson, J. R.; Lian, L.-Y.; Mello, L. V.; Booth, D.; Barclay, J. W.; Graham, M. E.; Burgoyne, R. D.; Prior, I. A.; Morgan, A.
S-nitrosylation of syntaxin 1 at Cys^{145} is a regulatory switch controlling Munc18-1 binding, 413:479
Palmieri, F. *See* Palmieri, L.
Palmieri, L.
——; Picault, N.; Arrigoni, R.; Besin, E.; Palmieri, F.; Hodges, M.
Molecular identification of three *Arabidopsis thaliana* mitochondrial dicarboxylate carrier isoforms: organ distribution, bacterial expression, reconstitution into liposomes and functional characterization, 410:621
Palsgaard, J. *See* Jensen, M.
Pan, D. A. *See* Towler, M. C.
Pan, S. *See* Zhou, X.
Pan, Y.-X. *See* Thiaville, M. M.

© 2009 Biochemical Society

Panaretou, B. *See* Millson, S. H.; Zhai, C.
Panda, D. *See* Rai, D.
Pang, H. *See* Yip, S.-C.
Papantonis, A.
——; Vanden Broeck, J.; Lecanidou, R.
Architectural factor HMGA induces promoter bending and recruits C/EBP and GATA during silkmoth chorion gene regulation, 416:85
Paproski, R. J.
——; Visser, F.; Zhang, J.; Tackaberry, T.; Damaraju, V.; Baldwin, S. A.; Young, J. D.; Cass, C. E.
Mutation of Trp^{29} of human equilibrative nucleoside transporter 1 alters affinity for coronary vasodilator drugs and nucleoside selectivity, 414:291
Parenty, G.
——; Appelbe, S.; Milligan, G.
CXCR2 chemokine receptor antagonism enhances DOP opioid receptor function via allosteric regulation of the CXCR2–DOP receptor heterodimer, 412:245 (*See* Hébert, T. E. for online-only commentary)
Park, K. C. *See* Lee, Y.-S.
Park, K.-J. *See* Phee, B.-K.
Park, O. G. *See* Son, Y. L.
Parker, N. *See* Azzu, V.
——; Affourtit, C.; Vidal-Puig, A.; Brand, M. D.
Energization-dependent endogenous activation of proton conductance in skeletal muscle mitochondria, 412:131
Parker, P. J. *See* Durgan, J.
Pätsi, J.
——; Kervinen, M.; Finel, M.; Hassinen, I. E.
Leber hereditary optic neuropathy mutations in the ND6 subunit of mitochondrial complex I affect ubiquinone reduction kinetics in a bacterial model of the enzyme, 409:129
Pattison, D. I. *See* Hawkins, C. L.
Paul, M. J.
Trehalose 6-phosphate: a signal of sucrose status, 412:e1
Paulin, D. *See* Sun, N.
Pawar, P. S.
——; Micoli, K. J.; Ding, H.; Cook, W. J.; Kappes, J. C.; Chen, Y.; McDonald, J. M.
Calmodulin binding to cellular FLICE-like inhibitory protein modulates Fas-induced signalling, 412:459
Payne, L. S.
——; Brown, P. M.; Middleditch, M.; Baker, E.; Cooper, G. J. S.; Loomes, K. M.
Mapping of the ATP-binding domain of human fructosamine 3-kinase-related protein by affinity labelling with 5′-[*p*-(fluorosulfonyl)benzoyl]adenosine, 416:281
Paytubi, S.
——; Morrice, N. A.; Boudeau, J.; Proud, C. G.
The N-terminal region of ABC50 interacts with eukaryotic initiation factor eIF2 and is a target for regulatory phosphorylation by CK2, 409:223
Pearce, A. C. *See* Christou, C. M.
Pearce, F. G. *See* Kefala, G.
Pearl, L. H. *See* Millson, S. H.
——; Prodromou, C.; Workman, P.
The Hsp90 molecular chaperone: an open and shut case for treatment, 410:439
Peck, G. R. *See* Sano, H.
Pedersen, E. D. K. *See* Godiksen, S.
Peggie, M. *See* Al-Hakim, A. K.; Ordureau, A.; Windheim, M.
Pégot, S. *See* Robellet, X.
Pelander, A. *See* Kanerva, K.
Pelaseyed, T. *See* Malmberg, E. K.
Pellet-Many, C.
——; Frankel, P.; Jia, H.; Zachary, I.
Neuropilins: structure, function and role in disease, 411:211
Pelletier, G. *See* Kaeding, J.
Pelletier, L. *See* Zhang, H.
Peluffo, G. *See* Piacenza, L.
Peng, H. T. *See* Ganopolsky, J. G.
Peng, S. *See* Nerelius, C.
Perander, M.
——; Åberg, E.; Johansen, B.; Dreyer, B.; Guldvik, I. J.; Outzen, H.; Keyse, S. M.; Seternes, O.-M.
The Ser^{186} phospho-acceptor site within ERK4 is essential for its ability to interact with and activate PRAK/MK5, 411:613
Pereira, M. M. *See* Durão, P.
Pérez, A. *See* Nagano, C. S.
Perez, L. *See* Dinarina, A.
Pérez-Martos, A. *See* Garrido, N.
Perham, R. N. *See* Jones, D. D.
Perl, A. *See* Qian, Y.
Permentier, H. *See* El Khattabi, M.
Perugini, M. A. *See* Kefala, G.
Petegnief, V.
——; Font-Nieves, M.; Martín, M. E.; Salinas, M.; Planas, A. M.
Nitric oxide mediates NMDA-induced persistent inhibition of protein synthesis through dephosphorylation of eukaryotic initiation factor 4E-binding protein 1 and eukaryotic initiation factor 4G proteolysis, 411:667
Peter, B. J. *See* Lundmark, R.
Petersen, T. E. *See* Christensen, B.
Petersson, Å. C. *See* Malmberg, E. K.
Pečinka, P. *See* Jagelská, E. B.
Pföstl, A.
——; Zayni, S.; Hofinger, A.; Kosma, P.; Schäffer, C.; Messner, P.
Biosynthesis of dTDP-3-acetamido-3,6-dideoxy-α-D-glucose, 410:187
Phee, B.-K.
——; Kim, J.-I.; Shin, D. H.; Yoo, J.; Park, K.-J.; Han, Y.-J.; Kwon, Y.-K.; Cho, M.-H.; Jeon, J.-S.; Bhoo, S. H.; Hahn, T.-R.
A novel protein phosphatase indirectly regulates phytochrome-interacting factor 3 via phytochrome, 415:247
Pham, C. T. *See* Kim, K.-H.
Phelan, J. P. *See* Zhai, C.
Philippova, M. *See* Joshi, M. B.
Piacenza, L.
——; Peluffo, G.; Alvarez, M. N.; Kelly, J. M.; Wilkinson, S. R.; Radi, R.
Peroxiredoxins play a major role in protecting *Trypanosoma cruzi* against macrophage- and endogenously-derived peroxynitrite, 410:359
Picault, N. *See* Palmieri, L.
Piepenbrink, K. H. *See* Armstrong, K. M.
Pierre, S. *See* Rahier, A.
Pignot-Paintrand, I. *See* El-Kafafi, E.-S.
Piippo, M. *See* Kangasjärvi, S.
Pilard, N. *See* Delaby, C.
Pinna, L. A. *See* Pagano, M. A.
Piper, P. W. *See* Millson, S. H.
Pistolesi, S. *See* Ferro, E.
Pitt, A. M. *See* Xu, T.-R.
Place, T. L. *See* Stern, K. A.
Planas, A. M. *See* Petegnief, V.
Plater, L. A. *See* Windheim, M.
Plotnikov, A. N. *See* Hurtado-Guerrero, R.
Plouffe, L. J. *See* Bertinato, J.
Pluzhnikov, K. A. *See* Vassilevski, A. A.
Podvinec, M. *See* Moehren, U.
Pogni, R. *See* Ferro, E.
Poirier, G. G. *See* Cojocaru, M.
Pokrovskaya, I. *See* Unal, R.
Pollard, P. J.
——; Loenarz, C.; Mole, D. R.; McDonough, M. A.; Gleadle, J. M.; Schofield, C. J.; Ratcliffe, P. J.
Regulation of Jumonji-domain-containing histone demethylases by hypoxia-inducible factor (HIF)-1α, 416:387
Pollitt, A. Y. *See* Christou, C. M.
Pommier, Y. *See* Laco, G. S.
Ponces Freire, A. *See* Gomes, R. A.
Ponnambalam, S. *See* Dunn, S.
Porteous, C. M. *See* Ross, M. F.
Porzel, A. *See* Lang, I.
Potempa, J. *See* Beaufort, N.
Pothacharoen, P. *See* Tew, S. R.
Powell, M. L. *See* Gomez, E.
Powlowski, J. *See* Master, E. R.
Prasad, P. D. *See* Karunakaran, S.
Prieto, J. *See* Fernández-Irigoyen, J.
Prime, T. A. *See* Ross, M. F.
Prior, I. A. *See* Palmer, Z. J.
Priori, S. G. *See* Valle, G.
Prodromou, C. *See* Millson, S. H.; Pearl, L. H.
Proud, C. G. *See* Fonseca, B. D.; Paytubi, S.
Puertollano, R. *See* Vergarajauregui, S.
Puy, H. *See* Delaby, C.
Pyne, N. J. *See* Long, J. S.
Pyne, S. *See* Long, J. S.

Qi, W.
——; Gao, S.; Wang, Z.
Transcriptional regulation of the *TGF-β1* promoter by androgen receptor, 416:453
Qian, M. *See* Jiao, W.
Qian, X. *See* Khan, N.
Qian, Y.
——; Banerjee, S.; Grossman, C. E.; Amidon, W.; Nagy, G.; Barcza, M.; Niland, B.; Karp, D. R.; Middleton, F. A.; Banki, K.; Perl, A.
Transaldolase deficiency influences the pentose phosphate pathway, mitochondrial homoeostasis and apoptosis signal processing, 415:123
Qiao, S. *See* Nisimoto, Y.
Qin, Y. *See* van Rijn, R. M.
Qiu, Z.
——; MacRae, T. H.
ArHsp21, a developmentally regulated small heat-shock protein synthesized in diapausing embryos of *Artemia franciscana*, 411:605
Qiu, Z.-L. *See* Tung, J.-Y.
Quashie, N. B.
——; Dorin-Semblat, D.; Bray, P. G.; Biagini, G. A.; Doerig, C.; Ranford-Cartwright, L. C.; de Koning, H. P.
A comprehensive model of purine uptake by the malaria parasite *Plasmodium falciparum*: identification of four purine transport activities in intraerythrocytic parasites, 411:287
Quigley, J. P. *See* Kamikubo, Y.

© 2009 Biochemical Society

Quintas, A. *See* Gomes, R. A.
Quintero, C. A.
——; Valdez-Taubas, J.; Ferrari, M. L.; Haedo, S. D.; Maccioni, H. J. F.
Calsenilin and CALP interact with the cytoplasmic tail of UDP-Gal:GA2/GM2/GD2 β-1,3-galactosyltransferase, 412:19

Raabe, T. *See* Menzel, N.
Rabijns, A. *See* Vandermarliere, E.
Radi, R. *See* Piacenza, L.
Raffalli-Mathieu, F.
——; Orre, C.; Stridsberg, M.; Hansson Edalat, M.; Mannervik, B.
Targeting human glutathione transferase A3-3 attenuates progesterone production in human steroidogenic cells, 414:103
Rahier, A.
——; Pierre, S.; Riveill, G.; Karst, F.
Identification of essential amino acid residues in a sterol 8,7-isomerase from *Zea mays* reveals functional homology and diversity with the isomerases of animal and fungi origin, 414:247
Rai, D.
——; Singh, J. K.; Roy, N.; Panda, D.
Curcumin inhibits FtsZ assembly: an attractive mechanism for its antibacterial activity, 410:147
Raimi, O. G. *See* Hurtado-Guerrero, R.
Raj, P. A.
——; Rajkumar, L.; Dentino, A. R.
Novel molecules for intra-oral delivery of antimicrobials to prevent and treat oral infectious diseases, 409:601
Rajagopal, R.
——; Waller, A. S.; Mendoza, J. D.; Wightman, P. D.
The covalent modification and regulation of TLR8 in HEK-293 cells stimulated with imidazoquinoline agonists, 409:275
Rajkumar, L. *See* Raj, P. A.
Ralphs, K. *See* Lavender, V.
Ramaswamy, K. *See* Saksena, S.
Ramjeesingh, M.
——; Ugwu, F.; Stratford, F. L. L.; Huan, L.-J.; Li, C.; Bear, C. E.
The intact CFTR protein mediates ATPase rather than adenylate kinase activity, 412:315
Ramsay, A. J. *See* He, Y.
Rand, J. D. *See* Trotter, E. W.
Randhawa, V. K. *See* Zaid, H.
Ranford-Cartwright, L. C. *See* Quashie, N. B.
Ranganathan, G. *See* Unal, R.
Ranjbar, B. *See* Tafreshi, N. K.
Rao, D. N. *See* Jois, P. S.
Rao, J. N. *See* Zou, T.
Rapisarda, C. *See* Farnaud, S.
Rappoport, J. Z.
Focusing on clathrin-mediated endocytosis, 412:415
Rapti, M.
——; Atkinson, S. J.; Lee, M.-H.; Trim, A.; Moss, M.; Murphy, G.
The isolated N-terminal domains of TIMP-1 and TIMP-3 are insufficient for ADAM10 inhibition, 411:433
Rasmussen, H. B. *See* Godiksen, S.
Ratcliffe, P. J. *See* Pollard, P. J.
Ravazzolo, R. *See* Caci, E.
Ravi, V. K. *See* Kumar, S.
Rayment, I. *See* Jitrapakdee, S.
Rea, S. L. *See* Kahn, N. W.
Read, S. *See* Brownfield, L.
Reaves, B. J. *See* Lavender, V.
Reddy, G. B. *See* Srinivas, P. N. B. S.
Reddy, P. Y. *See* Srinivas, P. N. B. S.
Reece, R. J. *See* Campbell, R. N.
Régnacq, M. *See* Desfougères, T.
Rehfeld, J. F.
——; Zhu, X.; Norrbom, C.; Bundgaard, J. R.; Johnsen, A. H.; Nielsen, J. E.; Vikesaa, J.; Stein, J.; Dey, A.; Steiner, D. F.; Friis-Hansen, L.
Prohormone convertases 1/3 and 2 together orchestrate the site-specific cleavages of progastrin to release gastrin-34 and gastrin-17, 415:35
Reinehr, R.
——; Häussinger, D.
CD95 ligation and intracellular membrane flow (online-only commentary on Matarrese, P.), 413:e11
Reiser, G. *See* Ecke, D.
Reithmeier, R. A. F. *See* Kittanakom, S.
Reks, S. E. *See* Kaproth-Joslin, K. A.
Remacha, M. *See* Martinez-Azorin, F.
Ren, H.
——; Dou, S.-X.; Zhang, X.-D.; Wang, P.-Y.; Kanagaraj, R.; Liu, J.-l.; Janscak, P.; Hu, J.-S.; Xi, X. G.
The zinc-binding motif of human RECQ5β suppresses the intrinsic strand-annealing activity of its DExH helicase domain and is essential for the helicase activity of the enzyme, 412:425
Renko, K.
——; Werner, M.; Renner-Müller, I.; Cooper, T. G.; Yeung, C. H.; Hollenbach, B.; Scharpf, M.; Köhrle, J.; Schomburg, L.; Schweizer, U.
Hepatic selenoprotein P (SePP) expression restores selenium transport and prevents infertility and motor-incoordination in *Sepp*-knockout mice, 409:741
Renner-Müller, I. *See* Renko, K.
Resink, T. J. *See* Joshi, M. B.
Revett, T. *See* Wong, G. W.
Reyes-Turcu, F. E. *See* Drag, M.
Reynolds, R. C. *See* Molle, V.
Rezende de Castro, R. *See* Boonen, M.
Ribe, E. M.
——; Serrano-Saiz, E.; Akpan, N.; Troy, C. M.
Mechanisms of neuronal death in disease: defining the models and the players, 415:165
Ribeiro, J. M. *See* Canales, J.
Richardson, D. J. *See* Gates, A. J.
Richardson, J. D. *See* Dukes, J. D.
Richterová, V. *See* Macurek, L.
Ridley, A. J. *See* Garg, R.
Riento, K. *See* Garg, R.
Riera, A.
——; Ahuatzi, D.; Herrero, P.; Garcia-Gimeno, M. A.; Sanz, P.; Moreno, F.
Human pancreatic β-cell glucokinase: subcellular localization and glucose repression signalling function in the yeast cell, 415:233
Riester, D. *See* Wegener, D.
Rieu, P. *See* Touré, F.
Riezman, H. *See* Watanabe, R.
Rigby, S. E. J. *See* Schubert, H. L.
Rigden, D. J.
The histidine phosphatase superfamily: structure and function, 409:333
Rintamäki, E. *See* Kangasjärvi, S.
Riordan, J. R. *See* Aleksandrov, L.; Malmberg, E. K.
Ritchie, J. W. *See* Khan, N.
Riveill, G. *See* Rahier, A.
Rizzino, A.
Transcription factors that behave as master regulators during mammalian embryogenesis function as molecular rheostats, 411:e5 (online-only commentary on Mullin, N. P.)
Roach, W. G. *See* Sano, H.
Robellet, X.
——; Flipphi, M.; Pégot, S.; MacCabe, A. P.; Vélot, C.
AcpA, a member of the GPR1/FUN34/YaaH membrane protein family, is essential for acetate permease activity in the hyphal fungus *Aspergillus nidulans*, 412:485
Roberts, L. M. *See* Spooner, R. A.
Roberts, R. L. *See* Tsuboi, N.
Robinson, B. H. *See* Xu, F.
Robinson, P. A.
Protein stability and aggregation in Parkinson's disease, 413:1
Robson, R. M. *See* Sun, N.
Rocha, S. *See* Kenneth, N. S.; van Uden, P.
Rodgers, D. W. *See* Dirk, L. M. A.
Rodgers, K. J. *See* Dunlop, R. A.
Rodrigues, J. R. *See* Canales, J.
Rodrigues-Pousada, C. *See* Menezes, R. A.
Rodríguez-López, J. N. *See* Muñoz-Muñoz, J. L.
Rogers, D. F. *See* Rousseau, K.
Rombouts, S. *See* Vandermarliere, E.
Ron, D. *See* Grosso, S.
Ronjat, M. *See* Bleunven, C.
Ronkina, N. *See* Mendoza, H.
Roon, P. *See* Gnana-Prakasam, J. P.
Roostaee, A.
——; Barbar, É.; LeHoux, J.-G.; Lavigne, P.
Cholesterol binding is a prerequisite for the activity of the steroidogenic acute regulatory protein (StAR), 412:553
Roques, B. *See* Claperon, C.
Rösch, P. *See* Berkner, H.
Rose, C. *See* Imarisio, S.
Rose, R. S. *See* Schubert, H. L.
Ross, M. F.
——; Prime, T. A.; Abakumova, I.; James, A. M.; Porteous, C. M.; Smith, R. A. J.; Murphy, M. P.
Rapid and extensive uptake and activation of hydrophobic triphenylphosphonium cations within cells, 411:633
Rossi, J. P. F. C. *See* Levi, V.
Ross-Inta, C. *See* Giulivi, C.
Rotin, D. *See* Bruce, M. C.
Rouse, J. *See* Gardiner, M.
Rousseau, K.
——; Kirkham, S.; Johnson, L.; Fitzpatrick, B.; Howard, M.; Adams, E. J.; Rogers, D. F.; Knight, D.; Clegg, P.; Thornton, D. J.
Proteomic analysis of polymeric salivary mucins: no evidence for MUC19 in human saliva, 413:545
Rousselet, N. *See* Jean, D.
Rowe, A. J. *See* Mullin, N. P.
Roy, A. *See* Bosedasgupta, S.
——; Das, B. B.; Ganguly, A.; BoseDasgupta, S.; Khalkho, N. V. M.; Pal, C.; Dey, S.; Giri, V. S.; Jaisankar, P.; Dey, S.; Majumder, H. K.

© 2009 Biochemical Society

An insight into the mechanism of inhibition of unusual bi-subunit topoisomerase I from *Leishmania donovani* by 3,3′-di-indolylmethane, a novel DNA topoisomerase I poison with a strong binding affinity to the enzyme, 409:611
Roy, N. *See* Rai, D.
Rozeboom, H. J. *See* Kelly, R. M.
Rozenfeld, R. *See* Claperon, C.
Rubinstein, E. *See* Yamada, M.
Rubinsztein, D. C. *See* Imarisio, S.
Rüdel, S.
——; Meister, G.
Phosphorylation of Argonaute proteins: regulating gene regulators (online-only commentary on Zeng, Y.), 413:e7
Ruggeri, Z. M. *See* Kamikubo, Y.
Rui, C.
——; Li, C.; Xu, W.; Zhan, Y.; Li, Y.; Yang, X.
Involvement of Egr-1 in HGF-induced elevation of the human 5α-R1 gene in human hepatocellular carcinoma cells, 411:379
Ruiz, E. J. *See* Dinarina, A.
Rumble, J. M.
——; Bertrand, M. J. M.; Csomos, R. A.; Wright, C. W.; Albert, L.; Mak, T. W.; Barker, P. A.; Duckett, C. S.
Apoptotic sensitivity of murine IAP-deficient cells, 415:21
Russell, S. T.
——; Eley, H. L.; Wyke, S. M.; Tisdale, M. J.
Involvement of phosphoinositide 3-kinase and Akt in the induction of muscle protein degradation by proteolysis-inducing factor, 409:751
Rutter, G. A.
——; Bellomo, E. A.
Ca^{2+} signalling: a new route to NAADP, 411:e1 (online-only commentary on Vasudevan, S. R.)
Ruzzene, M. *See* Pagano, M. A.
Ryan, L. A. *See* Campbell, R. N.
Rychkov, G. Y. *See* Ma, L.
Ryde, U. *See* Hersleth, H.-P.
Rye, K.-A. *See* Kim, W. S.
Ryningen, A. *See* Starheim, K. K.

Sabri, M. *See* Neeli, R.
Sadeghizadeh, M. *See* Tafreshi, N. K.
Saha, K. *See* Tan, F.-C.
Saiki, S. *See* Imarisio, S.
Saint, N. *See* Molle, V.
Saito, N. *See* Kawasaki, T.
Sáiz, J. L. *See* Kaltner, H.
Sakamoto, K. *See* Huang, X.; Towler, M. C.
Sakane, F. *See* Yasuda, S.
Saksena, S.
——; Gill, R. K.; Tyagi, S.; Alrefai, W. A.; Ramaswamy, K.; Dudeja, P. K.
Role of Fyn and PI3K in H_2O_2-induced inhibition of apical Cl^-/OH^- exchange activity in human intestinal epithelial cells, 416:99
Sakurai, K. *See* Ito, T.
Sala, L. A. *See* Grosso, S.
Salanga, C. L. *See* O'Hayre, M.
Sale, G. J. *See* Smithers, N. P.
Salinas, M. *See* Petegnief, V.
Saluz, H.-P. *See* Schmidt, U.
Salvesen, G. S. *See* Drag, M.
Sampaio, P. *See* Tavares, J.
Sampley, M. L. *See* Andrali, S. S.
Samsonova, O. V. *See* Vassilevski, A. A.
Sánchez Del Pino, M. M. *See* Fernández-Irigoyen, J.
Sánchez-Madrid, F. *See* Yamada, M.
Sánchez-Quiles, V. *See* Fernández-Irigoyen, J.
Sankala, H. *See* Zeng, Y.
Sano, H.
——; Roach, W. G.; Peck, G. R.; Fukuda, M.; Lienhard, G. E.
Rab10 in insulin-stimulated GLUT4 translocation, 411:89
Sansuk, K. *See* van Rijn, R. M.
Santamaría, E. *See* Fernández-Irigoyen, J.
Santamaría, M. *See* Fernández-Irigoyen, J.
Santarsiero, B. D. *See* Calamini, B.
Santarém, N. *See* Tavares, J.
Santiago-Gómez, A. *See* Lecona, E.
Santos, C. *See* Menezes, R. A.
Sanz, L. *See* Nagano, C. S.
Sanz, P. *See* Riera, A.
Sanzen, N. *See* Yamada, M.
Sapra, A. K.
——; Khandelia, P.; Vijayraghavan, U.
The splicing factor Prp17 interacts with the U2, U5 and U6 snRNPs and associates with the spliceosome pre- and post-catalysis, 416:365
Sarno, S. *See* Pagano, M. A.
Sasaki, H. *See* Kohno, T.
Sasaki, T. *See* Kohno, T.
Satagopan, S. *See* García-Murria, M.-J.
Sato, R. *See* Ibiza-Palacios, M. S.
Sato-Nishiuchi, R. *See* Yamada, M.
Saurin, A. T. *See* Durgan, J.
Schaaf, G. *See* Dynowski, M.
Schäfer, R. *See* Ecke, D.
Schäffer, C. *See* Pföstl, A.
Schäffer, L. *See* Jensen, M.
Schaller, M. D.
Calcium-dependent Pyk2 activation: a role for calmodulin?, 410:e3 (online-only commentary on Kohno, T.)
Schaper, F. *See* Sobota, R. M.
Scharpf, M. *See* Renko, K.
Schell, M. J. *See* Letcher, A. J.
Scherer, P. E. *See* Davis, K. E.
Schindelin, H. *See* Kadurin, I.
Schmidt, A. M. *See* Touré, F.
Schmidt, J. J. *See* Dirk, L. M. A.
Schmidt, U.
——; Wollmann, Y.; Franke, C.; Grosse, F.; Saluz, H.-P.; Hänel, F.
Characterization of the interaction between the human DNA topoisomerase IIβ-binding protein 1 (TopBP1) and the cell division cycle 45 (Cdc45) protein, 409:169
Schmidt-Kittler, O. *See* Frazzetto, M.
Schmitt, L. *See* Horn, C.
Schmitt, M. *See* Beaufort, N.
Schmitte, R. *See* Castelletti, D.
Schneider, K. D. *See* Leonard, D. A.
Schnell, D. J. *See* Inaba, T.
Schnölzer, M. *See* Kaltner, H.
Schober, A. *See* Wegener, D.
Schofield, C. J. *See* Pollard, P. J.
Schomburg, L. *See* Renko, K.
Schöneberg, T. *See* Thor, D.
Schopfer, L. M. *See* Li, H.
Schubert, H. L.
——; Rose, R. S.; Leech, H. K.; Brindley, A. A.; Hill, C. P.; Rigby, S. E. J.; Warren, M. J.
Structure and function of SirC from *Bacillus megaterium*: a metal-binding precorrin-2 dehydrogenase, 415:257
Schüller, A. C. *See* Ahmed, Z.
——; Ahmed, Z.; Ladbury, J. E.
Extracellular point mutations in FGFR2 result in elevated ERK1/2 activation and perturbation of neuronal differentiation, 410:205
——; Ahmed, Z.; Levitt, J. A.; Suen, K. M.; Suhling, K.; Ladbury, J. E.
Indirect recruitment of the signalling adaptor Shc to the fibroblast growth factor receptor 2 (FGFR2), 416:189
Schulz, A. *See* Thor, D.
Schumacher, M. A.
Structural biology of plasmid partition: uncovering the molecular mechanisms of DNA segregation, 412:1
Schwartz, M. A. *See* Meller, N.
Schweimer, K. *See* Berkner, H.
Schweinsberg, S. *See* Zimmermann, B.
Schweizer, U. *See* Renko, K.
Schwienhorst, A. *See* Wegener, D.
Scrutton, N. S. *See* Neeli, R.
Seabra, M. C. *See* Baron, R. A.
Šedo, O. *See* Lameignere, E.
Seetharam, S. *See* Ahuja, R.
Segarra, V. A.
——; Thomas, L.
Topology mapping of the vacuolar Vcx1p Ca^{2+}/H^+exchanger from *Saccharomyces cerevisiae*, 414:133
Sehested, M. *See* Khan, N.
Seidler, U. E. *See* Malmberg, E. K.
Seino, J. *See* Ishizuka, A.
Sekiguchi, K. *See* Yamada, M.
Selzer-Plon, J. *See* Godiksen, S.
Semenza, G. L. *See* Kimura, M.
Sengupta, A.
——; Carlson, B. A.; Weaver, J. A.; Novoselov, S. V.; Fomenko, D. E.; Gladyshev, V. N.; Hatfield, D. L.
A functional link between housekeeping selenoproteins and phase II enzymes, 413:151
Sengupta, S. *See* BoseDasgupta, S.
Sengupta, T. K. *See* Bandyopadhyay, S.
Senthilkumar, S.
——; Chang, E.; Jayakumar, R.
Diffusible amyloid oligomers trigger systemic amyloidosis in mice, 415:207
Seong, H.-A. *See* Lee, Y.-S.; Xie, Y.-B.
Sereno, D. *See* Tavares, J.
Serrano-Saiz, E. *See* Ribe, E. M.
Serve, H. *See* Gueller, S.
Seternes, O.-M. *See* Perander, M.
Sethi, J. K.
——; Vidal-Puig, A. J.
Wnt signalling at the crossroads of nutritional regulation, 416:e11 (online-only commentary on Anagnostou, S. H.)
Shang, W. H. *See* Chen, W.
Shannon, J. D. *See* Meller, N.
Shastri, B. G. *See* Bhat, J. Y.
Shaw, J. A. M. *See* Arden, C.
Shaw, R. J.
LKB1: cancer, polarity, metabolism, and now fertility, 416:e1 (online only commentary on Towler, M. C.)
Shehan, B. P. *See* Baldwin, G. S.
Shek, P. N. *See* Ganopolsky, J. G.
Shenton, F. C. *See* van Rijn, R. M.
Shepherd, P. R. *See* Anagnostou, S. H.
Shepherd, S. *See* Hurtado-Guerrero, R.
Sheppard, A. M. *See* Tavender, T. J.
Shi, W. *See* Traister, A.
Shi, Y. *See* Wang, X.
Shim, J.-H. *See* Mendoza, H.

© 2009 Biochemical Society

Shimamoto, A. *See* Izumikawa, K.
Shin, D. H. *See* Phee, B.-K.
Shinkawa, T. *See* Izumikawa, K.
Shiota, C. *See* Zelent, B.
Shirai, Y. *See* Kawasaki, T.
Shoham, Y. *See* Karpol, A.
Shokat, K. M. *See* Torbett, N. E.
Shong, M. *See* Lee, Y.-S.
Shpiro, N. *See* Huang, X.
Shu, H. *See* Jung, G.
Shushakova, N. *See* Tkachuk, N.
Siddiqi, S. A.
VLDL exits from the endoplasmic reticulum in a specialized vesicle, the VLDL transport vesicle, in rat primary hepatocytes, 413:333
Signorelli, P. *See* Villani, M.
Silva, C. S. *See* Durão, P.
Silva, M. *See* Gomes, R. A.
Silvennoinen, O. *See* Vanhatupa, S.
Simmons, R. *See* Dukes, J. D.
Simon, J. *See* Kern, M.
Sims, I. *See* Baldwin, G. S.
Singh, J. K. *See* Rai, D.
Singleton, C. *See* Zhou, L.
——; Banci, L.; Ciofi-Baffoni, S.; Tenori, L.; Kihlken, M. A.; Boetzel, R.; Le Brun, N. E.
Structure and Cu(I)-binding properties of the N-terminal soluble domains of *Bacillus subtilis* CopA, 411:571
Sinnamon, R. H. *See* Carson, J. D.
Sirijovski, N.
——; Olsson, U.; Lundqvist, J.; Al-Karadaghi, S.; Willows, R. D.; Hansson, M.
ATPase activity associated with the magnesium chelatase H-subunit of the chlorophyll biosynthetic pathway is an artefact, 410:631 (Correction)
Skibsted, L. H. *See* Lund, M. N.
Skriver, K. *See* Wiborg, J.
Slámiková, M. *See* Lameignere, E.
Sleat, D. E. *See* Kim, K.-H.
Slingsby, C. *See* Evans, P.
Sloma, E. *See* Ilina, Y.
Smit, M. J. *See* van Rijn, R. M.
Smith, A. G. *See* Tan, F.-C.
Smith, B. A. *See* Leonard, D. A.
Smith, D. C. *See* Spooner, R. A.
Smith, H. *See* Ordureau, A.
Smith, K. *See* Tecle, T.
Smith, L. J.
——; Browne, S.; Mulholland, A. J.; Mantle, T. J.
Computational and experimental studies on the catalytic mechanism of biliverdin-IXβ reductase, 411:475
Smith, M. D. *See* Jelokhani-Niaraki, M.
Smith, R. A. J. *See* Ross, M. F.
Smith, S. B. *See* Gnana-Prakasam, J. P.
Smith, T. K. *See* Gibellini, F.
Smithers, N. P.
——; Hodgkinson, C. P.; Cuttle, M.; Sale, G. J.
Insulin-triggered repositioning of munc18c on syntaxin-4 in GLUT4 signalling, 410:255
Snapir, Z.
——; Keren-Paz, A.; Bercovich, Z.; Kahana, C.
ODCp, a brain- and testis-specific ornithine decarboxylase paralogue, functions as an antizyme inhibitor, although less efficiently than Az11, 410:613
Soares, C. M. *See* Durão, P.
Sobota, R. M.
——; Müller, P. J.; Heinrich, P. C.; Schaper, F.
Prostaglandin E1 inhibits IL-6-induced MCP-1 expression by interfering specifically in IL-6-dependent ERK1/2, but not STAT3, activation, 412:65
Soderblom, E. J. *See* Galvão, R. M.
Solís, D. *See* Kaltner, H.
Solway, J. *See* He, D.
Somlyo, A. V. *See* Momotani, K.
Sommerhoff, C. P. *See* Beaufort, N.
Son, Y. L.
——; Park, O. G.; Kim, G. S.; Lee, J. W.; Lee, Y. C.
RXR heterodimerization allosterically activates LXR binding to the second NR box of activating signal co-integrator-2, 410:319
Sonawane, N. *See* Caci, E.
Sone, T. *See* Kimura, T.
——; Hatano, N.; Kambe, T.; Miyamoto, Y.; Ihara, H.; Yamamoto, H.; Sugimoto, K.; Kume, K.; Yamaguchi, F.; Tokuda, M.; Watanabe, Y.
Nitric oxide-mediated modulation of calcium/calmodulin-dependent protein kinase II, 412:223
Song, X. *See* Liu, F.-J.
Sørensen, E. S. *See* Christensen, B.
Sorensen, G. *See* Tecle, T.
Sorice, M. *See* Matarrese, P.
Sorscher, E. J. *See* Varga, K.
Soufi, A.
——; Jayaraman, P.-S.
PRH/Hex: an oligomeric transcription factor and multifunctional regulator of cell fate, 412:399
Sousa Silva, M. *See* Gomes, R. A.
Spannhake, E. Wm. *See* He, D.
Spelbrink, J. N. *See* Cooper, H. M.
Spicer, E. K. *See* Bandyopadhyay, S.
Spielvogel, A.
——; Findon, H.; Arst, Jr, H. N.; Araújo-Bazán, L.; Hernández-Ortíz, P.; Stahl, U.; Meyer, V.; Espeso, E. A.
Two zinc finger transcription factors, CrzA and SltA, are involved in cation homoeostasis and detoxification in *Aspergillus nidulans*, 414:419
Spitz, D. R. *See* Dayal, D.
Spooner, R. A.
——; Watson, P.; Smith, D. C.; Boal, F.; Amessou, M.; Johannes, L.; Clarkson, G. J.; Lord, J. M.; Stephens, D. J.; Roberts, L. M.
The secretion inhibitor Exo2 perturbs trafficking of Shiga toxin between endosomes and the *trans*-Golgi network, 414:471
Spreitzer, R. J. *See* García-Murria, M.-J.
Srinivas, P. N. B. S.
——; Reddy, P. Y.; Reddy, G. B.
Significance of α-crystallin heteropolymer with a 3:1 αA/αB ratio: chaperone-like activity, structure and hydrophobicity, 414:453
Srivastava, S. *See* Hill, B. G.
Sriwai, W.
——; Zhou, H.; Murthy, K. S.
G_q-dependent signalling by the lysophosphatidic acid receptor LPA_3 in gastric smooth muscle: reciprocal regulation of MYPT1 phosphorylation by Rho kinase and cAMP-independent PKA, 411:543
Staab, C. A.
——; Ålander, J.; Brandt, M.; Lengqvist, J.; Morgenstern, R.; Grafström, R. C.; Höög, J.-O.
Reduction of *S*-nitrosoglutathione by alcohol dehydrogenase 3 is facilitated by substrate alcohols via direct cofactor recycling and leads to GSH-controlled formation of glutathione transferase inhibitors, 413:493
Staels, B. *See* Kaeding, J.
Stahl, U. *See* Spielvogel, A.
Stahlberg, H. *See* Harrington, J. M.
Stallmach, R.
——; Gloor, S. M.
Neurobin/TMPRSS11c, a novel type II transmembrane serine protease that cleaves fibroblast growth factor-2 *in vitro*, 412:81
Stanley, B. A. *See* Yerlikaya, A.
Stanley, N. R. *See* Hawkins, C. L.
Staples, C. *See* Ekerot, M.
Starheim, K. K.
——; Arnesen, T.; Gromyko, D.; Ryningen, A.; Varhaug, J. E.; Lillehaug, J. R.
Identification of the human N^{α}-acetyltransferase complex B (hNatB): a complex important for cell-cycle progression, 415:325
Staub, O. *See* Bruce, M. C.
Stavridis, M. P. *See* Ekerot, M.
Stein, J. *See* Rehfeld, J. F.
Steinberg, G. R. *See* Watt, M. J.
Steiner, D. F. *See* Rehfeld, J. F.
Stensballe, A. *See* Knudsen, S. K.
Stenzel, I. *See* König, S.
Stephens, D. J. *See* Spooner, R. A.
Stern, K. A.
——; Place, T. L.; Lill, N. L.
EGF and amphiregulin differentially regulate Cbl recruitment to endosomes and EGF receptor fate, 410:585
Stern, R. *See* He, D.
St Maurice, M. *See* Jitrapakdee, S.
Stockard, C. R. *See* Mackenzie, K. F.
Stokoe, D. *See* Torbett, N. E.
Storey, K. G. *See* Ekerot, M.
Storms, R. *See* Master, E. R.
Stott, K. *See* Assenberg, R.
Stratford, F. L. L. *See* Ramjeesingh, M.
Streicher, R. *See* Zibrova, D.
Strelkov, S. V. *See* Vandermarliere, E.
Stricker, R. *See* Ecke, D.
Stridsberg, M. *See* Raffalli-Mathieu, F.
Stroka, D. *See* Monastyrskaya, K.
Stukenberg, P. T. *See* Momotani, K.
Su, D. *See* Han, Q.
Subathra, M. *See* Villani, M.
Suen, K. M. *See* Schüller, A. C.
Sugimoto, K. *See* Song, T.
Suhling, K. *See* Ahmed, Z.; Schüller, A. C.
Sulimenko, T. *See* Macurek, L.
Sulimenko, V. *See* Macurek, L.
Sun, L. *See* Zhou, X.
Sun, N.
——; Critchley, D. R.; Paulin, D.; Li, Z.; Robson, R. M.
Human α-synemin interacts directly with vinculin and metavinculin, 409:657 (*See* Gimana, M. for online-only commentary)
Sun, S. *See* Jiao, W.
Sun, T.-T. *See* Hu, C.-C. A.
Sun, Y.
——; Taylor, C. W.
A calmodulin antagonist reveals a calmodulin-independent interdomain interaction essential for activation of inositol 1,4,5-trisphosphate receptors, 416:243
Sun, Y.-J. *See* Tung, J.-Y.
Sundberg, E. J. *See* Gangopadhyay, S. S.
Suphioglu, C. *See* Frazzetto, M.

© 2009 Biochemical Society

Suzuki, T. *See* Ishizuka, A.
——; Ueda, A.; Kobayashi, N.; Yang, J.; Tomaru, K.; Yamamoto, M.; Takeno, M.; Ishigatsubo, Y.
Proteasome-dependent degradation of α-catenin is regulated by interaction with ARMc8α, 411:581
Swaan, P. W. *See* Banerjee, A.
Swaminathan, R. *See* Kumar, S.
Swart, C. *See* Johnson, G.
Sweetlove, L. J.
——; Fell, D.; Fernie, A. R.
Getting to grips with the plant metabolic network, 409:27
Swida, A.
——; Woyda-Ploszczyca, A.; Jarmuszkiewicz, W.
Redox state of quinone affects sensitivity of *Acanthamoeba castellanii* mitochondrial uncoupling protein to purine nucleotides, 413:359
Swist, E. *See* Bertinato, J.
Sy, M.-S. *See* Fitzmaurice, T. J.
Szabo, R. *See* Godiksen, S.
Sze, K.-L.
——; Lui, W.-Y.; Lee, W. M.
Post-transcriptional regulation of *CLMP* mRNA is controlled by tristetraprolin in response to TNFα via c-Jun N-terminal kinase signalling, 410:575
Szmyd, G. *See* Beaufort, N.

Tachikawa, H. *See* Izumikawa, K.
Tackaberry, T. *See* Paproski, R. J.
Tafreshi, N. K.
——; Sadeghizadeh, M.; Emamzadeh, R.; Ranjbar, B.; Naderi-Manesh, H.; Hosseinkhani, S.
Site-directed mutagenesis of firefly luciferase: implication of conserved residue(s) in bioluminescence emission spectra among firefly luciferases, 412:27
Tagaya, M. *See* Aoki, T.
Takabayashi, A. *See* Kimura, M.
Takabuchi, S. *See* Kimura, M.
Takahashi, K. *See* Tsuboi, N.
Takahashi, N. *See* Hasegawa, K.; Izumikawa, K.
Takahashi, T. *See* Tsuboi, N.
Takehara, M.
——; Makise, M.; Takenaka, H.; Asano, T.; Mizushima, T.
Analysis of mutant origin recognition complex with reduced ATPase activity *in vivo* and *in vitro*, 413:535
Takenaka, H. *See* Takehara, M.
Takeno, M. *See* Suzuki, T.
Takeuchi, J.
——; Chen, H.; Hoyt, M. A.; Coffino, P.
Structural elements of the ubiquitin-independent proteasome degron of ornithine decarboxylase, 410:401
Takida, S.
——; Maeda, Y.; Kinoshita, T.
Mammalian GPI-anchored proteins require p24 proteins for their efficient transport from the ER to the plasma membrane, 409:555
Tamura, A. *See* Nakagawa, H.
Tamura, M. *See* Nisimoto, Y.
Tamura, Y. *See* Yamada, M.
Tamás, M. J. *See* Ilina, Y.
Tan, F.-C.
——; Cheng, Q.; Saha, K.; Heinemann, I. U.; Jahn, M.; Jahn, D.; Smith, A. G.
Identification and characterization of the *Arabidopsis* gene encoding the tetrapyrrole biosynthesis enzyme uroporphyrinogen III synthase, 410:291
Tan, G. *See* Lu, J.
Tan, S.-M. *See* Vararattanavech, A.
Tanaka, T. *See* Kimura, M.
Tando, T. *See* Ito, T.
Tang, H. L.
——; Lung, H. L.; Wu, K. C.; Le, A.-H. P.; Tang, H. M.; Fung, M. C.
Vimentin supports mitochondrial morphology and organization, 410:141
Tang, H. M. *See* Tang, H. L.
Tang, M.-L. *See* Vararattanavech, A.
Tani, K. *See* Aoki, T.
Tanji, H. *See* Goto, Y.
Tattum, M. H. *See* Cronier, S.
Taub, R. *See* Zelent, B.
Tavares, J.
——; Ouaissi, A.; Santarém, N.; Sereno, D.; Vergnes, B.; Sampaio, P.; Cordeiro-Da-Silva, A.
The *Leishmania infantum* cytosolic SIR2-related protein 1 (LiSIR2RP1) is an NAD^+-dependent deacetylase and ADP-ribosyltransferase, 415:377
Tavender, T. J.
——; Sheppard, A. M.; Bulleid, N. J.
Peroxiredoxin IV is an endoplasmic reticulum-localized enzyme forming oligomeric complexes in human cells, 411:191
Taylor, C. T.
Mitochondria and cellular oxygen sensing in the HIF pathway, 409:19
Taylor, C. W. *See* Sun, Y.
Taylor, M. C.
——; Kaur, H.; Blessington, B.; Kelly, J. M.; Wilkinson, S. R.
Validation of spermidine synthase as a drug target in African trypanosomes, 409:563
Tecle, T.
——; White, M. R.; Sorensen, G.; Gantz, D.; Kacak, N.; Holmskov, U.; Smith, K.; Crouch, E. C.; Hartshorn, K. L.
Critical role for cross-linking of trimeric lectin domains of surfactant protein D in antiviral activity against influenza A virus, 412:323
Tedebark, U. *See* Guterstam, P.
Teijeira, F. *See* García-Estrada, C.
Teng, C. T. *See* Wang, L.
Tenori, L. *See* Singleton, C.
Tensen, C. P. *See* van Rijn, R. M.
Tew, S. R.
——; Pothacharoen, P.; Katopodi, T.; Hardingham, T. E.
SOX9 transduction increases chondroitin sulfate synthesis in cultured human articular chondrocytes without altering glycosyltransferase and sulfotransferase transcription, 414:231
Thackray, A. M. *See* Fitzmaurice, T. J.
Thakur, M.
——; Chakraborti, P. K.
Ability of PknA, a mycobacterial eukaryotic-type serine/threonine kinase, to transphosphorylate MurD, a ligase involved in the process of peptidoglycan biosynthesis, 415:27
Thangaraju, M. *See* Karunakaran, S.
Thiaudiere, E. *See* Arsac, L. M.
Thiaville, M. M.
——; Dudenhausen, E. E.; Zhong, C.; Pan, Y.-X.; Kilberg, M. S.
Deprivation of protein or amino acid induces C/EBPβ synthesis and binding to amino acid response elements, but its action is not an absolute requirement for enhanced transcription, 410:473
Thomas, J. O. *See* Assenberg, R.
Thomas, L. *See* Segarra, V. A.
Thompson, P. E. *See* Frazzetto, M.
Thomsen, B. *See* Larsen, A. K.
Thomson, D. M.
——; Hansen, M. D. H.; Winder, W. W.
Regulation of the AMPK-related protein kinases by ubiquitination, 411:e9 (online-only commentary on Al-Hakim, A. K.)
Thor, D.
——; Schulz, A.; Hermsdorf, T.; Schöneberg, T.
Generation of an agonistic binding site for blockers of the M_3 muscarinic acetylcholine receptor, 412:103
Thornton, D. J. *See* Rousseau, K.
Thorsen, M. *See* Ilina, Y.
Tinari, A. *See* Matarrese, P.
Tisdale, M. J. *See* Russell, S. T.
Tkachuk, N.
——; Kiyan, J.; Tkachuk, S.; Kiyan, R.; Shushakova, N.; Haller, H.; Dumler, I.
Urokinase induces survival or pro-apoptotic signals in human mesangial cells depending on the apoptotic stimulus, 415:265
Tkachuk, S. *See* Tkachuk, N.
Todorovic, S. *See* Durão, P.
Tokatlidis, K. *See* Alcock, F. H.
Tokuda, M. *See* Song, T.
Tomaru, K. *See* Suzuki, T.
Tomita, M. *See* Ohtani, N.
Tonon, T. *See* Hervé, C.
Topping, E. C. *See* Mackenzie, K. F.
Torbett, N. E.
——; Luna-Moran, A.; Knight, Z. A.; Houk, A.; Moasser, M.; Weiss, W.; Shokat, K. M.; Stokoe, D.
A chemical screen in diverse breast cancer cell lines reveals genetic enhancers and suppressors of sensitivity to PI3K isoform-selective inhibition, 415:97
Torres, J. *See* Vararattanavech, A.
Toth, R. *See* Chen, S.; Gardiner, M.
Totty, N. *See* Durgan, J.
Touré, F.
——; Zahm, J.-M.; Garnotel, R.; Lambert, E.; Bonnet, N.; Schmidt, A. M.; Vitry, F.; Chanard, J.; Gillery, P.; Rieu, P.
Receptor for advanced glycation end-products (RAGE) modulates neutrophil adhesion and migration on glycoxidated extracellular matrix, 416:255
Towle, H. C. *See* Tsatsos, N. G.
Towler, M. C.
——; Fogarty, S.; Hawley, S. A.; Pan, D. A.; Martin, D. M. A.; Morrice, N. A.; McCarthy, A.; Galardo, M. N.; Meroni, S. B.; Cigorraga, S. B.; Ashworth, A.; Sakamoto, K.; Hardie, D. G.
A novel short splice variant of the tumour suppressor LKB1 is required for spermiogenesis, 416:1 (*See* Shaw, R. J. for online-only commentary)
Tözsér, J. *See* Kádas, J.
Trabalzini, L. *See* Ferro, E.
Traister, A.
——; Shi, W.; Filmus, J.
Mammalian Notum induces the release of glypicans and other GPI-anchored proteins from the cell surface, 410:503

© 2009 Biochemical Society

Tregidgo, C. *See* Ahmed, Z.
Treves, S. *See* Bleunven, C.
Trim, A. *See* Rapti, M.
Tripathi, G. *See* BoseDasgupta, S.
Tripathi, P. *See* Unal, R.
Trotter, E. W.
——; Rand, J. D.; Vickerstaff, J.; Grant, C. M.
The yeast Tsa1 peroxiredoxin is a ribosome-associated antioxidant, 412:73
Troy, C. M. *See* Ribe, E. M.
Tsang, A. *See* Master, E. R.
Tsatsos, N. G.
——; Davies, M. N.; O'Callaghan, B. L.; Towle, H. C.
Identification and function of phosphorylation in the glucose-regulated transcription factor ChREBP, 411:261
Tschapek, B. *See* Horn, C.
Tschumi, F. *See* Monastyrskaya, K.
Tsuboi, N.
——; Utsunomiya, T.; Roberts, R. L.; Ito, H.; Takahashi, K.; Noda, M.; Takahashi, T.
The tyrosine phosphatase CD148 interacts with the p85 regulatory subunit of phosphoinositide 3-kinase, 413:193
Tsubouchi, R. *See* Nisimoto, Y.
Tsuji, Y. *See* MacKenzie, E. L.
Tsujimoto, M. *See* Goto, Y.
Tsutsumi-Yasuhara, S. *See* Hasegawa, K.
Ttofi, E. *See* Imarisio, S.
Tudela, J. *See* Muñoz-Muñoz, J. L.
Tudor, C.
——; Lerner-Marmarosh, N.; Engelborghs, Y.; Gibbs, P. E. M.; Maines, M. D.
Biliverdin reductase is a transporter of haem into the nucleus and is essential for regulation of *HO-1*gene expression by haematin, 413:405
Tulapurkar, M. E. *See* Ecke, D.
Tumber, A. *See* Khan, N.
Tummino, P. J. *See* Carson, J. D.
Tung, J.-Y.
——; Chang, M. D.-T.; Chou, W.-I.; Liu, Y.-Y.; Yeh, Y.-H.; Chang, F.-Y.; Lin, S.-C.; Qiu, Z.-L.; Sun, Y.-J.
Crystal structures of the starch-binding domain from *Rhizopus oryzae* glucoamylase reveal a polysaccharide-binding path, 416:27
Turban, S. *See* Hajduch, E.
Turnay, J. *See* Lecona, E.
Tyagi, S. *See* Saksena, S.

Uchiyama, S. *See* Amin, M. A.
Ueda, A. *See* Suzuki, T.
Ueyama, T. *See* Kawasaki, T.
Ugwu, F. *See* Ramjeesingh, M.
Uldry, M. *See* Angers, M.
Ullán, R. V. *See* García-Estrada, C.
Umapathy, N. S. *See* Karunakaran, S.
Unal, R.
——; Pokrovskaya, I.; Tripathi, P.; Monia, B. P.; Kern, P. A.; Ranganathan, G.
Translational regulation of lipoprotein lipase in adipocytes: depletion of cellular protein kinase Cα activates binding of the C subunit of protein kinase A to the 3′-untranslated region of the lipoprotein lipase mRNA, 413:315
Underwood, B. R. *See* Imarisio, S.
Ungureanu, D. *See* Vanhatupa, S.
Upadhyay, A.
——; Wu, H.-L.; Williams, C.; Field, T.; Galyov, E. E.; van den Elsen, J. M. H.; Bagby, S.
The guanine-nucleotide-exchange factor BopE from *Burkholderia pseudomallei* adopts a compact version of the *Salmonella* SopE/SopE2 fold and undergoes a closed-to-open conformational change upon interaction with Cdc42, 411:485
Upton, J.-P. *See* Valentijn, A. J.
Ushimaru, M.
——; Fukushima, Y.
The dimeric form of Ca^{2+}-ATPase is involved in Ca^{2+} transport in the sarcoplasmic reticulum, 414:357
Utsunomiya, T. *See* Tsuboi, N.

Vaca, I. *See* García-Estrada, C.
Valdez-Taubas, J. *See* Quintero, C. A.
Valentijn, A. J.
——; Upton, J.-P.; Gilmore, A. P.
Analysis of endogenous Bax complexes during apoptosis using blue native PAGE: implications for Bax activation and oligomerization, 412:347
Valero, M. L. *See* Fernández-Irigoyen, J.
Valle, G.
——; Galla, D.; Nori, A.; Priori, S. G.; Gyorke, S.; De Filippis, V.; Volpe, P.
Catecholaminergic polymorphic ventricular tachycardia-related mutations R33Q and L167H alter calcium sensitivity of human cardiac calsequestrin, 413:291
Vallis, Y. *See* Lundmark, R.
Vallius, L. *See* Hurtado-Guerrero, R.
van Aalten, D. M. F. *See* Hurtado-Guerrero, R.
Van Aller, G. *See* Carson, J. D.
Van Beeumen, J. *See* Bebrone, C.
Van Campenhout, S. *See* Vandermarliere, E.
Vanden Broeck, J. *See* Papantonis, A.
van den Elsen, J. M. H. *See* Upadhyay, A.
Vanderford, N. L. *See* Andrali, S. S.
van der Geize, R. *See* Knol, J.
Vanderkooi, J. M. *See* Zelent, B.
Vandermarliere, E.
——; Bourgois, T. M.; Rombouts, S.; Van Campenhout, S.; Volckaert, G.; Strelkov, S. V.; Delcour, J. A.; Rabijns, A.; Courtin, C. M.
Crystallographic analysis shows substrate binding at the −3 to +1 active-site subsites and at the surface of glycoside hydrolase family 11 endo-1,4-β-xylanases, 410:71
Vandermoere, F. *See* Gardiner, M.
Vanhatupa, S.
——; Ungureanu, D.; Paakkunainen, M.; Silvennoinen, O.
MAPK-induced Ser^{727} phosphorylation promotes SUMOylation of STAT1, 409:179
van Marle, A. *See* van Rijn, R. M.
van Oosterwijk, N. *See* Kelly, R. M.
Van Remmen, H. *See* Muller, F. L.
van Reyk, D. M. *See* Lloyd, M. M.
van Rijn, R. M.
——; van Marle, A.; Chazot, P. L.; Langemeijer, E.; Qin, Y.; Shenton, F. C.; Lim, H. D.; Zuiderveld, O. P.; Sansuk, K.; Dy, M.; Smit, M. J.; Tensen, C. P.; Bakker, R. A.; Leurs, R.
Cloning and characterization of dominant negative splice variants of the human histamine H_4 receptor, 414:121
van Roosmalen, M. L. *See* El Khattabi, M.
Van Seuningen, I. *See* Groux-Degroote, S.
van Uden, P.
——; Kenneth, N. S.; Rocha, S.
Regulation of hypoxia-inducible factor-1α by NF-κB (*See* Görlach, B. for online-only commentary), 412:477
Vararattanavech, A.
——; Tang, M.-L.; Li, H.-Y.; Wong, C.-H.; Law, S. K. A.; Torres, J.; Tan, S.-M.
Permissive transmembrane helix heterodimerization is required for the expression of a functional integrin, 410:495
Varga, K.
——; Goldstein, R. F.; Jurkuvenaite, A.; Chen, L.; Matalon, S.; Sorscher, E. J.; Bebok, Z.; Collawn, J. F.
Enhanced cell-surface stability of rescued ΔF508 cystic fibrosis transmembrane conductance regulator (CFTR) by pharmacological chaperones, 410:555
Varhaug, J. E. *See* Starheim, K. K.
Varrot, A. *See* Lameignere, E.
Vassilevski, A. A.
——; Kozlov, S. A.; Samsonova, O. V.; Egorova, N. S.; Karpunin, D. V.; Pluzhnikov, K. A.; Feofanov, A. V.; Grishin, E. V.
Cyto-insectotoxins, a novel class of cytolytic and insecticidal peptides from spider venom, 411:687
Vasudevan, S. R.
——; Galione, A.; Churchill, G. C.
Sperm express a Ca^{2+}-regulated NAADP synthase, 411:63 (online-only commentary on Vasudevan, S. R.)
Vaughan, C. K. *See* Millson, S. H.
Velasco-Conde, T. *See* García-Estrada, C.
Vélot, C. *See* Robellet, X.
Venn, N.
——; Haynes, L. P.; Burgoyne, R. D.
Specific effects of KChIP3/calsenilin/DREAM, but not KChIPs 1, 2 and 4, on calcium signalling and regulated secretion in PC12 cells, 413:71
Ventii, K. H.
——; Wilkinson, K. D.
Protein partners of deubiquitinating enzymes, 414:161
Verdoucq, L.
——; Grondin, A.; Maurel, C.
Structure–function analysis of plant aquaporin *At*PIP2;1 gating by divalent cations and protons, 415:409
Vergarajauregui, S.
——; Oberdick, R.; Kiselyov, K.; Puertollano, R.
Mucolipin 1 channel activity is regulated by protein kinase A-mediated phosphorylation, 410:417
Vergnes, B. *See* Tavares, J.
Verkman, A. S. *See* Caci, E.
Verreault, M. *See* Kaeding, J.
Verrijdt, G. *See* Moehren, U.
Vial, H. *See* Besteiro, S.
Vickerstaff, J. *See* Trotter, E. W.
Vidal-Puig, A. *See* Parker, N.; Sethi, J. K.
Vietri, M. *See* Grosso, S.
Vijayraghavan, U. *See* Sapra, A. K.
Vikesaa, J. *See* Rehfeld, J. F.
Villamil Giraldo, A. M. *See* Levi, V.
Villani, M.
——; Subathra, M.; Im, Y.-B.; Choi, Y.; Signorelli, P.; Del Poeta, M.; Luberto, C.
Sphingomyelin synthases regulate production of diacylglycerol at the Golgi, 414:31
Vincent, A. *See* Groux-Degroote, S.
Viola Magni, M. *See* Albi, E.
Visser, F. *See* Paproski, R. J.

© 2009 Biochemical Society

Vitha, S. *See* McAndrew, R. S.
Vitry, F. *See* Touré, F.
Vogel, L. K. *See* Godiksen, S.
Vogelstein, B. *See* Frazzetto, M.
Vohra, R. S. *See* Dunn, S.
Volckaert, G. *See* Vandermarliere, E.
Volitakis, I. *See* Cater, M. A.
Volk, T. *See* Weidemann, A.
Volpe, P. *See* Valle, G.
Volta, V. *See* Grosso, S.

Wadsworth, J. D. F. *See* Cronier, S.
Wagenknecht, T. *See* Jones, P. P.
Wagner, L. *See* Ilhan, A.
Wagner, M. *See* Weidemann, A.
Wakabayashi, K. *See* Nakagawa, H.
Walker, J. H. *See* Dunn, S.
Walkinshaw, M. D. *See* Mullin, N. P.
Wallace, B. A. *See* Evans, P.
Wallace, J. C. *See* Jitrapakdee, S.
Wallace, K.
——; Burt, A. D.; Wright, M. C.
Liver fibrosis, 411:1
Waller, A. S. *See* Rajagopal, R.
Walton, N. J. *See* Bennett, J. P.
Wang, A. H.-J. *See* Huang, K.-F.
Wang, B. *See* Biswas, A.
Wang, D. *See* Mackenzie, K. F.
Wang, J. *See* Jung, G.; Wang, X.
Wang, J.-Y. *See* Zou, T.
Wang, L.
——; Li, Y.; Hu, P.; Teng, C. T.
PGC-1α induces dynamic protein interactions on the ERRα gene multi-hormone response element nucleosome in kidney cells, 416:407
Wang, P.-Y. *See* Ren, H.
Wang, Q. J. *See* Chen, J.
Wang, W. *See* Ye, Y.
Wang, X. *See* Han, Q.
——; Shi, Y.; Wang, J.; Huang, G.; Jiang, X.
Crucial role of the C-terminus of PTEN in antagonizing NEDD4-1-mediated PTEN ubiquitination and degradation, 414:221
Wang, Y. *See* Zhang, H.
——; Lam, K. S. L.; Yau, M.-h.; Xu, A.
Post-translational modifications of adiponectin: mechanisms and functional implications, 409:623
Wang, Y.-R. *See* Huang, K.-F.
Wang, Z. *See* Liu, X.; Luo, X.; Qi, W.
——; Burke, P. A.
Modulation of hepatocyte nuclear factor-4α function by the peroxisome-proliferator-activated receptor-γ co-activator-1α in the acute-phase response, 415:289
Ward, R. A. *See* Avizienyte, E.
Warnecke, C. *See* Weidemann, A.
Warren, M. J. *See* Schubert, H. L.
Waschke, J. *See* Menzel, N.
Watada, H. *See* Kawai, J.
Watanabe, H. *See* Ito, T.
Watanabe, R.
——; Castillon, G. A.; Meury, A.; Riezman, H.
The presence of an ER exit signal determines the protein sorting upon ER exit in yeast, 414:237
Watanabe, T. *See* Kawai, J.
Watanabe, Y. *See* Song, T.
Watson, A. A. *See* Christou, C. M.
Watson, M. *See* Assenberg, R.
Watson, P. *See* Spooner, R. A.
Watson, S. P. *See* Christou, C. M.
Watt, M. J.
——; Steinberg, G. R.
Regulation and function of triacylglycerol lipases in cellular metabolism, 414:313
Weaver, J. A. *See* Sengupta, A.
Weaver, T. *See* Nerelius, C.
Webb, M. *See* Assenberg, R.
Weber, I. T. *See* Kádas, J.
Wecklein, H. *See* Menzel, N.
Weeks, K. M. *See* Maity, T. S.
Wegener, D.
——; Hildmann, C.; Riester, D.; Schober, A.; Meyer-Almes, F.-J.; Deubzer, H. E.; Oehme, I.; Witt, O.; Lang, S.; Jaensch, M.; Makarov, V.; Lange, C.; Busse, B.; Schwienhorst, A.
Identification of novel small-molecule histone deacetylase inhibitors by medium-throughput screening using a fluorigenic assay, 413:143
Weidemann, A.
——; Klanke, B.; Wagner, M.; Volk, T.; Willam, C.; Wiesener, M. S.; Eckardt, K.-U.; Warnecke, C.
Hypoxia, via stabilization of the hypoxia-inducible factor HIF-1α, is a direct and sufficient stimulus for brain-type natriuretic peptide induction, 409:233
Weiss, M. S. *See* Kefala, G.
Weiss, W. *See* Torbett, N. E.
Wen, J.-k. *See* Zheng, B.
Wengel, J. *See* Guterstam, P.
Werner, M. *See* Renko, K.
Westbrook, M. J. *See* Meller, N.
Westergaard, U. B. *See* Knudsen, S. K.
Whitbread, A. K. *See* He, Y.
White II, G. C. *See* Ferro, E.
White, M. R. *See* Tecle, T.
Whitfield, P. D. *See* Meikle, P. J.
Whitley, P. *See* Dukes, J. D.
Whitney, S. M. *See* Mueller-Cajar, O.
Wiborg, J.
——; O'Shea, C.; Skriver, K.
Biochemical function of typical and variant *Arabidopsis thaliana* U-box E3 ubiquitin-protein ligases, 413:447
Wiesener, M. S. *See* Weidemann, A.
Wightman, P. D. *See* Rajagopal, R.
Wilgenbus, P. *See* Horke, S.
Wilkinson, K. D. *See* Drag, M.; Ventii, K. H.
Wilkinson, S. R. *See* Piacenza, L.; Taylor, M. C.
Willam, C. *See* Weidemann, A.
Williams, C. *See* Upadhyay, A.
Williams, M. A. *See* Dirk, L. M. A.
Willows, R. D. *See* Sirijovski, N.
Wilson, S. *See* Brownfield, L.
Wilton, D. C. *See* Hagan, R. M.
Wimmerová, M. *See* Lameignere, E.
Wind, T. *See* Andersen, L. M.
Winder, W. W. *See* Thomson, D. M.
Windheim, M. *See* Ordureau, A.
——; Lang, C.; Peggie, M.; Plater, L. A.; Cohen, P.
Molecular mechanisms involved in the regulation of cytokine production by muramyl dipeptide, 409:789 (Correction)
——; Peggie, M.; Cohen, P.
Two different classes of E2 ubiquitin-conjugating enzymes are required for the mono-ubiquitination of proteins and elongation by polyubiquitin chains with a specific topology, 409:723
Windhorst, S.
——; Blechner, C.; Lin, H.-Y.; Elling, C.; Nalaskowski, M.; Kirchberger, T.; Guse, A. H.; Mayr, G. W.
Ins(1,4,5) $P_3$3-kinase-A overexpression induces cytoskeletal reorganization via a kinase-independent mechanism, 414:407
Winge, I.
——; McKinney, J. A.; Ying, M.; D'Santos, C. S.; Kleppe, R.; Knappskog, P. M.; Haavik, J.
Activation and stabilization of human tryptophan hydroxylase 2 by phosphorylation and 14-3-3 binding, 410:195
Winter, R. T. *See* Heuts, D. P. H. M.
Witt, O. *See* Wegener, D.
Witte, I. *See* Horke, S.
Wittig, B. *See* Diel, S.
Wlodarski, P. *See* Jung, G.
Wojciechowski, P. *See* Beaufort, N.
Wollmann, Y. *See* Schmidt, U.
Wolstenholme, A. J. *See* Lavender, V.
Wong, C.-H. *See* Vararattanavech, A.
Wong, G. W.
——; Krawczyk, S. A.; Kitidis-Mitrokostas, C.; Revett, T.; Gimeno, R.; Lodish, H. F.
Molecular, biochemical and functional characterizations of C1q/TNF family members: adipose-tissue-selective expression patterns, regulation by PPAR-γ agonist, cysteine-mediated oligomerizations, combinatorial associations and metabolic functions, 416:161 (*See* Davis, K. E. for online-only commentary)
Woo, J. S.
——; Kim, D. H.; Allen, P. D.; Lee, E. H.
TRPC3-interacting triadic proteins in skeletal muscle, 411:399
Wood, I. C. *See* Ooi, L.
Woods, Y. L. *See* Huang, X.
Workman, P. *See* Pearl, L. H.
Worner-Gibbs, J. *See* Hagan, R. M.
Woyda-Ploszczyca, A. *See* Swida, A.
Wright, C. W. *See* Rumble, J. M.
Wright, M. C. *See* Wallace, K.
Wu, H. *See* Hurtado-Guerrero, R.; Yip, S.-C.
Wu, H.-L. *See* Upadhyay, A.
Wu, K. C. *See* Tang, H. L.
Wu, Y. E.
——; Hong, W.; Liu, C.; Zhang, L.; Chang, Z.
Conserved amphiphilic feature is essential for periplasmic chaperone HdeA to support acid resistance in enteric bacteria, 412:389
Wu, Y. *See* Guo, D.
Wullschleger, S. *See* Huang, X.
Wyke, S. M. *See* Russell, S. T.
Wysocki, R. *See* Ilina, Y.

Xi, X. G. *See* Ren, H.
Xiao, B. *See* Jones, P. P.
Xiao, F. *See* Luo, X.
Xiao, L. *See* Zou, T.
Xiao, Y. *See* Ye, Y.
Xie, Y.-B.
——; Lee, O.-H.; Nedumaran, B.; Seong, H.-A.; Lee, K.-M.; Ha, H.; Lee, I.-K.; Yun, Y.; Choi, H.-S.
SMILE, a new orphan nuclear receptor SHP-interacting protein, regulates SHP-repressed estrogen receptor transactivation, 416:463
Xiong, R. *See* Liu, X.
Xu, A. *See* Wang, Y.

© 2009 Biochemical Society

Xu, F.
——; Ackerley, C.; Maj, M. C.; Addis, J. B. L.; Levandovskiy, V.; Lee, J.; MacKay, N.; Cameron, J. M.; Robinson, B. H.
Disruption of a mitochondrial RNA-binding protein gene results in decreased cytochrome *b* expression and a marked reduction in ubiquinol–cytochrome *c* reductase activity in mouse heart mitochondria, 416:15 (*See* Lightowlers, R. N. for online-only commentary)
Xu, H. *See* Ma, J.
Xu, T.-R.
——; Baillie, G. S.; Bhari, N.; Houslay, T. M.; Pitt, A. M.; Adams, D. R.; Kolch, W.; Houslay, M. D.; Milligan, G.
Mutations of β-arrestin 2 that limit self-association also interfere with interactions with the β_2-adrenoceptor and the ERK1/2 MAPKs: implications for β_2-adrenoceptor signalling via the ERK1/2 MAPKs, 413:51
Xu, W. *See* Rui, C.

Yamada, M.
——; Tamura, Y.; Sanzen, N.; Sato-Nishiuchi, R.; Hasegawa, H.; Ashman, L. K.; Rubinstein, E.; Yáñez-Mó, M.; Sánchez-Madrid, F.; Sekiguchi, K.
Probing the interaction of tetraspanin CD151 with integrin $\alpha3\beta1$ using a panel of monoclonal antibodies with distinct reactivities toward the CD151–integrin $\alpha3\beta1$ complex, 415:417
Yamaguchi, F. *See* Song, T.
Yamamichi, N. *See* Ito, T.
Yamamoto, H. *See* Song, T.
Yamamoto, K. *See* Masuda, S.
Yamamoto, M. *See* Suzuki, T.
Yamauchi, Y. *See* Izumikawa, K.
Yamazaki, Y. *See* Fujisawa, D.
Yammani, R. *See* Ahuja, R.
Yan, B. *See* Liu, F.-J.
Yan, H. *See* Zou, B.
Yan, L.
——; Mieulet, V; Lamb, R. F.
mTORC2 is the hydrophobic motif kinase for SGK1, 416:e19 (online-only commentary on García-Martinez, J. M.)
Yan, Y. *See* Yip, S.-C.
Yanagida, M. *See* Izumikawa, K.
Yáñez-Mó, M. *See* Yamada, M.
Yang, C.
——; Klein, E. A.; Assoian, R. K.; Kazanietz, M. G.
Heregulin $\beta1$ promotes breast cancer cell proliferation through Rac/ERK-dependent induction of cyclin D1 and $p21^{Cip1}$, 410:167
Yang, D. *See* Liu, F.-J.
Yang, J. *See* Lu, J.; Suzuki, T.
Yang, L. *See* Guo, D.
Yang, S. *See* Fitzmaurice, T. J.
Yang, X. *See* Rui, C.
Yang, Z. *See* Zhang, Y.
Yao, Z. *See* Zhang, H.
Yasuda, S.
——; Kai, M.; Imai, S.-i.; Kanoh, H.; Sakane, F.
Phorbol ester and hydrogen peroxide synergistically induce the interaction of diacylglycerol kinase γ with the Src homology 2 and C1 domains of $\beta2$-chimaerin, 409:95
Yates, A. *See* Mullin, N. P.
Yau, M.-h. *See* Wang, Y.
Ye, Y.
——; Xiao, Y.; Wang, W.; Yearsley, K.; Gao, J.-X.; Barsky, S. H.
ERα suppresses slug expression directly by transcriptional repression, 416:179
Yearsley, K. *See* Ye, Y.
Yeh, Y.-H. *See* Tung, J.-Y.
Yeom, S.-J.
——; Kim, H.-J.; Lee, J.-K.; Kim, D.-E.; Oh, D.-K.
An amino acid at position 142 in nitrilase from *Rhodococcus rhodochrous* ATCC 33 278 determines the substrate specificity for aliphatic and aromatic nitriles, 415:401
Yerlikaya, A.
——; Kimball, S. R.; Stanley, B. A.
Phosphorylation of eIF2α in response to 26S proteasome inhibition is mediated by the haem-regulated inhibitor (HRI) kinase, 412:579
Yerlikaya, A.
——; Kimball, S. R.; Stanley, B. A.
Phosphorylation of eIF2α in response to 26S proteasome inhibition is mediated by the haem-regulated inhibitor (HRI) kinase, 415:483 (Correction)
Yeung, C. H. *See* Renko, K.
Yin, H. L. *See* Jung, G.
Ying, M. *See* Winge, I.
Yip, S.-C.
——; Eddy, R. J.; Branch, A. M.; Pang, H.; Wu, H.; Yan, Y.; Drees, B. E.; Neilsen, P. O.; Condeelis, J.; Backer, J. M.
Quantification of PtdIns(3,4,5) P_3 dynamics in EGF-stimulated carcinoma cells: a comparison of PH-domain-mediated methods with immunological methods, 411:441
Ylöstalo, J. *See* Jäälinoja, J.
Yoo, J. *See* Phee, B.-K.
Yoon, H.-G. *See* Choi, K.-C.
Yoshida, H. *See* Hasegawa, K.
Yoshida, T. *See* Nakagawa, H.
Yoshimura, T. *See* Ito, T.
Young, E. K. *See* Jelokhani-Niaraki, M.
Young, J. D. *See* Paproski, R. J.
Young, M. T.
——; Zhang, Y.-H.; Cao, L.; Broomhead, H.; Jiang, L.-H.
Role of the domain encompassing Arg^{304}–Ile^{328} in rat $P2X_2$ receptor conformation revealed by alterations in complex glycosylation at Asn^{298}, 416:137
Yu, J. *See* Kang, H.
Yu, S. *See* Fitzmaurice, T. J.
Yun, Y. *See* Xie, Y.-B.

Zabolotskaya, M. V.
——; Grima, D. P.; Lin, M.-D.; Chou, T.-B.; Newbury, S. F.
The 5′–3′ exoribonuclease Pacman is required for normal male fertility and is dynamically localized in cytoplasmic particles in *Drosophila* testis cells, 416:327
Zachary, I. *See* Pellet-Many, C.
Zafra, F. *See* Fernández-Sánchez, E.
Zagorska, A. *See* Al-Hakim, A. K.
Zahm, J.-M. *See* Touré, F.
Zaid, H.
——; Antonescu, C. N.; Randhawa, V. K.; Klip, A.
Insulin action on glucose transporters through molecular switches, tracks and tethers, 413:201
Zayni, S. *See* Pföstl, A.
Zegarra-Moran, O. *See* Caci, E.
Zelent, B.
——; Odili, S.; Buettger, C.; Shiota, C.; Grimsby, J.; Taub, R.; Magnuson, M. A.; Vanderkooi, J. M.; Matschinsky, F. M.
Sugar binding to recombinant wild-type and mutant glucokinase monitored by kinetic measurement and tryptophan fluorescence, 413:269
Zeng, H. *See* Hurtado-Guerrero, R.
Zeng, Y.
——; Cheng, H.; Jiang, X.; Han, X.
Endosomes and lysosomes play distinct roles in sulfatide-induced neuroblastoma apoptosis: potential mechanisms contributing to abnormal sulfatide metabolism in related neuronal diseases, 410:81
——; Sankala, H.; Zhang, X.; Graves, P. R.
Phosphorylation of Argonaute 2 at serine-387 facilitates its localization to processing bodies, 413:429 (*See* Rüdel, S. for online-only commentary)
Zha, M. *See* Ma, J.
Zhai, C. *See* Millson, S. H.
——; Li, K.; Markaki, V.; Phelan, J. P.; Bowers, K.; Cooke, F. T.; Panaretou, B.
Ypp1/YGR198w plays an essential role in phosphoinositide signalling at the plasma membrane, 415:455
Zhan, Y. *See* Rui, C.
Zhang, A. *See* Li, C.-W.
Zhang, E. *See* Liu, X.
Zhang, H.
——; Lee, J. M.; Wang, Y.; Dong, L.; Ko, K. W. S.; Pelletier, L.; Yao, Z.
Mutational analysis of the FXNPXY motif within LDL receptor-related protein 1 (LRP1) reveals the functional importance of the tyrosine residues in cell growth regulation and signal transduction, 409:53
Zhang, J. *See* Paproski, R. J.
Zhang, L. *See* Jones, P. P.; Kong, H.; Wu, Y. E.
Zhang, P. *See* Ma, J.
Zhang, R. *See* Zheng, B.
Zhang, S. *See* Zhang, Y.
Zhang, X.-D. *See* Ren, H.
Zhang, X. *See* Zeng, Y.
Zhang, Y.-H. *See* Young, M. T.
Zhang, Y. *See* Li, Q.
——; Liu, S.; Lajoie, G.; Merrill, A. R.
The role of the diphthamide-containing loop within eukaryotic elongation factor 2 in ADP-ribosylation by *Pseudomonas aeruginosa*exotoxin A, 413:163
——; Yang, Z.; Cao, Y.; Zhang, S.; Li, H.; Huang, Y.; Ding, Y.-q.; Liu, X.
The Hsp40 family chaperone protein DnaJB6 enhances Schlafen1 nuclear localization which is critical for promotion of cell-cycle arrest in T-cells, 413:239
Zhang, Z. *See* Ma, J.
Zhao, G. *See* Ma, J.
Zhao, Y. *See* He, D.; Liu, X.
Zheng, B.
——; Han, M.; Wen, J.-k.; Zhang, R.
Human heart LIM protein activates atrial-natriuretic-factor gene expression by interacting with the cardiac-restricted transcription factor Nkx2.5, 409:683
Zheng, M. *See* Golubovskaya, V. M.
Zheng, Y. *See* Master, E. R.
Zhong, C. *See* Thiaville, M. M.
Zhou, G. *See* Hu, C.-C. A.
Zhou, H. *See* Sriwai, W.; Zou, T.

© 2009 Biochemical Society

Zhou, L.
——; Singleton, C.; Le Brun, N. E.
High Cu(I) and low proton affinities of the CXXC motif of *Bacillus subtilis* CopZ, 413:459
Zhou, Q. L.
——; Jiang, Z. Y.; Holik, J.; Chawla, A.; Hagan, G. N.; Leszyk, J.; Czech, M. P.
Akt substrate TBC1D1 regulates GLUT1 expression through the mTOR pathway in 3T3-L1 adipocytes, 411:647
Zhou, X.
——; Pan, S.; Sun, L.; Corvera, J.; Lin, S.-H.; Kuang, J.
The HIV-1 p6/EIAV p9 docking site in Alix is autoinhibited as revealed by a conformation-sensitive anti-Alix monoclonal antibody, 414:215
Zhou, Y. *See* Liu, X.
Zhu, J. *See* Frazzetto, M.
Zhu, X. *See* Rehfeld, J. F.
Zibrova, D.
——; Grempler, R.; Streicher, R.; Kauschke, S. G.
Inhibition of the interaction between protein phosphatase 1 glycogen-targeting subunit and glycogen phosphorylase increases glycogen synthesis in primary rat hepatocytes, 412:359
Zimmermann, B.
——; Schweinsberg, S.; Drewianka, S.; Herberg, F. W.
Effect of metal ions on high-affinity binding of pseudosubstrate inhibitors to PKA, 413:93
Zorzato, F. *See* Bleunven, C.
Zou, B.
——; Yan, H.; Kawasaki, F.; Ordway, R. W.
MAP1 structural organization in *Drosophila*: *in vivo* analysis of FUTSCH reveals heavy- and light-chain subunits generated by proteolytic processing at a conserved cleavage site, 414:63
Zou, T.
——; Liu, L.; Rao, J. N.; Marasa, B. S.; Chen, J.; Xiao, L.; Zhou, H.; Gorospe, M.; Wang, J.-Y.
Polyamines modulate the subcellular localization of RNA-binding protein HuR through AMP-activated protein kinase-regulated phosphorylation and acetylation of importin α1, 409:389
Zuiderveld, O. P. *See* van Rijn, R. M.

© 2009 Biochemical Society

Keyword Index

VOLUMES 409–416 (2008)

ABC (ATP-binding-cassette)-ATPase, 412:233
ABC protein, 409:223
abiotic stress, 410:e1
A20 binding inhibitor of NF-κB (ABIN), 409:77
abscission, 411:233
Acanthamoeba castellanii, 413:359
acclimation, 412:275
acetate, 412:485
acetyl-CoA, 413:369
acetylation, 411:553
acetylcholinesterase, 411:507
acetylcholinesterase (AChE)-associated collagen tail protein (ColQ), 411:425
acid phosphatase, 409:333
acid stress, 412:389
acid-sensing ion channel (ASIC), 412:469
αA-crystallin, 409:771
actin, 413:389
actin cytoskeleton, 411:407
actin dynamics, 413:201
actin-interacting protein 1 (Aip1), 414:261
actin remodelling, 4 .4:407
actinomycete, 410:339
actinonin, 413:417
activating signal co-integrator 2 (ASC-2), 410:319, 416:219
activating transcription factor 4 (ATF4), 410:473
activation marker, 411:319
activator protein-1 (AP-1), 410:605
acute-phase response (APR), 415:289
acyl-CoA-binding protein (ACBP), 410:463
acyl protein thioesterase 1 (APT1), 409:501
ADAM10, 411:433
adaptor protein, 415:241
adaptor protein 2 (AP-2), 409:471, 412:415
adenine nucleotide translocase, 412:131
adenine nucleotide translocator-2, 412:123
S-adenosyl-L-methionine (AdoMet), 410:543
adenylate cyclase, 415:449
adenylate kinase, 412:315
adipocyte, 411:89
adipocyte complement-related protein 30 (Acrp30), 416:e7
adipokine, 409:623, 416:161, 416:e7
adiponectin, 409:623
adipose tissue, 414:313, 416:161, 416:e7
adipose triacylglycerol lipase (ATGL), 414:313
ADP/ATP carrier (AAC), 409:377
ADP-ribose, 413:103
ADP-ribosylation, 413:163
ADP-ribosylation factor family (Arf family), 414:189
ADP-ribosyl cyclase, 411:e1,63
ADP-ribosyltransferase, 415:377
β-adrenergic receptor (βAR), 416:347
adrenodoxin reductase, 411:563
advanced glycosylated end-product (AGE), 416:255
AGC kinase, 410:19
aggregation, 409:691
aging, 410:131
airway epithelial cell, 410:49
Akt, 416:375
Akt/PKB (protein kinase B), 409:751
Akt substrate of 160 kDa (AS160), 409:449, 411:647
alanine scanning, 410:331
aldol condensation, 415:45
aldolase, 414:281
aliphatic nitrile, 415:401
Alix V domain, 414:215
allosteric activation, 413:269
allosteric protein, 412:103
allosterism, 412:245
alternatively spliced exon, 409:e1
Alpha-class glutathione transferase A (GSTA), 414:103
alteration/deficiency in activation 3 (ADA3), 413:349
alternative mRNA splicing, 411:361
alternative splicing, 414:121, 416:e1
alternative translation, 416:463
Alzheimer's disease (AD), 410:81, 412:141, 415:165
amidotransferase, 409:263, 412:113
amino acid nutrition, 414:343
3-amino-3,6-dideoxyhexose, 410:187
aminopeptidase N (APN), 409:215
amnionless gene, 410:301
AMP-activated protein kinase (AMPK), 409:389, 409:449, 412:211, 412:e3, 412:e15, 415:11, 416:1, 416:e1
amphipathic α-helix, 414:189, 414:e1
amphiregulin, 410:585
AMP kinase (AMPK), 411:e9
amylase, 413:517
amyloid, 412:141, 412:563, 416:201
amyloid fibril, 416:307
amyloidosis, 416:307
amyloid pre-cursor protein (APP), 412:141
amyloid protein A, 415:207
anaerobiosis, 409:299
anandamide (AEA), 409:761
anaplastic lymphoma kinase (ALK), 416:153
androgen metabolism, 410:245
androgen receptor (AR), 411:679, 416:453
androgen-response element (ARE), 411:679, 416:453
androgen-selectivity, 411:679
5α-androstane-3,17-dione (5α-AD), 410:339
angiogenesis, 411:211
anhydrobiosis, 410:e1
anion exchanger, 409:311
anion exchanger 1 (AE1), 410:271
ankyrin repeats-containing cofactor (ANCO), 413:349
annexin, 409:65
anoikis, 412:347
Anopheles stephensi, 415:309
Antarctic bacterium, 411:171
anti-Alix antibody, 414:215
antibacterial activity, 410:147
anticancer drug toxicity, 414:93
anti-cooperativity, 415:429
antifreeze protein, 411:171
antimicrobial drug, 412:379
antimicrobial peptide, 409:601, 410:113, 411:687, 416:65
antioxidant, 413:405
antioxidant-response element, 411:297
antioxidant-responsive element (ARE), 411:107
antizyme (AZ), 409:187
antizyme inhibitor (AZI), 409:187, 410:613
AP-1 (activator protein1)-like protein, 415:467
Aperts syndrome, 410:205, 413:37
apical dominance, 416:289
apocarotenoid, 416:289
apolipoprotein B (apoB), 413:333
apolipoprotein E (apoE), 409:701
apoptosis, 409:349, 412:331, 412:347, 412:527, 412:579, 412:e15, 413:389, 413:467, 413:e11, 414:271, 415:21, 415:123, 415:333, 416:337, 416:395
apoptosis-linked gene 2-interacting protein X, 414:215
aquaglyceroporin, 414:53
aquaporin, 414:53, 415:409
aquaporin-5 (AQP5), 411:679
Arabidopsis thaliana (thale cress), 409:27, 409:87, 410:621, 412:275, 412:367, 413:217, 413:417, 415:e1, 415:247, 415:387
Archaea, 409:511, 411:387
Arf, 414:e1
arginine decarboxylase (ADC), 409:187
Argonaute (Ago), 413:429, 413:e7
argpyrimidine, 409:771
armadillo-repeat containing protein 8 (ARMc8), 411:581
aromatic nitrile, 415:401
ARR1 (arsenical-resistance protein 1 gene), 414:301
β-arrestin, 409:251
β-arrestin 2, 413:51
arrhythmia, 412:171
arsenic, 415:467
arsenic stress, 414:301
Artemia franciscana, 411:605
AS160, 411:89
asparagine synthetase, 410:473
Aspergillus, 411:161
Aspergillus fumigatus, 415:217
Aspergillus nidulans, 412:485, 414:419
Aspergillus niger xylanase, 410:71
ataxia-telangiectasia mutated (ATM), 415:297
atherosclerosis, 409:349, 410:525
atomic force microscopy (AFM), 410:113, 415:275
ATPase, 412:315, 413:535
ATPase activity, 413:261
ATPase associated with various cellular activities (AAA) assembly, 411:387
ATPase inhibitor, 410:439
ATPases associated with a variety of cellular activities family of proteins (AAA$^+$ family of proteins), 413:535
ATP-binding cassette (ABC) superfamily, 412:315
ATP-binding cassette (ABC) transporter, 411:623
ATP-binding cassette transporter protein (ABC protein), 416:129
ATP-binding pocket, 414:383
ATP mimetics, 415:353
ATP occlusion, 416:129
ATP pyrophosphatase (ATPPase) domain, 409:263
atrial natriuretic factor (ANF), 409:683
AU-rich element (ARE), 410:177
aureolysin, 410:157
autophagy, 410:525

© 2009 Biochemical Society

autophosphorylation, 412:507
autotransporter, 412:563

β-cell, 410:485, 411:41
Bacillus subtilis, 411:571, 413:459
Bacillus subtilis xylanase, 410:71
Bacillus thuringiensis, 409:215
bacterial cell division, 412:367
bacterial cell surface layer (S-layer) glycoprotein, 410:187
bacterial lectin, 411:307
bacterial pathogen, 411:485
bacterial two-hybrid system, 415:27
bactericidal, 414:143
base flipping, 410:543
basement membrane, 415:417
basic leucine zipper (bZIP), 410:473
Bax, 412:347, 412:e5
Bcl-2, 415:333
Bcl-2/Bcl-X_L-antagonist, causing cell death (BAD) protein, 415:265
Bcl-2 family, 415:165
p-benzoquinone, 413:143
betacellulin, 410:585
Bet v 1 allergen, 413:281
BeWo cell, 411:271
bicarbonate, 410:455
bicarbonate transport, 410:271
bi-covalent FAD, 413:175
bi-directional regulation, 409:289
bifunctional enzyme, 410:347
bifunctional molecule, 409:601
bilayer, 411:33
biliverdin reductase, 413:405
binding affinity, 410:237
binding region, 411:449
bioactive phospholipid, 412:153
bioenergetics, 415:309
bioluminescence, 409:251, 412:27
biomarker, 411:71
biosynthesis, 409:563
biotic and abiotic stresses, 413:217
biotin, 413:369
bis(monoacylglycero)phosphate (BMP), 411:71
blood–testis barrier, 410:575
blue native PAGE, 412:347
Bombyx mori, 416:85
Brahma, 411:201
brain, 409:741
brain astrocytes, 410:605
brain inflammation, 410:605
brain-type natriuretic peptide, 409:233
branching protrusion, 414:407
BRCA1 C-terminal (BRCT) domain, 409:169
breast cancer, 415:97
breast-cancer susceptibility gene 1 (BRCA1), 409:169
brefeldin A (BFA), 414:471
Brichos domain, 416:201
brown adipose tissue (BAT), 416:347
brush border membrane, 410:301
bulk flow, 414:237
Burkholderia cenocepacia, 411:307
Burkholderia cepacia complex, 411:307
butyrate uptake, 409:311
butyrylcholinesterase (BChE), 411:425

Ca^{2+}/agonist-induced channel activation, 411:415
Ca^{2+}-biliverdin-IXATPase, 414:357
Ca^{2+}/calmodulin (CaM)-dependent protein kinase II (CaMKII), 412:223
Ca^{2+}/calmodulin-dependent protein kinase II (CaMKII), 412:507
Ca^{2+} channel, 416:243
Ca^{2+} signalling, 416:243
Ca^{2+} transporter, 414:133
Caco-2 cell, 415:57
cadherin–catenin complex, 416:231
caffeine, 414:441
calcineurin, 411:107
calcium, 409:65, 410:e3, 411:63, 411:107, 411:343, 411:e1, 413:71, 413:437, 415:409, 415:123, 416:77, 416:395
calcium binding, 411:171, 413:291
calcium-binding site, 416:37
calcium rise, 409:107
calcium signalling, 414:419
callose synthesis, 414:43
calmodulin (CaM), 410:427, 410:513, 410:e3, 412:459, 416:243
calmodulin-binding domain, 411:415
calpain, 411:667, 416:395
calsenilin, 412:19
calsenilin glycosyltransferase interaction, 412:19
calsequestrin, 413:291
cAMP, 411:361, 415:449
cAMP-response-element-binding protein (CREB), 410:49
camptothecin, 411:523
cancer, 409:1, 409:149, 409:635, 410:225, 411:211, 412:211, 412:447, 412:e3
cancer cells, 413:227
cancer mutation, 414:221
cancer therapy, 410:439, 414:343
canonical TRP (TRPC), 413:437
canonical type transient receptor potential cation channel 1 (TRPC1), 411:399
capsid stability, 416:47
carbamate, 410:455
carbapenem, 414:151
carbohydrate, 411:161
carbohydrate-binding module, 416:27
carbohydrate-response element-binding protein (ChREBP), 411:261
carboxyatractylate (CAtr), 412:131, 413:323
carboxyl tail, 413:61
carcinoma cell, 411:441
cardiac arrhythmia, 414:441
cardiac-restricted transcription factor (Nkx2.5), 409:683
cardiac ryanodine receptor, 412:171
carotenoid cleavage, 416:289
carotenoid oxygenase, 416:289
casein kinase 2 (CK2) inhibitor, 415:353
caspase, 412:527, 415:165
catalase, 413:185
catalytic domain, 409:501
catalytic mechanism, 415:45
cataract, 409:691
catecholamine, 413:343
catecholaminergic polymorphic ventricular tachycardia (CPVT), 412:171
α-catenin, 411:581
β-catenin, 416:211
cathepsin B, 410:131
cathepsin L, 413:125
cation channel trafficking, 413:437
cation homoeostasis, 414:419
caveolin-enriched microdomain, 410:369
Cbl, 410:585
CCAAT/enhancerbinding protein (C/EBP), 410:473
C1 domain, 411:333
CD9, 415:417
CD81, 415:417
CD44, 411:433
CD95 trafficking, 413:e11
CD95/Fas, 413:467
CD95/Fas/APO-1 receptor, 413:e11
CD148, 413:193
Cdc6, 409:511
CDP-choline, 413:103
β-cell, 410:485, 411:41
cell adhesion, 411:507, 415:417
cell adhesion kinase β (CAKβ), 410:513, 410:e3
cell cycle, 410:535, 415:325, 415:439
cell death, 415:265
cell division cycle 45 (Cdc45), 409:169
cell growth control, 412:179
cell growth inhibition, 409:53
cell migration, 414:261
cell motility, 414:407
cell signalling, 413:315, 415:265
cell-surface trafficking, 410:555
cell survival, 411:371, 415:265
cellular inhibitor of apoptosis (c-IAP), 415:21
cellular proteolysis, 411:387
cellulosome, 410:331
cell volume, 413:e11
cell-wall integrity, 414:419
centriole, 412:265
centromatrix, 412:265
centrosomal protein 57 (Cep57), 412:265
centrosome, 412:265
cephalosporin, 410:455
ceramide, 410:81, 410:369, 410:381, 414:31
cerebral ischaemia, 415:165
chain association, 409:545
channel activity, 411:33
channel blocker, 413:135
chaperone, 409:691, 409:771, 412:73, 412:389, 413:1, 413:15, 413:447, 416:201
chaperone activity, 410:63, 414:453
chaperonin, 409:205, 414:205
charged multivesicular body protein-3 (CHMP3), 411:233
chelatase, 415:257
chemical genetics, 411:319
chemical rescue, 411:467
chemokine receptor, 409:635
chemokine, 409:635, 412:245
chemotaxis, 414:261
Chlamydomonas reinhardtii, 411:241
chloride absorption, 416:99
chloride channel, 413:135
chloride electrodiffusion, 412:315
chloride ion channel, 412:45
chloroplast, 413:15, 413:417
chloroplast ascorbate peroxidase, 412:275
chloroplast division, 409:87
chloroplast import *in vitro*, 410:291
chloroplast mutant, 411:241
cholangiocarcinoma, 412:459
cholecystokinin, 416:77
cholesterol, 410:391, 412:553, 415:87
cholesterol degradation, 410:339
choline kinase, 415:135
chondrocyte, 414:231
Chondrus crispus, 412:535
chromatin, 409:651, 410:381, 414:19, 414:327
chromatin immunoprecipitation (ChIP), 409:243, 409:139, 416:407
chromatin remodelling, 409:779
chromium, 415:477
chromone, 413:143
chronic infection, 410:225
CI-1033, 415:197
cilomilast, 411:361
Ciona intestinalis, 416:65
circular dichroism (CD), 409:691, 410:93, 411:593, 412:553, 413:291
cisplatin, 414:93
citramalate synthase, 415:45
CK2, 409:223

© 2009 Biochemical Society

c-Kit, 415:241
class I cytokine receptor, 410:595
clathrin, 409:471, 412:415, 415:e1
clathrin-coated vesicle (CCV), 415:387
clathrin-mediated endocytosis, 414:189
CLC chloride channel, 409:321
cleavable complex, 409:611
cleavage, 412:527
client protein aggregation, 409:771
client protein, 410:439
Clostridium thermocellum, 410:331
coagulation, 412:545
coatamer protein (COP), 414:189
coatamer protein II signal (COPII signal), 413:29
coated vesicle, 415:e1
coatomer coat protein II (COPII), 409:669
cobalamin (vitamin B_{12}), 415:257
co-chaperone, 410:439
coenzyme selectivity, 411:563
cofactor, 416:117
cofactor recycling, 413:493
cofactor-dependent phosphoglycerate mutase, 409:333
cofilin, 411:657, 414:261
CO_2 fixation, 414:205
coiled coil, 409:545
co-immobilization, 409:481
collagen, 416:255
collagen IX, 409:545
collagenous domain (COL domain), 409:545
collectin, 412:323
colon adenocarcinoma, 409:311
combinatorial chemistry, 409:461, 415:367
common gating, 413:61
complementation, 409:563
complex I, 409:491
complex 1 of the mammalian target of rapamycin (mTORC1), 416:e15
computational modelling, 410:391
concanavalin A, 416:337
confocal microscopy, 410:463
conformational analysis, 411:593
conformational changes, 412:233
conformational control, 413:93
conformational selection, 415:183
conformational stability, 409:367
consensus sequence, 411:27
control coefficient, 414:391
convergent evolution, 409:399
copper, 410:237, 412:141
copper chaperone for Cu/Zn superoxide dismutase (CCS), 409:731
copper-mediated dimerization, 411:571, 413:459
copper trafficking, 411:571, 413:459
copper transport, 409:731
copper transporter 2 (Ctr2), 409:731
core assembly and dissociation, 416:47
core protein truncated at residue 149 (Cp149) Ser^{106}, 416:47
C20 or f3, 414:485
corrector, 413:29
co-regulator, 416:407
co-repressor, 411:19
costamere, 409:657
CotA laccase, 412:339
co-translational, 413:417
covalent modification, 409:275
coxsackie- and adenovirus-receptor-like membrane protein (CLMP), 410:575
C1q/TNF family, 416:161
C1q/TNF (tumour necrosis factor α)-related protein (CTRP), 416:161, 416:e7
C-reactive protein, 413:305
cross-linking, 411:495
cross-reactivity, 415:183
crotonase, 414:281
cruciform, 412:57
Cry1Ab susceptibility, 409:215
cryo-electron microscopy, 410:261
cryoradiolytic, 412:257
crystal structure, 412:379, 415:45, 415:183
α-crystallin, 414:453
crystallin, 409:691
crystallography, 410:71
c-Ski, 409:289
c-Src, 411:531
C-terminal to lissencephaly type-1-like homology motif (CTLH) complex, 411:581
C-terminus of the Hsc (heat-shock cognate) 70-interacting protein (CHIP), 409:723
CTP, 412:113
c-type cytochrome
C-type lectin-like receptor 2 (CLEC-2), 411:133
cubilin, 410:301
curcumin, 410:147
CXCR2 chemokine, 412:e7
cyanobacteria, 410:347
cyclin D1, 410:167, 413:239
cyclin, 410:535
cyclin E, 415:439
cyclin-dependent kinase (CDK), 410:535
cyclin-dependent kinase 2 (CDK2), 415:439
cyclo-oxygenase (COX), 411:297
cyclodextrin glucanotransferase (CGTase), 413:517
β-cyclodextrin, 416:27
cyclophilin (Cyp), 413:447
β-cystathionine synthase domain (CBS domain), 413:61
cysteine desulfurase IscS, 409:535
cysteine oxidation, 411:457
cysteine redox potential, 411:115
cysteine thiol, 411:571, 413:459
cysteine-rich motif, 409:501
cystic fibrosis, 410:213, 413:29, 413:135, 416:129
cystic fibrosis transmembrane conductance regulator (CFTR), 410:283, 410:555, 413:29, 413:135, 416:129
cytochrome *b*, 416:15
cytochrome *c* maturation, 414:81
cytochrome *c* nitrite reductase (NrfA), 414:73
cytochrome P450 3A4 (CYP3A4), 409:243
cytokine, 411:227, 412:65, 412:e17, 415:289
cytokine signalling, 409:77
cytokinesis, 411:233, 414:261
cytolytic peptide, 411:687
cytoplasmic tail, 410:495
cytoskeletal reorganization, 414:407
cytoskeleton, 409:321, 410:141, 412:367, 415:377
cytosolic domain, 410:409
cytosolic peroxiredoxin, 410:359

D1ER, 412:171
deacetylase, 411:279
deacetylation, 409:581, 411:e13
death-inducing signalling complex (DISC), 412:459
deferiprone, 409:439
degradation, 410:401
dehydration tolerance, 410:e1
dehydrogenase, 415:257
deletion mutant, 410:291
deletion study, 410:331
dental plaque, 409:601
15-deoxy-$\Delta^{12,14}$-prostagiandin J_2 (15d-PGJ_2), 411:297
deoxynojirimycin, 409:571
dephosphorylation, 415:247
deprotonation, 416:431
desferrioxamine (DFO), 409:439
detergent-resistant membrane (DRM), 409:149, 414:237, 416:421
deubiquitinating enzyme (DUB), 409:77, 414:161, 415:367
deubiquitination, 411:249, 411:e9, 414:161
development, 412:399
developmentally down-regulated 4-1 (NEDD4-1), 414:221
deviant Walker box motif, 412:1
dexamethasone, 415:111
diabetes, 409:1, 415:1, 416:161
diacylglycerol (DAG), 410:381, 411:333, 414:31
diacylglycerol-binding domain, 414:31
diacylglycerol kinase (DGK), 409:1, 409:471
dialysis-related amyloidosis, 416:307
diaminopimelate pathway, 411:351
diapause, 411:605
diaxial, 416:431
dicarboxylate carrier, 410:621
Dicer, 410:39, 412:527
dietary phytate, 416:263
differentiation, 410:205
diffusible amyloid oligomer, 415:207
dihydrodipicolinate synthase (DHDPS), 411:351
dihydrofolate reductase, 410:401
dihydropteroate synthase, 412:379
3,3′-di-indolylmethane (DIM), 409:611
dilazep, 414:291
dileucine signal, 414:431
dimer, 412:233, 414:357
dimer–tetramer equilibrium, 409:417
dimerization, 416:357
Diocleinae lectin, 409:417
dipeptidyl-peptidase I (DPPI), 415:225
diphthamide, 413:163
directed evolution, 414:205
distal renal tubular acidosis (dRTA), 410:271
distributive relaxation, 411:523
disulfide bond, 415:275
disulfide bond formation, 411:115
disulfide formation, 414:195
dithiol-dependent peroxidase, 414:375
DNA annealing, 412:425
DNA bending, 412:57, 415:467, 416:85
DNA damage, 415:297
DNA methyltransferase (MTase), 410:543
DNA repair, 409:169
DNA replication, 409:511, 413:535
DNA segregation, 412:1
DNA structure, 409:651
DNA topoisomerase, 409:481
DNA topoisomerase I, 409:651
DNA unwinding, 412:425
DnaJB6, 413:239
DOCK9, 409:525
DOCK11, 409:525
docking, 411:507
domain-specific antibody, 411:415
dopa, 410:131
double-stranded RNA (dsRNA)-binding domain (dsRBD), 410:39
down-regulated in adenoma (DRA), 416:99
draflazine, 414:291
Drosha, 410:39
Drosophila, 414:63, 416:231
Drosophila cGMP, 414:363
drug design, 412:e7, 415:353
drug discovery, 414:375
drug target, 411:287

© 2009 Biochemical Society

D-serine dehydratase, 409:399
α-dTDP-3-acetamido-3,6-dideoxy-D-glucose (dTDP-α-D-Quip3NAc), 410:187
dual topology reporter, 414:133
dual-specificity phosphatase 6 (DUSP6), 412:287
dynamin, 412:415

E2 ubiquitin-conjugating enzyme, 409:723
E2/E3 specificity, 413:447
E2F1, 416:463
E3 ligase, 409:43
early growth-response gene 1 (Egr-1), 411:379
EF-hand, 413:71
eIF2, 409:223
elasticity coefficient, 414:391
electron microscopy, 412:265
electron transfer, 411:563
electron transport chain, 409:491
electrospray ionization MS (ESI–MS), 410:81
electrospray ionization tandem MS (ESI-MS/MS), 411:71
EmbR, 410:309
embryonic stem cell, 411:227, 411:e5
enamel-binding peptide, 409:601
endocannabinoid, 409:761
endocytosis, 409:107, 409:471, 410:555, 411:271, 412:415, 413:251, 413:467, 413:e11, 415:e1
endoglucanase, 411:161
endomembrane, 411:531
endoplasmic reticulum (ER), 409:669, 410:93, 410:409, 410:463, 411:495, 413:29, 413:333
endoplasmic reticulum-associated degradation (ERAD), 411:623, 413:227
endoplasmic-reticulum aminopeptidase-1 (ERAP-1), 416:109
endoplasmic reticulum (ER) exit receptor, 414:237
endoplasmic reticulum (ER) exit signal, 414:237
endoplasmic reticulum (ER)-to-Golgi transport, 414:237
endoplasmic reticulum protein 72 kDa (ERp72), 416:55
endoplasmic reticulum stress, 416:395
endosomal compartment, 413:e11
endosomal sorting complexes required for transport (ESCRT), 411:233
endosome, 411:233
endothelial cell, 416:271
endotoxin neutralizing, 414:143
energy status, 410:485
enol–keto tautomerization, 411:467
enolase, 416:317
enoyl-CoA hydratase (ECH), 414:281
enteric bacterium, 412:389
enzymatic kinetics, 414:151
enzyme inhibitor, 409:129
enzyme regulation, 411:e17
enzyme structure and function, 413:163
eosinophil peroxidase, 414:271
epidermal growth factor (EGF), 411:441
epidermal-growth-factor receptor (EGFR), 410:585, 415:197
epithelial defence, 410:113
epithelial sodium channel (ENaC), 415:155
EPR spectroscopy, 410:565
equilibrative nucleoside transporter family, 411:287
equilibrium binding, 413:269
erlotinib, 415:197
erythrophagocytosis, 411:123
erythropoiesis, 414:461
erythropoietin, 411:97
erythropoietin receptor, 410:409
Escherichia coli, 409:129, 410:39, 415:449
ethanolamine kinase, 415:135
eukaryotic elongation factor 2 (eEF2), 413:163
eukaryotic gene expression, 414:111
eukaryotic initiation factor 2α (eIF2α), 410:485
eukaryotic initiation factor 4E-binding protein 1 (4E-BP1), 411:667
eukaryotic initiation factor 4G (eIF4G), 411:667
eukaryotic initiation factor 6 (eIF6), 415:77
eukaryotic translational initiation factor 2α (eIF2α), 412:579
evolution, 409:377
Ewing's sarcoma (EWS), 415:297
exchange factor, 415:145
excitation–contraction coupling, 411:343
excitotoxicity, 411:667
Exo2, 414:471
exocytosis, 409:407, 412:93, 413:71
exon-exclusion, 411:201
expressed sequence tag, 411:343
extracellular-signal-regulated kinase (ERK), 409:53, 411:613
extracellular-signal-regulated kinase 1/2 (ERK1/2), 410:167, 410:205
eye, 414:453

F508 rescue, Δ 410:555
F676 pocket, 414:215
far-Western analysis, 409:481
farnesoid X receptor (FXR), 410:245
Fas, 412:459
fatty-acid-binding protein (FABP), 410:123
fatty acid metabolism, 414:313
fatty acid synthase (FAS), 409:299, 416:219
feedback inhibition, 415:45
feedback regulator, 412:331
FERM domain, 410:513
ferric ion, 416:77
ferritin, 411:107
ferroportin, 411:79, 411:123, 413:553
fertility, 409:741
fibril-associated collagen with interrupted triple helices (FACIT), 409:545
fibrinolysis, 412:545
fibroblast, 409:289, 411:1
fibroblast growth factor (FGF), 412:81, 412:287
fibroblast growth factor receptor 2 (FGFR2), 410:205, 413:37, 413:37, 416:189
fibrosis, 411:1
filamentation, 410:147
firefly luciferase, 412:27
fish defence, 411:33
FITC, 414:357
flavoprotein reductase A, 411:563
β-FLICE [FADD (Fas-associated death domain)-like interleukin 1converting enzyme]-like inhibitory protein (FLIP), 412:459
fluorescence, 410:123, 412:379, 413:291
fluorescence anisotropy, 415:275
fluorescence correlation spectroscopy (FCS), 410:255
fluorescence lifetime imaging microscopy (FLIM), 413:37, 416:189
fluorescence resonance energy transfer (FRET), 409:107
fluorescent protein, 412:415
fluorigenic substrate, 415:367
fluorogenic substrate library, 409:461
focal adhesion, 409:657, 409:e1
focal adhesion kinase (FAK), 410:513, 411:151
folding, 412:389
folic acid, 412:379
follicular epithelium, 416:85
forkhead-associated domain (FHA domain), 410:309
12.6 kDa FK506-binding protein (FKBP12.6), 410:261
forskolin, 414:103
Förster resonance energy transfer (FRET), 412:233, 416:189
fragment complementation, 409:481
free complex-type glycans, 413:227
fructosamine 3-kinase (Fn3K), 416:281
fructosamine 3-kinase-related protein (Fn3KRP), 416:281
fructose 2,6-bisphosphate, 411:41
fructose-2,6-bisphosphatase, 409:333
FtsZ, 412:367
FtsZ gene family, 409:87
FtsZ polymerization, 410:147
functional complementation, 409:251, 410:291
functional proteomics, 413:505
functional reconstitution, 410:621, 413:61
fused in sarcoma (FUS), 415:297
FUTSCH, 414:63
FXNPXY motif, 409:53
Fyn (protein tyrosine kinase $p59^{Fyn}$), 416:421

galactose, 414:177
galactosyltransferase, 412:19
gastric muscle, 411:543
gastrin, 415:35
gel filtration, 415:275, 416:357
gene amplification, 416:153
gene cloning, 414:485
gene expression, 410:245, 412:153, 412:485, 413:151, 413:369, 414:327, 415:467, 416:117, 416:153, 416:e5
gene expression profiling, 412:435
gene regulation, 409:683, 412:399, 413:505, 415:289, 416:395
gene regulatory network, 411:e5
gene silencing, 410:301
general acid–base catalysis, 411:467
general transcription factor, 409:139
genetic alteration, 415:97
genetic polymorphism, 410:225
genomic instability, 413:185
genomic location, 409:139
geranylgeranyl, 415:67
glinide, 412:93
glucokinase, 411:41, 413:269, 414:1
glucokinase activator drugs (GKA drugs), 413:269
glucokinase disease (GK disease), 413:269
gluconeogenesis, 413:559
glucose, 410:485, 411:261, 414:177, 415:1
glucose-induced degradation (Gid)-protein complex, 411:581
glucose metabolism, 416:211
glucose 6-phosphatase, 413:559
glucose repression, 415:233
glucose-stimulated insulin secretion, 409:199
glucose transporter 4 (GLUT4), 410:255, 413:201
glucose uptake, 410:255
glucuronidation, 410:245
GLUT1, 411:647
GLUT4, 411:89
glutaminase domain, 409:263
glutaminyl cyclase (glutaminyl-peptide cyclotransferase, 411:181
glutathione, 411:115, 411:297, 414:93
glutathione peroxidase, 409:741, 414:375
glutathione transferase (GST), 412:535
glycation, 416:281

© 2009 Biochemical Society

glycine, 412:113, 412:495
glycine transporter-1 (GLYT1), 409:669
glycogen, 414:1
glycogen metabolism, 412:359
glycogen phosphorylase (GP), 412:359, 414:1
glycogen phosphorylase inhibitor, 412:359
glycogen synthase, 414:1
glycogen synthesis, 412:359
glycoprotein, 409:571
glycosaminoglycan, 414:231
glycoside hydrolase family 11, 410:71
glycosyl hydrolase (GH), 411:161
glycosylation, 410:213, 414:195, 416:e11
glycosylation mapping, 414:133
glycosylation motif, 412:563
glycosylphosphatidylinositol (GPI) anchor, 410:503
glycosylphosphatidylinositol-anchored protein (GPI-anchored protein), 409:555, 414:237
glycosyltransferase, 412:19, 414:231
glypican family of proteins, 410:503
GLYT2, 412:495
Golgi, 410:463, 414:31, 414:471
Golgi apparatus, 411:623, 414:399
Golgi complex, 412:19
GPR1/FUN34/YaaH protein family, 412:485
G-protein-coupled receptor (GPCR), 409:251, 412:103, 412:245, 414:121
G-protein-coupled receptor dimerization, 412:e7
green fluorescent protein (GFP), 409:701, 410:205, 410:261, 410:291, 411:657
growth arrest, 409:389, 411:201
gst-4, 409:205
GTP-binding protein, 411:407
GTPase activity, 410:147
GTPase-activating protein (GAP), 409:95, 411:89, 411:647
guanine-nucleotide-exchange factor, 411:485
guanosine diphosphate (GDP), 412:131

H_4 receptor, 414:121
haem, 409:159, 411:123, 412:257, 414:177
haem (heme) oxygenase, 411:297, 413:405
haem oxygenase 1 (HO1), 411:123
haem transporter, 413:405
haematocrit, 414:461
haematopoiesis, 412:399
haematopoietically expressed homeobox (Hex), 412:399
haemochromatosis, 411:79, 413:553
haemodilution, 414:461
haemoglobin (Hb), 414:461
haemoprotein, 413:405
haemostatic peptide, 412:545
haem *c*-binding motif, 414:73
halophiles, 411:387
hamartin (TSC1), 412:179
3*H*-1,2-dithiole-3-thione (D3T), 409:205
heart failure, 409:233
heart ischaemia, 412:e15
heat-shock protein (hsp), 409:779, 413:239
heat-shock protein 70 (Hsp70), 413:261
heat-shock protein 90 (Hsp90), 413:261
heavy and light chains, 414:63
HECT (homologous with E6-associated protein C-terminus) domain, 415:155
HeLa cell, 415:345
β-helix, 411:171
heparan sulfate proteoglycan, 410:503
heparin, 411:507
hepatic steatosis, 416:219, 416:e15
hepatitis B virus (HBV), 416:47, 416:219, 416:e15
hepatocellular carcinoma, 411:379
hepatocyte, 411:1
hepatocyte growth factor (HGF), 411:379
hepatocyte growth factor activator inhibitor-1 (HAI-1), 413:251
hepatocyte nuclear factor 4α (HNF-4α), 415:111, 415:289
hepatocyte nuclear factor-6 (HNF-6), 413:559
hepatocyte nuclear receptor-4α (HNF-4α), 409:243
hepcidin, 411:79, 413:553
heregulin, 410:167
hetero-oligomerization, 409:107
heterodimer, 412:245
heterodimerization, 410:495
heterotrimeric G-protein, 411:449
hexokinase 2 (Hxk2), 415:233
hexosamine pathway, 416:211, 416:e11
high mobility group (HMG) box, 411:553
high-mobility group A (HMGA), 416:85
high-throughput screening, 412:e7
hispidin, 415:77
histamine, 414:121
histidine modification, 410:543
histidine phosphatase, 409:333
histone acetyltransferase (HAT), 409:779
histone deacetylase (HDAC), 409:581
histone deacetylase isoform (HDAC isoform), 409:581
histone deacetylase-like amidohydrolase (HDAH), 413:143
histone demethylase, 416:387
histone modification, 409:779
HIV, 411:133, 412:527
HIV-1, 412:163
hns-dependent expression A (HdeA), 412:389
homeodomain, 411:227, 412:399
homeodomain-interacting protein kinase 2 (HIPK2), 415:353
homology, 409:591
homology modelling, 413:281
hormone-sensitive lipase (HSL), 414:313
horseradish peroxidase (HRP), 410:565
HPLC, 413:227
HSP42 (Hsp42 gene), 414:111
HSP104 (Hsp104 gene), 414:111
human African trypanosomiasis, 409:563
human Alpha-class glutathione transferase 3-3 (hGSTA3-3), 414:103
human diploid fibroblast, 412:123
human embryonic kidney (HEK)-293 cell, 410:195
human equilibrative nucleoside transporter 1 (hENT1), 414:291
human heart LIM protein (hhLIM), 409:683
human hepatic stimulator substance (h*HSS*), 415:111
human intestine, 416:99
human kidney HK2 cell, 416:407
human lens, 409:771
human MDM20, 415:325
human megakaryoblastic cell line, 410:595
human *N*-acetyltransferase 3 (hNAT3), 415:325
human *N*-acetyltransferase B (hNatB), 415:325
human skeletal muscle Cl^- channel (hClC-1), 413:61
human T-cell lymphotrophic virus type 1 (HTLV-1), 416:357
huntingtin, 412:191
Huntington's disease, 412:191
HuR, 409:389, 410:177
hVps15, 410:1
hVps34, 410:1
hybrid peptide, 409:601
hydrogen peroxide, 409:491, 411:191, 414:53
hydrogen-bond network, 411:181
hydroimidazolone, 409:771
hydrophobic interaction, 412:389
hydrophobicity, 414:453
hydroxycinnamoyl-CoA hydratase–lyase (HCHL), 414:281
4-hydroxynonenal (HNE), 413:323
4-hydroxynonenal (4-HNE), 410:525
hydroxypyridin-4-one (HPO), 409:439
hyperadenylation, 414:111
hyperosmotic stress, 415:387
hypertension, 416:37
hypochlorous acid (HOCl), 416:441
hypohalous acid, 414:271
hypothiocyanous acid (HOSCN), 416:441
hypothiocyanous acid (HOSCN; cyanosulfenic acid), 414:271
hypoxia, 409:19, 409:65, 409:233, 412:477, 413:125, 414:19, 416:387
hypoxia-inducible factor (HIF), 409:19, 414:19
hypoxia-inducible factor 1 (HIF-1), 412:477, 416:387
hypoxia-inducible factor 1α (HIF-1α), 414:461, 412:e17
hypoxia-inducible factor 1α (HIF-1α) hydroxylase, 411:97
hypoxia-inducible transcription factor, 409:233
hypoxia-response element, 409:233
hypoxia/reoxygenation, 411:531

ideal amphipathic peptide (IAP), 412:545
imaging-based protein–protein interaction assay, 412:e7
immune response modifier, 409:275
immune system, 413:103
immune tolerance, 411:475
immunofluorescence, 411:279
immunohistochemistry, 409:429
immunoprecipitation, 415:325
import, 411:279
importin α1, 409:389
inactive mutant, 410:71
inclusion-body-binding protein B (IbpB), 410:63
independent folding domains, 411:495
3β-indoleacrilic acid, 409:193
induced fit, 415:183
infection, 410:157
inflammation, 409:43, 410:213, 410:225, 411:457, 412:65, 415:207, 416:337
influenza A virus, 412:323
inhibition, 414:247
inhibitor design, 415:217, 416:37
inhibitor of apoptosis protein (IAP), 415:165
inhibitor of apoptosis proten (IAP) murine fibroblast, 415:21
inhibitor of κB kinase (IKK), 409:77
inhibitor resistance, 410:455
innate immunity, 413:305, 416:65
inositol 1,4,5-trisphosphate receptor (IP_3R), 416:243
inositol hexakisphosphate ($InsP_6$), 416:263
Ins(1,4,5)$P_3$3-kinase-A (IP3K-A), 414:407
insect cell, 410:595
insect choriogenesis, 416:85
insecticide, 411:687
insertional polymerization model, 412:1
insulin, 410:255, 411:41, 411:89, 412:93, 415:1
insulin mimetic peptide, 412:435
insulin receptor substrate (IRS), 410:369
insulin receptor substrate-1 (IRS-1), 409:519
insulin sensitivity, 409:623
insulin sensitizer, 416:e7
insulin signalling, 411:647, 413:201
integral membrane protein, 409:501, 414:195

© 2009 Biochemical Society

integrase (IN), 412:163
integrin, 410:495
integrin $\alpha 3\beta 1$, 415:417
inter-domain interaction, 411:415
interaction-defective mutants, 410:319
interaction energy score, 411:523
intercellular adhesion molecule (ICAM), 410:495
interdomain cross-talk, 409:263
interleukin-1 (IL-1), 409:43, 409:711
interleukin-1β (IL-1β), 412:35
interleukin 1 receptor-associated kinase (IRAK), 409:43
interleukin-6, 410:213
interleukin-6 (IL-6), 412:65
interleukin-12 (IL-12) p40 subunit, 409:761
intermediate filament, 409:657, 410:141
internal ribosome entry site (IRES), 413:125
interstitial lung disease, 416:201
intestinal epithelium, 409:389
intestinal smooth muscle, 412:35
intestinal trefoil factor, 411:97
intra-oral drug-delivery molecule, 409:601
intracellular protein trafficking, 409:149
intracellular receptor, 410:427
intramolecular regulation, 412:425
invasion, 415:87
inverse agonist, 412:103
invertebrate, 413:305
2-iodomelatonin, 413:81
ion channel, 416:137
ionizing radiation, 413:185
ionomycin, 411:107
iron, 411:123, 412:257, 416:77
iron chelation, 409:439
iron donor, 409:535
iron homoeostasis, 413:553
iron–sulfur cluster, 409:159
iron–sulfur cluster biogenesis, 409:535
irreversible binding, 409:215
irreversible inactivation, 409:263
IscA, 409:535
ischaemia, 411:667
ischaemic (ischemic) preconditioning, 412:e17
IscU, 409:535
islets, 411:41

Janus kinase (JAK), 410:409, 412:65
Jumonji domain, 416:387
Jun N-terminal kinase (JNK), 410:605
junction ribonuclease (JRNase), 412:517
junctophilin, 411:399

K^+–Cl^- co-transporter (KCC), 409:321
Kelch-like erythroid cell-derived protein with cap'n'collar homology-associated protein 1 (Keap1), 411:297
Kennedy pathway, 415:135
3-ketosteroid dehydrogenase, 410:339
kidney, 414:461
kidney acid secretion, 410:271
kinase, 415:297
kinase activity, 416:231
kinase cross-talk, 413:315
kinase insert domain-containing receptor (KDR), 411:515
kinase regulation, 410:19
kinetics, 409:731, 413:369, 415:217
Kupffer cell, 411:1

$\alpha L\beta 2$, 410:495
L6 myoblasts, 412:435
laccase, 412:339
Lachesana tarabaevi, 411:687
β-lactam antibiotic, 415:317
β-lactamase, 410:455, 414:151
Lactococcus lactis, 409:193
lactoferrin receptor, 411:271
lactoferrin, 411:271
lactonohydrolase, 414:485
lamellipodin, 411:425
Laminaria digitata, 412:535
laminin, 411:507, 415:417
Lampyris turkestanicus (Iranian firefly), 412:27
lapatinib, 415:197
Late embryogenesis abundant (LEA) protein, 410:e1
Leber hereditary optic neuropathy, 409:129
lectin, 409:591, 412:323
lectin-like oxidized low-density lipoprotein receptor-1 (LOX-1), 409:349
Leishmania, 409:481, 414:375
Leishmania donovani, 409:611
Leishmania infantum SIR2-related protein 1 (LiSIR2RP1), 415:377
Leishmania major, 409:563
lens, 414:453
leptin receptor (Ob-R), 410:595
leptomycin B, 411:279
ligand complex, 414:281
ligand-binding affinity, 411:333
light, 415:11
limited proteolysis, 409:525
linoleate diol synthase activity, 410:347
lipid, 415:387
lipid kinase, 409:1, 415:455
lipid kinase activation, 409:519
lipid metabolism, 413:115
lipid phosphate phosphatase (LPP), 411:371
lipid pools, 413:115
lipidomic analysis, 415:87
lipophilic cation, 411:633
lipopolysaccharide (LPS), 410:113, 411:79, 414:143, 416:337
lipoprotein, 409:701
liposome, 413:305
lipoyl domain, 409:357
liquid chromatography–mass spectrometry (LC–MS), 412:e1
live cell imaging, 409:701, 412:415, 413:405
liver, 410:123, 411:261, 413:151
liver glycogen targeting subunit (G_L), 412:359
liver tissue, 409:243
liver X receptor (LXR), 410:319
LKB1, 411:249, 412:211, 412:e3, 416:1, 416:e1
LKB1 kinase, 411:e9
Lnk, 415:241
locked nucleic acid (LNA), 412:307
low-density lipoprotein receptor-related protein 1 (LRP1), 409:53
luminescence, 411:571
LXXLL motif, 410:319
Lys^{63}-linked ubiquitin, 409:77
lysine, 415:317
lysine biosynthesis, 411:351
lysobisphosphatidic acid, 411:71
lysophosphatidylcholine (LPC), 409:429
lysosomal degradation, 413:251
lysosomal storage disorder, 411:71, 415:225
lysosome, 410:131, 410:417, 414:431

macrophages, 410:359
malaria, 415:309
MALDI-MS, 413:227
male fertility, 416:1
malic enzyme, 411:467
maltoheptaose, 416:27
mammalian heart, 413:343
mammalian Notum, 410:503
mammalian target of rapamycin (mTOR), 410:19, 411:141, 411:647, 412:211, 412:e3
mammalian target of rapamycin complex (mTORC), 416:e19
mammalian target of rapamycin complex 1 (mTORC1), 411:141, 412:179
mammalian target of rapamycin (mTOR) pathway, 416:375
mannose 6-phosphate (M6P)/insulin-like growth factor 2 receptor (IGF2R), 415:265
mannose-binding lectin, 411:307
MAPK-activated protein kinase 5 (MK5), 411:613
Marinomonas primoryensis, 411:171
mass assay, 416:263
mass spectrometry (MS), 410:283, 412:331, 416:317
matrix metalloproteinase-2 (MMP-2), 411:271
matrix metalloproteinase-3 (MMP-3), 410:605
m-calpain, 411:657
mechanism-based inhibitor, 416:431
medium-throughput screening, 413:143
megalin, 410:301
meiosis, 414:177
melatonin, 413:81
melatonin-binding site 3 (MT3), 413:81
membrane, 414:431, 415:67
membrane anchorage, 410:123
membrane curvature sensing and generation, 414:189, 414:e1
membrane fusion, 413:479, 414:357
membrane interaction, 409:65
membrane microdomains, 409:149
membrane permeabilization, 410:113
membrane potential, 411:633
membrane protein, 416:145
membrane protein assembly, 411:495
membrane protein trafficking, 410:271
membrane traffic, 414:471
Menkes protein (ATP7A), 412:141
metabolic control, 409:27
metabolic flux, 409:27
metabolic interaction, 413:493
metabolic regulation, 414:391
metabolic syndrome, 409:623
metabolism, 413:369, 416:e11
metabolomics, 409:27
metachromatic leukodystrophy, 410:81
metal cofactor, 415:449
metal ions, 413:93
metallophosphoesterase, 413:103
metallothionein, 415:477
metal-response-element-binding transcription factor-1 (MTF-1), 415:477
metastasis, 409:635, 412:447
metavinculin, 409:657
metformin, 409:449, 412:211
methanogen, 409:511
methyl jasmonate, 412:535
methylglyoxal, 416:317
methylglyoxal-derived advanced glycation end-product (MAGE), 416:317
methylthioadenosine, 411:457
methylthioadenosine phosphorylase, 411:457
1-methyltryptophan, 414:343
5-methyltryptophan, 409:193
methylxanthine, 414:441
microarray, 413:151
microglia, 409:761
β_2-microglobulin, 416:307
micrometal dye detection HPLC, 414:407
microRNA (miRNA), 412:527, 413:e7, 414:19, 414:327
microtubule, 410:141

© 2009 Biochemical Society

microtubule-associated protein 1 (MAP1), 414:63
microtubule formation nucleation, 412:265
midbody, 411:233
mismatch, 412:307
mitochondrial amplification, 413:e11
mitochondrial carrier family, 410:621
mitochondrial disease, 409:129
mitochondrial DNA, 409:129
mitochondrial DNA (mtDNA) metabolism, 414:93
mitochondrial import, 411:115
mitochondrial membrane potential (MMP), 413:467, 413:e11
mitochondrial peroxiredoxin, 410:359
mitochondrial RNA (mtRNA), 414:93
mitochondrial targeting, 411:633
mitochondrial uncoupling, 409:199
mitochondrion, 409:19, 409:377, 409:491, 410:141, 410:621, 411:633, 411:e13, 412:347, 412:553, 412:e1, 412:e11, 413:1, 413:359, 413:389, 415:123, 415:309, 416:15, 416:e5
mitogen-activated protein kinase (MAPK), 409:179, 409:711, 411:141, 411:613, 412:287, 412:e15, 413:37, 413:217, 413:429
mitogen-activated protein kinase pathway (MAPK pathway), 412:435
mitogen-activated protein kinase phosphatase-3 (MKP-3), 412:287
mitogenicity, 412:435
mitoquinone (MitoQ), 411:633
M_3 muscarinic acetylcholine receptor (M_3R), 412:103
modular control analysis, 414:391
molecular chaperone, 410:63, 411:191, 411:605
molecular modelling, 416:37, 416:357
molybdenum, 409:159
monocarboxylate transport, 412:485
monocarboxylate transporter, 409:311
monozinc aminopeptidase, 416:37
mosquito, 415:309
mouse model, 415:225
mRNA stability, 410:177
Muc3, 410:283
Muc5b, 413:545
Muc19, 413:545
mucin, 410:213, 413:545
mucolipidosis IV (MLIV), 410:417
mucolipin 1 (MCOLN1), 410:417
multi-copper oxidase, 412:339
multicopy inhibitor of GAL gene expression (Mig1), 415:233
multidrug resistance, 413:467
multi-enzyme complex, 410:331
multihaem *c*-type cytochrome, 414:73
multiple sclerosis (MS), 409:761
munc18c, 410:255
murine fibroblast, 415:21
muscle cells, 413:201
muscle contraction, 411:543
muscle energetics, 414:391
mushroom tyrosinase, 416:431
mutagenesis, 410:391, 412:27, 412:103, 412:113, 413:135, 414:247, 415:217, 415:449
mutant activation, 409:519
mutation, 416:153
mutation rate, 413:185
mutational analysis, 409:53
mycobacterium, 415:27
Mycobacterium, 410:309
Mycobacterium tuberculosis, 411:351, 411:563
myeloperoxidase, 414:271, 416:441
myocardial infarction, 409:233
myofibroblast, 411:1
myoglobin, 410:565, 412:257
myosin, 410:565
myosin light chain, 411:543
myosin light chain kinase, 416:243
myristoylation, 410:101

Na^+/Ca^{2+} exchanger, 413:71
NAD^+, 411:e13
NAD^+-dependent deacetylase, 415:377
NADH:ubiquinone oxidoreductase, 409:129
NADPH oxidase, 411:531
NADPH oxidase (Nox1), 416:55
Na^+/H^+-exchanger regulatory factor 1 (NHERF1), 410:283
$Na^+–K^+–2Cl^-$ co-transporter (NKCC), 409:321
Nanog, 411:227, 411:e5
NapC/NrfH family, 414:73
neonatal jaundice, 411:475
nephron, 409:591
nervous system, 414:327
neural-precursor-cell-expressed myristoylation
neural-precursor-cell-expressed, developmentally down-regulated gene 4 (Nedd4) 412:331
neuritogenesis, 409:429
neurobin, 412:81
neuroblastoma, 416:153
NeuroD1 (neurogenic differentiation 1), 415:1
neurodegenerative disease, 412:191
neuron, 411:211, 412:141
neuronal calcium sensor (NCS) protein, 413:71
neuronal NO synthase (nNOS), 412:223
neurotransmission, 409:669, 413:479
neurotransmitter release, 413:71
neurotransmitter transporter, 409:669
neutral lipid, 409:299
neutrophil, 412:323, 416:255
N-glycans, 412:469
N-glycosylation, 411:623, 412:45
Nicotiana alata glucan synthase-like 1 (NaGSL1), 414:43
nicotinic acid–adenine dinucleotide phosphate (NAADP), 411:e1,63
nuclear factor of activated T-cells (NFAT), 411:107
nitrate metabolism, 415:11
nitrate reduction, 409:159
nitric oxide (NO), 411:667, 412:e11, 413:479
nitrilase, 415:401
nitrobenzylmercaptopurine ribonucleoside (NBMPR), 414:291
N-linked glycosylation, 410:595, 416:211
NMR spectroscopy, 411:553, 411:571, 413:281
non-enzymatic glycation, 416:145
non-esterified fatty acid, 416:307
non-histone protein, 411:553
norcoclaurine synthase, 413:281
normal human tracheobronchial epithelial cell (NHTBE cell), 410:49
Nostoc sp., 410:347
Nox1, 415:57
N-phosphonomethylglycine (glyphosate), 409:193
NPXY motif, 410:409
NUBIScan, 411:679
nuclear factor κB (NF-κB), 409:77, 409:711, 409:751, 410:167, 412:35, 412:477, 412:e17, 415:333, 416:117
nuclear factor κB (NF-κB) signalling, 411:543
nuclear factor-1 (NF1), 412:123
nuclear factor-E2 (NF-E2)-related factor 2 (NRF2), 409:205
nuclear import, 413:239
nuclear localization, 414:419
nuclear membrane, 410:381
nuclear receptor co-repressor (N-CoR), 411:19
nuclear structure, 415:345
nuclear targeting, 409:701
nucleobase transporter, 411:287
nucleolar structure, 415:345
nucleophosmin (NPM), 415:345
nucleoside transporter, 414:291
nucleosome, 409:651, 416:407
nucleotide, 413:93
nucleotide-activated sugar precursor, 410:187
nucleotide binding domain (NBD), 412:315
nucleotide sandwich, 416:129
nucleus, 411:e13
Nudix, 413:103
nutrient regulation, 410:473
nutrient sensing, 416:211
nutrition, 409:741

obesity, 409:449, 409:623, 414:313, 416:161
Oct-3/4, 411:e5
Oct4, 411:e5
octapeptide, 410:237
ODC paralogue (ODCp), 409:187, 410:613
oestrogen receptor (ER), 416:463
oestrogen receptor α (ERα), 416:179
oestrogen receptor α co-regulator complex, 416:179
oestrogen-related receptor (ERR) α and γ, 416:407
O-glycosylation, 411:53
Okazaki fragment, 412:517
oleic acid, 409:299
oligomerization, 412:399, 414:121, 416:e7
oligosaccharide, 413:175
oligosaccharide degradation, 409:571
oncogenic mutant, 409:519
oncostatin M (OSM), 410:177
one- plus two-hybrid system, 410:319
opioid, 412:245
δ-opioid receptor β_2 formation constant, 413:459
organelle division, 412:367
origin of replication, 409:511
origin recognition complex (ORC), 413:535
origin recognition complex subunit 1p (Orc1p), 413:535
ornithine decarboxylase (ODC), 409:187, 409:389, 410:401, 410:613
osmoprotectant, 410:e1
osmoprotection, 412:233
osteopontin, 411:53
over-expression in*Escherichia coli*, 411:593
OXA-1, 410:455
oxaloacetate, 409:491
oxidase, 413:175
oxidative phosphorylation, 409:199, 413:343
oxidative stress, 410:525, 411:191, 411:457, 412:73, 413:185, 414:301, 416:271
oxidized lipid, 410:525
oxidized low-density lipoprotein (OxLDL), 409:349
oxidized protein, 410:131
2-oxoglutarate dehydrogenase, 409:357
3,4-oxoisomerase, 410:187
oxygen, 414:177
oxygen binding, 412:257
oxygen sensing, 409:19
oxylipin, 410:347
oxysterol, 416:e15
oxytocinase subfamily, 416:109

$p6^{Gag}/p9^{Gag}$ docking site, 414:215
$p21^{Cip1}$, 410:167
p21-activated kinase (PAK), 416:231
p24, 409:555

© 2009 Biochemical Society

p27, 415:439
p40, 414:431
p53, 411:151, 412:57, 413:349
$p54^{nrb}$, 411:201
p85, 413:193
p300, 415:477
p300/cAMP-response-element-binding protein-binding protein-associated factor complex (P/CAF complex), 413:349
palmitoylation, 409:501
pancreatic β-cell, 409:199, 412:93
pancreatic β-cell glucokinase, 415:233
pancreatic and duodenal homeobox-1 (Pdx-1), 415:1
paraoxonase (PON), 414:485
paraoxonase, 416:395
parasite, 415:377
Parkinson's disease, 413:1
partial unfolding, 416:307
partition complex, 412:1
partition, 412:1
P-bodies, 416:327
PC12 cell, 410:205
PDZ domain protein, 410:283
pea, 412:367
Pellino, 409:43
pentatricopeptide repeat (PPR) protein, 416:15, 416:e5
pentatricopeptide repeat domain protein 2 (PTCD2), 416:15
pentose phosphate pathway, 415:123
pentraxin, 413:305
peptide deformylase, 413:417
peptide hormone, 415:35
peptide N-glycosidase F, 410:595
peptide substrate, 411:27
peptide, 411:151, 412:447, 414:143
peptide–membrane interaction, 416:65
peptide–MHC (pMHC), 415:183
peptidyl-prolyl *cis–trans* isomerase (PPIase), 413:447
peripheral anionic site (PAS), 411:507
permease, 416:347
peroxidatic cysteine, 411:191
peroxide complex, 412:257
peroxiredoxin, 412:73, 412:275
peroxiredoxin IV (Prx IV), 411:191
peroxisome proliferator-activated receptor-γ coactivator-1α (PGC-1α), 416:407
peroxynitrite, 410:359
PfNT1, 411:287
pH, 409:65
pH profile, 411:467
phage display, 411:151, 412:447
phantom-ligand effect, 410:319
phorbol esters, 411:333, 412:495, 415:77
phorbol myristate acetate (PMA), 409:95
phosphatase, 412:287, 415:247
phosphatase and tensin homologue deleted on chromosome 10 (PTEN), 410:369, 412:211, 412:331, 412:e3, 414:221
phosphatidic acid (PA), 409:1, 411:371
phosphatidylinositol, 411:71, 413:115
phosphatidylinositol 3,4,5-trisphosphate [PtdIns(3,4,5)P_3], 411:441
phosphatidylinositol synthase (PIS), 413:115
6-phosphofructo-2-kinase/fructose 2,6-bisphosphatase (PFK-2/FBPase-2), 411:41
phosphoinositide 3-kinase (PI3K), 413:193
phosphodiesterase 4 isoform A (PDE4A), 411:361
phosphodiesterase type 5 (PDE5), 414:363
phosphodiesterase type 6 (PDE6), 414:363
phosphoenolpyruvate carboxykinase, 413:559
phosphoinositide, 410:1, 411:441, 413:201, 415:455, 415:e1
phosphoinositide-dependent kinase 1 (PDK1), 415:333
phosphoinositide kinase (PIK), 409:117
phosphoinositide 3-kinase (PI3K), 409:751, 410:1, 411:441, 413:193, 414:383, 415:333, 416:99, 416:255, 416:375, 416:421
phosphoinositide 3-kinase α (PI3Kα), 409:519
phosphoinositide 3-kinase inhibitor (PI3K inhibitor), 415:97
phosphoinositide-specific phospholipase C, 415:439
phosphoinositol 4-kinase (PI4K), 409:501
phospholipase, 410:503
phospholipase A_2, 411:515
phospholipase C, 412:35
phospholipid, 410:123, 416:145
4′-phosphopantetheinyl transferase (PPTase), 415:317
phosphoric diester hydrolyase, 411:361
phosphorylation, 409:117, 410:195, 411:53, 411:141, 411:261, 411:319, 411:613, 411:e17, 412:223, 413:429, 413:e7, 415:97, 415:297, 416:47, 416:e19
phosphorylation cascade, 413:217
phosphotyrosine, 416:77
photo-oxidative stress, 412:275
phylogenetic classification, 412:535
phylogeny, 409:591
physical interactions, 412:163
phytate, 416:263
phytic acid, 416:263
phytochrome, 415:11, 415:247
phytochrome-associated protein phosphatase type 2C (PAPP2C), 415:247
phytochrome-interacting factor 3 (PIF3), 415:247
PI3K regulatory subunit (p85α), 416:421
pipette-dipping patch-clamp, 411:593
pK_a
P magnetic resonance spectroscopy,[31] 414:391
pituitary tumour GH3 cells, 412:223
14-3-3 protein, 410:195, 411:141, 411:e17
protein kinase A (PKA), 413:93
PknA, 415:27
PknH, 410:309
placental leucine aminopeptidase, 416:109
planar lipid bilayer, 410:113, 411:687
plant branching inhibitor, 416:289
plant development, 416:289
plant metabolic network, 409:27
plant sterol, 414:247
plasma membrane, 409:731, 414:43
plasma membrane Ca^{2+}-ATPase, 416:145
plasmid, 412:1
Plasmodium falciparum, 411:287
Plasmodium falciparum GMP synthetase, 409:263
plastid, 413:15
plastid division, 409:87
plastid localization, 409:87
plastid location, 410:291
platelet, 411:133
pleckstrin homology domain (PH domain), 411:441
Plk3, 411:27
pluripotency, 411:e5
pluripotency rheostat, 411:227
PMA-induced up-regulation, 410:177
podoplanin, 411:133
pollen tube, 414:43
polyamine, 409:187, 409:563, 410:613
polyglutamine tract, 412:191
polymorphism, 409:367
polypyrimidine tract-binding protein-associated splicing factor (PSF), 411:201
pore formation, 413:305
positional-scanning substrate combinatorial library (PS-SCL), 415:367
post-transcriptional regulation, 410:575, 413:315, 416:e5
post-translational modification, 409:357, 409:555, 415:35, 415:317
pre-mRNA splicing, 416:365
pre-steady-state kinetics, 413:175
pre-transmembrane segment 2 (TM2), 416:137
precorrin-2, 415:257
pregnane X receptor, 409:243
prenylation, 414:363, 415:67
prion, 416:297
prion protein (PrP), 410:237, 416:297
prion-related protein (PrP), 409:367
processing body, 413:429, 413:e7
processive relaxation, 411:523
progastrin, 415:35
progesterone and adipoQ receptor (PAQR), 414:399
progesterone, 414:103
programmed cell death (PCD), 413:389
prohormone convertase, 415:35
prokaryotic lipoxygenase, 410:347
proliferation, 413:527
proline, 415:309
proline-rich Akt substrate of 40 kDa (PRAS40), 411:141
proline-rich attachment domain (PRAD), 411:425
proline-rich homeodomain (PRH), 412:399
proline-rich membrane anchor (PRiMA), 411:425
proline-rich tyrosine kinase 2 (Pyk2), 410:e3
promoter, 416:387, 416:453
promoter region, 409:591
propeptide maturation, 413:553
Proportional Activation Approach, 413:343
prosequence, 414:195
prostaglandin (PG), 412:65, 416:337
prostamide E_2, 409:761
prostate, 410:245
prostate-specific membrane antigen (PSMA), 409:149
prosurfactant protein C (proSP-C), 416:201
protease, 409:367, 409:461, 415:225, 415:367
proteasome, 409:205, 410:131, 410:401, 411:387, 411:581, 411:623, 414:161
proteasome expression, 409:751
proteasome regulatory particle non-ATPase 10 subunit (proteasome RPN10 subunit), 409:117
protein activation and degradation, 410:439
protein aggregation, 415:275
protein assembly, 414:195
protein associated with the ER translocon of 10 kDa (PAT-10), 411:495
protein conformation, 413:269
protein degradation, 409:751, 410:613, 412:579, 414.221
protein–DNA complex, 412:57
protein engineering, 414:205
protein evolution, 413:517
protein folding, 411:115, 412:563, 413:29, 416:201
protein glycation, 416:317
protein import, 413:15
protein inhibitor of activated STAT1 (PIAS1), 409:179
protein interaction, 412:123
protein kinase, 409:117, 411:27, 411:249, 412:579, 412:e15, 413:315

© 2009 Biochemical Society

protein kinase A (PKA), 410:195, 410:261, 410:417, 412:93, 412:315
protein kinase B (PKB), 409:449, 415:97, 415:333
protein kinase B (PKB)/Akt, 411:647
protein kinase B (PKB)-directed insulin signalling, 410:369
protein kinase C (PKC), 411:543, 411:e17, 412:495, 415:77, 416:47, 416:99
protein kinase Cε (PKCε), 411:319, 411:e17
protein kinase C-ζ (PKCζ), 410:369
protein kinase D (PKD), 411:333
protein kinase C (PKC) activator, 409:311
protein kinase RNA-activated (PKR)-like endoplasmic reticulum kinase (PERK), 410:485
protein–lipid interaction, 416:145
protein misfolding, 409:357
protein N-terminal acetylation, 415:325
protein oxidation, 410:565, 416:441
protein phosphatase 2A (PP2A), 415:11
protein phosphatase 2C (PP2C), 412:507
protein processing, 413:417
protein–protein interaction, 409:357, 410:331, 411:485, 411:613, 413:505, 415:241
protein purification, 414:485
protein S-nitrosation, 413:493
protein stability, 410:237, 413:291, 413:517, 415:155, 416:117
protein structure, 409:525, 411:485, 415:217, 416:317
protein structure/function, 411:605
protein synthesis, 412:579
protein targeting, 413:15
protein thiols, 412:e11
protein traffic, 409:669
protein translocation, 409:377
protein-tyrosine kinase, 410:513
protein tyrosine phosphatase, 413:193
proteoglycan, 414:231
proteoliposome, 415:409
proteolysis, 410:157, 412:113, 413:291, 414:133
proteolysis-inducing factor (PIF), 409:751
proteolytic cleavage, 414:63
proteolytic processing, 411:53
proteolytic release, 413:251
proteomics, 411:343, 411:657
prothrombinase, 412:545
proton, 415:409
proton leak, 412:131, 413:323
proton transfer, 411:181
prototype chicken galectin, 409:591
provirus integration site for Moloney murine leukaemia virus 1 (PIM1), 415:353
proximal cysteine, 411:241
Prp17, 416:365
Pseudomonas aeruginosa, 411:307
Pseudomonas aeruginosa exotoxin A (ExoA), 413:163
PtdIns(4,5)P_2, 415:387
pull-down assay, 419:107, 415:27, 416:357
purification, 413:545
purine salvage, 411:287
purinergic receptor, 409:107
Purkinje neuron, 412:81
putative anion transporter 1 (PAT1), 416:99
PYK2 (proline-rich tyrosine kinase 2), 410:513
pyran-4-one, 413:143
pyridoxal 5′-phosphate, 409:399
pyroglutamate (pGlu), 411:181
pyruvate carboxylase, 413:369

quantal Ca^{2+} release, 414:441
quantum mechanics/molecular mechanics, 411:475
quinol dehydrogenase, 414:73
quinol-pool, 409:159
quinone redox state, 413:359
quinone reductase 2 (QR2), 413:81

Rab10, 411:89
Rab escort protein (REP), 415:67
Rab GTPase, 415:67
Rac, 409:95
Rac1, 410:167, 411:531, 415:57
radiation-sensitive 9 (Rad9), 411:679
radical, 410:565
Raf-1, 414:399
raft, 415:87
rainbow trout, 411:33
Ral guanine nucleotide dissociation stimulator (RalGDS) family, 415:145
rapamycin, 410:19
Ras activation, 412:299
Ras effector, 415:145
Ras homologue enriched in brain (Rheb), 412:179
Ras signalling, 409:1
rat liver mitochondrion, 413:323
Rat-1 fibroblast, 415:439
RbcX, 414:205
Rb/E2F pathway, 412:299
reaction mechanism, 409:399
reactive oxygen species (ROS), 411:191, 411:531, 412:e17, 413:1, 413:389, 414:53, 415:57, 416:55
real-time PCR, 410:213, 416:179
receptor for activated C-kinase 1 (RACK1), 415:77
receptor for advanced glycosylated end-products (RAGE), 416:255
receptor tyrosine kinase (RTK), 412:153, 415:241
recombinant keratin, 411:33
recombinant lectin, 409:417
recombinant protein, 412:535
reconstitution, 409:611
RecQ family, 412:299
RecQ helicase, 412:425
RecQ5β, 413:505
β reductase, 411:475
red shift, 412:27
redox potential, 413:175
redox regulation, 412:223
redox signalling, 412:e11, 416:55
redox state, 413:493
reduction potential, 414:81
regulation of metabolism, 413:343
regulator of G-protein signaling 4 (RGS4), 412:35
RelB, 416:117
renal cell, 411:133
renal epithelium, 414:363
renal excretion, 409:571
Renilla green fluorescent protein (RGFP), 409:251
repeats-in-toxin proteins (RTX proteins), 411:171
replication, 409:169
repression, 411:19, 412:123
resistance, 415:197
resonance energy transfer, 409:251
respiratory chain, 416:e5
respiratory nitrite ammonification, 414:73
retina, 411:79
retinal pigment epithelium, 411:79
retinoic acid (RA), 410:49
retinoic acid receptor (RAR)/retinoid X receptor (RXR), 410:49
retroviral protease, 416:357
reverse transcriptase (RT), 412:163
reversible binding, 409:215
Rhizopus oryzae glucoamylase, 416:27
Rho-associated kinase (ROCK), 411:407
Rhodococcus, 410:339
Rhodococcus rhodochrous, 415:401
Rho GDP-dissociation inhibitor (RhoGDI-1), 411:657
Rho GTPase, 411:407, 411:485
RhoE (Rnd3), 411:407
rhoptry, 415:87
ribonuclease H (RNase H), 412:517
ribonuclease HII (RNase HII), 412:517
ribonucleoprotein assembly, 415:429
ribosomal P1 and P2 proteins, 413:527
ribosome, 409:223, 412:73, 413:527
ribulose-1,5-bisphosphate carboxylase/oxygenase (Rubisco), 411:241, 414:205
RING (really interesting new gene) finger protein 125/T-cell RING protein in activation 1 (RNF125/TRAC-1), 410:101
RINGO/Speedy, 410:535
RKTG, 414:399
RNA degradation, 416:327
RNA interference (RNAi), 409:563, 409:731, 413:429, 413:527, 413:e7, 415:345, 415:439, 416:179
RNA, 412:307, 416:e5
RNA–DNA junction, 412:517
RNA polymerase II (RNAP II), 409:139, 413:505, 415:477
RNA processing, 416:15
RNase III, 410:39
RNA stability, 416:327
rolipram, 411:361
roquefortine, 415:317
ryanodine receptor, 399, 411:343, 414:441, 414:415
ryanodine receptor type 2 (RyR2), 410:261

S2 cell, 414:363
S6, 415:97
S6 kinase, 416:375
saccharide, 413:517
Saccharomyces cerevisiae, 409:299, 409:399, 409:651, 415:233, 415:455, 416:365
saliva, 413:545
sarcoplasmic reticulum (SR), 411:343, 412:171, 414:357
scaffolding, 413:51
scanning cysteine mutagenesis, 416:137
scavenger receptor, 409:349
scavenging activity, 409:439
Schlafen1 (Slfn1), 413:239
scrapie, 416:297
sea urchin, 411:e1,63
sea-urchin sperm protein, enterokinase and agrin (SEA) domain 412:81
Sec1/Munc18-like protein, 413:479
SEC14, 409:299
Sec8, 409:407
Sec22, 410:93
Sec61, 411:495
secondary metabolism, 415:317
second messenger, 410:427, 411:63, 411:e1
second-step splicing, 416:365
secreted phospholipase A_2 (sPLA$_2$), 409:429
secretory granule, 409:407
secretory pathway, 409:149, 413:437, 414:471
selective export of mRNAs, 414:111
selenium, 409:741

© 2009 Biochemical Society

selenocysteine (Sec) tRNA, 413:151
self-association, 413:51
self-renewal, 411:227
self-ubiquitination, 415:155
semaphorin, 411:211
SENP, 409:461
sensor 1 and sensor 2 regions, 413:535
sequential ChIP analysis, 416:179
Ser^{727} phosphorylation, 409:179
serine protease, 412:447, 412:81
serine/threonine kinase, 415:27
serine/threonine protein kinase, 410:309
serotonin, 410:195
Sertoli cell, 410:575
serum- and glucocorticoid-induced protein kinase 1 (SGK1), 416:375, 416:e19
shedding, 411:433
Shiga toxin (STx), 414:471
short interfering RNA (siRNA), 413:e7
shotgun lipidomics, 410:81
SHP-interacting leucine zipper protein (SMILE), 416:463
side reaction, 413:517
signal recognition particle, 415:429
signal transducer and activator of transcription (STAT), 409:179, 412:65
signal transduction, 412:65, 412:103, 412:153, 412:e3, 413:37, 415:145, 415:241
signal transduction specificity, 411:e9
signal transfer region, 411:449
signalling specificity, 416:e19
signalling, 409:635, 412:275, 412:435, 413:103, 413:217
silencing mediator of retinoid and thyroid hormone receptor (SMRT), 411:19
sirohaem, 415:257
sirohydrochlorin, 415:257
sirtuin, 279, 411:e13
sirtuin 3 (SIRT3), 411:e13
site-directed mutagenesis, 409:417, 410:543, 411:181, 411:467, 411:553, 412:339, 414:151, 414:383, 416:37, 416:109
skeletal muscle, 414:313
skin mucous layer, 411:33
SKN-1, 409:205
slug, 416:179
Smad3, 409:289
small C-terminal domain (CTD) phosphatase, 412:507
small G-protein, 414:189
small GTPase, 415:57
small heat-shock protein (sHSP), 410:63, 411:605, 414:453
small heterodimer partner (SHP), 413:559, 416:463
small interfering RNA (siRNA), 409:311, 409:471, 412:35, 415:111
small Tim chaperone, 409:377
small ubiquitin-related modifier (SUMO), 409:179
small-molecule inhibitor, 409:581, 414:383
smooth-muscle cell, 410:525
snake venom, 411:515
SNARE, 413:479
S-nitrosothiol, 413:493
S-nitrosylation, 412:e11
solid-phase binding, 415:27
soluble *N*-ethylmaleimide-sensitive factor-attachment protein receptor (SNARE) protein, 409:407, 410:93
soluflazine, 414:291
solute carrier family 6 member 14 (SLC6A14), 414:343
Southeast Asian ovalocytosis (SAO), 410:271
Sox2, 411:e5
specificity factor, 411:241
specificity protein 1 (Sp1), 410:49
spectroscopy, 409:691
sperm, 411:e1,63
spermatogenesis, 416:327
spermidine synthase, 409:563
spermiogenesis, 416:1, 416:e1
sphingolipid, 414:31
sphingomyelin (SM), 410:381
sphingomyelin synthase, 414:31
sphingosine 1-phosphate (S1P), 410:427, 411:371
sphingosylphosphorylcholine, 410:427
spider toxin, 411:687
splice variant, 416:1
splice-switching activity, 412:307
splice-switching oligonucleotide, 412:307
spliceosome, 416:365
spontaneous Ca^{2+} release, 412:171, 414:441
26S proteasome, 412:579
surface plasmon resonance (SPR), 413:93
Src, 416:189
Src homology 2 domain (SH2 domain), 409:95, 416:421
Src homology and collagen containing protein (Shc), 416:189
Sry-type high-mobility-group box 9 (SOX9), 414:231
SSA3, 409:779
SSA4, 409:779
SSA4 (Hsp70 gene), 414:111
stability, 409:691, 412:563
Staphylococcus aureus, 410:157
staphylokinase, 410:157
starch-binding domain, 416:27
statin, 416:e15
steatohepatitis, 416:e15
stellate cell, 411:1
steroid, 410:339
steroid isomerase, 414:103
steroidogenesis, 412:553
steroidogenic acute regulatory protein (StAR), 412:553
steroidogenic cell, 414:103
steroid 5α-reductase 1 (5α-R1), 411:379
sterol 8,7-isomerase, 414:247
sterol-regulatory-element-binding protein (SREBP), 416:219
stimulating protein-1 (Sp1), 415:111
stress tolerance, 411:605
stress-inducible protein 1/heat-shock protein organizing protein/p60 (Sti1/Hop/p60), 413:261
strictosidine synthase, 414:485
stroke, 415:165
structural communication, 415:429
structural element, 410:401
structural flexibility, 410:63
structural model, 410:309
structure, 412:469, 413:369
structure–activity analysis, 415:145
structure–function relationship, 409:333, 410:391, 415:409
Stt4, 415:455
subcellular compartmentation, 409:27
subcellular location, 414:43
substrate binding, 413:281, 414:151
substrate-binding subsite, 410:71
substrate channelling, 409:357
substrate competition, 409:481
substrate specificity, 411:27, 415:45, 415:401, 416:109
subunit joining, 413:527
succinylase branch, 411:351
sucrose, 412:e1
SufA, 409:535
sugar signalling, 412:e1
suicide inactivation, 416:431
sulfatide, 410:81
sulfation, 411:53
sulfenic acid, 411:457
sulfonamide, 412:379
sulfonylurea, 412:93
sulfotransferase, 414:231
sulfotyrosine, 416:77
SUMO, 409:461
supercoil, 412:57
superoxide, 409:491, 415:57
SurA, 409:377
surface plasmon resonance (SPR), 412:163, 413:93
surfactant protein D, 412:323
symporter, 416:347
synaptic plasticity, 414:327
synchrotron, 411:181
synemin, 409:657, 409:e1
syntaxin, 410:93
synthase, 412:113
synthetic gene, 409:417
synthetic peptide, 411:515
system A neutral amino acid transporter 2 (SNAT2), 410:473
systemic amyloidosis, 415:207
systems biology, 413:37

TAK1 (transforming growth factor β-activated protein kinase 1)-binding protein 1 (TAB1), 409:711
tandem MS, 413:545
tandem-affinity purification, 409:139
target of rapamycin (TOR), 410:1
TBC1D1, 409:449
T-cadherin, 416:271
T-cell, 413:239
T-cell activation, 410:101
T-cell receptor (TCR), 415:183
T1 copper, 412:339
telomerase reverse transcriptase (TERT), 411:201
telomeric elongation, 412:299
temporal control, 413:37
tenase, 412:545
tetramer assembly, 411:425
tetramerization, 412:113
tetratricopeptide repeat (TPR) domain, 413:261
tetratricopeptide-repeat-containing protein associated with heat-shock protein 90 (Tah1), 413:261
TGF (transforming growth factor)-β-activated kinase (TAK1), 409:77
thermal denaturation, 411:593
Thermoanaerobacterium thermosaccharolyticum, 410:187
thermodynamics, 412:553
thermogenesis, 416:347
thermolysin, 416:297
Thermus thermophilus HB8, 412:517
thiocyanate, 414:271, 416:441
thioflavin T, 415:275
thiol–disulfide oxidoreductase (TDOR), 414:81
thioredoxin, 412:73, 415:11 416:271
thioredoxin-like protein, 414:81
thioredoxin reductase, 409:741
thylakoid membrane, 409:87
thyroid hormone receptor α, 411:19
tight junction, 410:575

© 2009 Biochemical Society

Tim protein, 411:115
tissue inhibitor of metalloproteinase (TIMP), 411:433
T-loop, 411:319
Toll-like receptor (TLR), 409:275
Toll/interleukin-1 receptor (TIR) domain, 409:275
topoisomer, 412:57
topoisomerase I, 409:611, 411:523
topoisomerase IIα, 411:27
topoisomerase IIβ-binding protein 1 (TopBP1), 409:169
topoisomerase poison, 409:611
topology, 416:137
TOR complex 1/2 (TORC1/2), 410:19
total internal reflection fluorescence (TIRF), 412:93
toxin receptor binding, 409:215
Toxoplasma gondii, 415:87
trafficking, 409:555, 410:463, 410:585, 412:469, 412:495, 414:431
transactivation, 415:477
transaldolase, 415:123
transcription, 412:287, 412:399, 413:505, 414:19, 414:327
transcription factor, 409:179, 411:261, 412:153, 412:e17, 414:419, 416:387
transcription factor IIF (TFIIF), 409:139
transcriptional and post-transcriptional regulation, 411:123
transcriptional co-activator, 415:289
transcriptional factors, 413:559
transcriptional regulation, 409:243, 410:605, 411:379, 412:331, 414:301, 416:271, 416:453, 416:85
transcytosis, 413:251
transferase, 415:67
transferrin, 409:439
transforming growth factor-β, 412:123
transforming growth factor β1 (TGF-β1), 409:289, 416:453
transforming growth factor β-activated protein kinase 1 (TAK1), 409:711
transgene, 415:225
trans Golgi network, 413:437
transient receptor potential (TRP) 410:417, 413:437
translation, 410:485, 414:19
transition state intermediates, 411:475
translation initiation, 409:223, 415:77
translocation, 409:95
translocon, 413:15
transmembrane, 412:81
transmembrane and matrix-loop peptide domains, 411:593
transmembrane helix, 410:495
transmembrane mucin, 410:283
transmissible spongiform encephalopathy, 416:297
transmissible spongiform encephalopathyl, 409:367
transphosphorylation, 410:513, 415:27
transport, 410:621, 412:495
transport blocker, 414:343
trehalose 6-phosphate (T6P), 412:e1
trehalose, 410:e1
triacylglycerol (TAG), 413:333
trifluoperazine (TFP), 412:459
trifluoromethylketone, 413:143
trinucleotide repeat, 409:651
tripeptidyl-peptidase I (TPPI), 415:225
triple helix, 409:545
tropomyosin, 411:657
TRPC3, 411:399
Trsp knockout, 413:151
Trypanosoma, 414:375
Trypanosoma brucei, 409:563, 415:135
Trypanosoma cruzi, 410:359
trypanothione, 414:375
trypsin, 413:323, 414:43
tryptophan analogue, 409:193
tryptophan anchor, 411:523
tryptophan auxotroph, 409:193
tryptophan fluorescence, 413:269
tryptophan hydroxylase 2 (TPH2) regulation, 410:195
tuberin (TSC2), 412:179
tuberous sclerosis complex (TSC), 412:179
tubulin, 409:581
α-tubulin, 415:377
γ-tubulin, 416:421
tumorigenesis, 409:53
tumour cell growth, 414:343
tumour microenvironment, 409:635
tumour necrosis factor (TNF), 412:477, 415:21
tumour necrosis factor α (TNF-α), 409:711, 410:575, 412:e17
tumour necrosis factor α converting enzyme (TACE), 411:433
tumour-necrosis-factor-receptor-associated factor (TRAF), 409:77
tumour-necrosis-factor-receptor-associated factor 6 (TRAF6), 409:723
tumour progression, 413:125
tunicate, 416:65
Tweety, 412:45
Tweety homologue 2 (TTYH2), 412:45
two-metal-ion catalysis, 410:39
two-photon excitation fluorescence recovery after photobleaching (FRAP), 410:463
two-site Ping Pong mechanism, 409:263
Type 2 diabetes, 409:199, 412:359, 414:313
type II cell, 413:467, 413:e11
type III secretion, 411:485
tyrosine kinase, 410:e3, 413:37, 416:189
tyrosine phosphorylation, 409:275

U-box engineering, 413:447
UbcH5, 409:723
ubiquitin, 409:43, 409:723, 410:401, 410:613, 411:623, 413:1, 414:161, 415:367
ubiquitination, 409:275, 410:439, 410:585, 411:249, 411:e9, 414:221, 416:117
ubiquitin-conjugating E2 enzyme, 413:447
ubiquitin-conjugating enzyme 13 (Ubc13), 409:43, 409:723
ubiquitin fusion degradation (UFD), 409:117
ubiquitin-interacting motif (UIM), 410:101
ubiquitin ligase, 410:101, 415:155
ubiquitin-like domain (UBL domain), 409:117
ubiquitin-specific protease, 411:249, 414:161
UDP-GlcNAc biosynthesis, 415:217
UDP-glucuronosyltransferase (UGT) 2B15 (UGT2B15) and UGT2B17, 410:245
UDP-*N*-acetylmuramoyl-L-alanine:D-glutamate-ligase (MurD), 415:27
uncoupling protein, 413:359
uncoupling protein-1, 411:593
uncoupling protein-2 (UCP2), 409:199
uncoupling protein 3 (UCP3), 412:131
univacuolar refractile/non-refractile granulocyte, 416:65
unsaturated aldehyde, 410:525
uridine triphosphate (UTP), 412:113
urokinase, 410:157
urokinase-type plasminogen activator (uPA), 412:447, 415:265
uroplakin, 414:195
uropontin, 411:53

vacuolar protein sorting 34 (Vps34), 410:1
vacuole import and degradation (Vid), 411:581
vanillin, 414:281
variant Creutzfeldt–Jakob disease (vCJD), 416:297
vascular endothelial growth factor (VEGF), 411:97, 411:211, 411:515
vascular smooth muscle, 412:507
v-erb-b2 erythroblastic leukaemia viral oncogene homologue 2 (ErbB2), 415:197
very-low-density lipoprotein (VLDL), 413:333
vesicle, 410:123
vesicle-associated membrane protein (VAMP), 410:255
vesicle traffic, 413:201
vesicular-stomatitis-virus glycoprotein (VSVG), 410:409
vimentin, 410:141
vinculin, 409:657, 409:e1
virulence, 410:359
VLDL transport vesicle (VTV), 413:333
V-maf musculoaponeurotic fibrosarcoma oncogene homo!ogue A (MafA), 415:1
voltammetry, 409:159

WD-repeat protein 1 (WDR1), 414:261
with no K (lysine) kinase (WNK), 409:321
Wnt, 410:503
Wnt signalling, 416:e11
work transition, 413:343
wound healing, 409:289
WW domain, 415:155

xenobiotic metabolism, 413:493
xenobiotic, 413:151
Xenopus oocyte, 410:535
X-linked inhibitor of apoptosis (XIAP), 415:21
X-ray crystal structure, 409:417
X-ray crystallography, 411:181, 411:241, 414:81, 415:217
Xrn1, 416:327
xyloglucanase, 411:161
xyloglucan-specific endo-β-1,4-glucanase (XEG), 411:161

yeast, 412:73, 415:467
yeast AP-1-like transcription factor Yap1 gene (*YAP1*), 414:301
yeast AP-1-like transcription factor Yap8 gene (*YAP8*), 414:301
Ypp1, 415:455

Zhangfei (ZF), 416:463
zinc, 415:477
zinc-binding site, 414:151
zinc enzyme, 409:399
zinc finger, 410:101
zinc-finger motif, 412:425
zinc-finger structures, 409:95
zizimin, 409:525
Z-ring, 410:147

© 2009 Biochemical Society

Portland Press » publishing innovation

cell signallingbiology

– an outstanding online reference work from one of the world's leading experts

Professor Sir Michael J. Berridge (Cambridge)
Shaw Laureate in Life Science and Medicine 2005

This major contribution to the field of cell signalling biology provides researchers, teachers and students alike with an essential online resource. Emerging information on cell signalling pathways is integrated and presented within the context of specific cell types and processes.

New additions include:

- uniquely comprehensive list and descriptions of smooth muscle cell types
- stem cells
- skin, with descriptions of cells and glands
- coverage of more diseases (phenotypic and genotypic)
- updated information on channels and co-transporters
- notch signalling pathway
- expanded coverage of angiogenesis
- control of food intake and body weight

plus more animated schemes

"A fantastic resource for educators and researchers alike, and for anyone interested in the basics and details of cell signalling pathways. The diagrams are particularly useful as teaching tools. I highly recommend this to anyone engaged in signalling research."
Alex Toker, Harvard Medical School, Boston

- Personal subscription available at – £124/$245/€211
- Institutional subscription available at – £197/$391/€335
- Biochemical Society member subscription available at – £98/US$197/€148

Subscribe today at www.cellsignallingbiology.org

www.cellsignallingbiology.org

YOUR NEW OPEN-ACCESS JOURNAL

ASN NEURO

Reviews Editor:
Scott Brady (Chicago)

Senior Editors:
Susan Bookheimer (Los Angeles)
Monica Carson (Riverside)
Marie-Francoise Chesselet (Los Angeles)
Philip Haydon (Boston)
Gary Landreth (Cleveland)
Wendy Macklin (Cleveland/Denver)
Ken McCarthy (Chapel Hill)
Mary McKenna (Baltimore)
Steven Scherer (Philadelphia)

Editor-in-Chief:
Anthony T. Campagnoni (Los Angeles, USA)

12 Knowledge Environments
- building communities in all areas of molecular and cellular neurobiology

- Competitive open-access publication fee
  - ASN Members - $750
  - Non-Members - $960
- No additional submission, reviewing or page charges
- FREE colour
- Immediate Publications
- "asap" publishing
- Deposit in PubMed Central
- Videos
- EESI-View*
  - acclaimed online viewing platform
- Institutional membership available
- My ASN NEURO
  - set up your own personal area!



Submit your next paper online today at:
www.asnneuro.org

Published by Portland Press Ltd on behalf of the American Society for Neurochemistry

*Enhanced Electronic Serials Interface - developed by Portland Press. UK Patent Number: 2416468

Winner ALPSP/Charlesworth Award for Best Online Journal

BJ Biochemical Journal

Chair: **Peter Shepherd** Auckland | Vice Chair, The Americas: **Guy Salvesen** La Jolla | Vice Chair, Asia-Pacific: **Tao Xu** Beijing | Vice Chair Reviews: **Alex Toker** Boston

- **Seven knowledge environments — building communities**
- **My BJ — make it personal**
- **Fast decision — 2–4 weeks**
- **Free colour in Accelerated Publications**
- **No submission or page charges**
- Opt Pay **— Now fully compliant with funding body mandates**

Submit your next paper to us today!



Transformed for the digital age

www.BiochemJ.org

Images courtesy of Dr Gordon Baskes, University of Newcastle upon Tyne | Microbiology at Leeds, University of Leeds | M Duchen and Y Mohamed-Ali, University College London | Nottingham Arabidopsis Stock Centre (NASC) | G P Côté, Kingston, Ont. | G Salvesen, La Jolla

» publishing innovation

Published in EESI•View — an innovative way of viewing articles online

Composed by Aptara Inc., New Delhi, India
Printed in Great Britain by the Charlesworth Group, Wakefield

1.0
1.1
1.25
1.4
1.6
2.8
3.2
2.2
2.0
1.8